CHAPTER 76

ALUMINUM AND ARTICLES THEREOF

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

   (a) Aluminum, not alloyed

   Metal containing by weight at least 99 percent of aluminum, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Element	Limiting content percent by weight
Fe + Si (iron plus silicon)	1
Other elements [1], each	0.1 [2]

[1] Other elements are, for example, Cr, Cu, Mg, Mn, Ni, Zn.

[2] Copper is permitted in a proportion greater than 0.1 percent but not more than 0.2 percent, provided that neither the chromium nor manganese content exceeds 0.05 percent.

   (b) Aluminum alloys

   Metallic substances in which aluminum predominates by weight over each of the other elements, provided that:

   (i) The content by weight of at least one of the other elements or of iron plus silicon taken together is greater than the limit specified in the foregoing table; or

   (ii) The total content by weight of such other elements exceeds 1 percent.

2. Notwithstanding the provisions of note 9(c) to section XV, for the purposes of subheading 7616.91 the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

Additional U.S. Note

1. For the purposes of heading 7608, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.

Statistical Notes

1. For the purposes of this chapter, the term "aluminum vanadium master alloy" refers to aluminum alloys which contain by weight 20 percent or more of vanadium.

2. For the purposes of this chapter, the term “aluminum can stock” refers to sheets and strip in coils, of alloys of aluminum in which either manganese or magnesium predominates by weight over each of the other alloying elements, not painted, over 0.175 mm but not over 0.432 mm in thickness, and over 254 mm in width, comprising “body stock” and “lid stock” as specified below:

   (a) The term “body stock” refers to aluminum can stock (i) in which either manganese or magnesium predominates by weight over each of the other alloying elements; and (ii) designated as series 3xxx in the Aluminum Association’s specifications of registered alloys; and (iii) having a minimum tensile strength of 262 MPa.

   (b) The term “lid stock” refers to aluminum can stock (i) in which magnesium predominates by weight over each of the other alloying elements; and (ii) designated as series 5xxx in the Aluminum Association’s specifications of registered alloys; and (iii) having a minimum tensile strength of 345 MPa.

Statistical Notes (con.)

3. For the purposes of statistical reporting number 7601.20.9080, "sheet ingot" (slabs) refers to aluminum alloys with a rectangular cross-section suitable to be manufactured into other products.

4. For the purposes of statistical reporting number 7601.20.9085, "foundry ingot" refers to large castings of aluminum alloys of various shapes other than sheets or slabs to be melted for further processing.

5. For statistical reporting purposes under subheading 7602.00.00, the term “recyclable aluminum” refers to materials that are obsolete, previously used, off-specification, surplus, or incidentally produced and are collected and sorted for processing into a specification-grade commodity. Recyclable materials may also be considered as scrap but do not include solid waste or residue.

6. For the purposes of statistical reporting numbers 7604.29.3030, 7604.29.5020 and 7606.12.3015, “high-strength heat-treatable alloys” refers to aluminum containing by weight 7.0 percent or less of copper or 10.0 percent or less of zinc, and/or are designated as series 2xxx or 7xxx (except 7072) in the Aluminum Association’s specifications of registered alloys.

7. For the purposes of statistical reporting numbers 7604.21.0010, 7604.29.1010, 7604.29.3060, 7604.29.5050, 7606.12.3025 and 7606.12.3091, “heat-treatable industrial alloys” refers to aluminum containing by weight 3.0 percent or less of magnesium and 3.0 percent or less of silicon, and/or are designated as series 6xxx in the Aluminum Association’s specifications of registered alloys.

Heading/ Subheading	Stat. Suf-fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7601		Unwrought aluminum:				
7601.10		Aluminum, not alloyed:				
7601.10.30	00	Of uniform cross section throughout its length, the least cross-sectional dimension of which is not greater than 9.5 mm, in coils	kg	2.6%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	18.5%[1/]
7601.10.60		Other		Free		11%[1/]
	40	Of 99.9 percent aluminum or greater	kg			
	45	Of greater than 99.8 percent but less than 99.9 percent	kg			
	90	Other	kg			
7601.20		Aluminum alloys:				
7601.20.30	00	Of uniform cross section throughout its length, the least cross-sectional dimension of which is not greater than 9.5 mm, in coils	kg	2.6%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	18.5%[1/]
		Other:				
7601.20.60	00	Containing 25 percent or more by weight of silicon	kg	2.1%	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25%[1/]
7601.20.90		Other		Free		10.5%[1/]
	30	Aluminum vanadium master alloy	kg			
		Other:				
	45	Of uniform circular cross section throughout its length, the foregoing comprised of billets, not in coils	kg			
	60	Other, containing 0.03 percent or more by weight of lead (secondary aluminum)	kg			
		Other:				
	75	Remelt scrap ingot	kg			
	80	Sheet ingot (slab) of a kind described in statistical note 3 to this chapter	kg			
	85	Foundry ingot of a kind described in statistical note 4 to this chapter	kg			
	95	Other	kg			
7602.00.00		Aluminum waste and scrap		Free		Free
	35	Recyclable used beverage containers	kg			
	45	Recyclable aluminum auto and truck wheels	kg			
	55	Recyclable aluminum from industrial processes, including turnings, borings, shavings, filings, clippings and chips	kg			
	65	Other recyclable aluminum	kg			
	75	Other	kg			

Heading/ Subheading	Stat. Suf- fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7603		Aluminum powders and flakes:				
7603.10.00	00	Powders of non-lamellar structure	kg	5%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7603.20.00	00	Powders of lamellar structure; flakes	kg	3.9%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11%

Heading/ Subheading	Stat. Suf- fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7604		Aluminum bars, rods and profiles:				
7604.10		Of aluminum, not alloyed:				
7604.10.10	00	Profiles	kg	5%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
		Bars and rods:				
7604.10.30	00	Having a round cross section	kg	2.6%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11% 1/
7604.10.50	00	Other	kg	3%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5% 1/
		Of aluminum alloys:				
7604.21.00		Hollow profiles		1.5%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	15.5% 1/
	10	Heat-treatable industrial alloys of a kind described in statistical note 7 to this chapter	kg			
	90	Other	kg			
7604.29		Other:				
7604.29.10		Other profiles		5%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	10	Heat-treatable industrial alloys of a kind described in statistical note 7 to this chapter	kg			
	90	Other	kg			
		Bars and rods:				
7604.29.30		Having a round cross section		2.6%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11% 1/
	30	High-strength heat-treatable alloys of a kind described in statistical note 6 to this chapter	kg			
	60	Heat-treatable industrial alloys of a kind described in statistical note 7 to this chapter	kg			
	90	Other	kg			
7604.29.50		Other		3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5% 1/
	20	High-strength heat-treatable alloys of a kind described in statistical note 6 to this chapter	kg			
	50	Heat-treatable industrial alloys of a kind described in statistical note 7 to this chapter	kg			
	90	Other	kg			

Heading/ Subheading	Stat. Suf-fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7605		Aluminum wire:				
		Of aluminum, not alloyed:				
7605.11.00	00	Of which the maximum cross-sectional dimension exceeds 7 mm	kg	2.6%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11%[1/]
7605.19.00	00	Other	kg	4.2%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25%[1/]
		Of aluminum alloys:				
7605.21.00	00	Of which the maximum cross-sectional dimension exceeds 7 mm	kg	2.6%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11%[1/]
7605.29.00	00	Other	kg	4.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25%[1/]
7606		Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm:				
		Rectangular (including square):				
7606.11		Of aluminum, not alloyed:				
7606.11.30		Not clad		3%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5%[1/]
	30	With a thickness of more than 6.3 mm	kg			
	60	With a thickness of 6.3 mm or less	kg			
7606.11.60	00	Clad	kg	2.7%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9.5%[1/]

Heading/ Subheading	Stat. Suf-fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7606 (con.)		Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: (con.)				
		Rectangular (including square): (con.)				
7606.12		Of aluminum alloys:				
7606.12.30		Not clad	.....	3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5%[1/]
		With a thickness of more than 6.3 mm:				
	15	High-strength heat-treatable alloys of a kind described in statistical note 6 to this chapter	kg			
	25	Heat-treatable industrial alloys of a kind described in statistical note 7 to this chapter	kg			
	35	Other	kg			
		With a thickness of 6.3 mm or less:				
		Aluminum can stock:				
	45	Body stock	kg			
	55	Lid stock	kg			
		Other:				
	91	Heat-treatable industrial alloys of a kind described in statistical note 7 to this chapter	kg			
	96	Other	kg			
7606.12.60	00	Clad	kg	6.5%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	30%[1/]

Heading/ Subheading	Stat. Suf-fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7606 (con.)		Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: (con.)				
		Other:				
7606.91		Of aluminum, not alloyed:				
7606.91.30		Not clad	.....	3%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5%[1/]
	55	With a thickness of more than 6.3 mm	kg			
	95	With a thickness of 6.3 mm or less	kg			
7606.91.60		Clad	.....	2.7%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9.5%[1/]
	55	With a thickness of more than 6.3 mm	kg			
	95	With a thickness of 6.3 mm or less	kg			
7606.92		Of aluminum alloys:				
7606.92.30		Not clad	.....	3%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5%[1/]
	25	With a thickness of more than 6.3 mm	kg			
	35	With a thickness of 6.3 mm or less	kg			
7606.92.60		Clad	.....	6.5%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	30%[1/]
	55	With a thickness of more than 6.3 mm	kg			
	95	With a thickness of 6.3 mm or less	kg			

Heading/ Subheading	Stat. Suf- fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7607		Aluminum foil (whether or not printed, or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.2 mm:				
		Not backed:				
7607.11		Rolled but not further worked:				
		Of a thickness not exceeding 0.15 mm:				
7607.11.30	00	Of a thickness not exceeding 0.01 mm	kg	5.8%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
7607.11.60		Of a thickness exceeding 0.01 mm		5.3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
	10	Boxed aluminum foil weighing not more than 11.3 kg	kg m^2			
	90	Other	kg m^2			
7607.11.90		Other		3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5%[1/]
		Aluminum can stock:				
	30	Body stock	kg			
	60	Lid stock	kg			
	90	Other	kg			
7607.19		Other:				
7607.19.10	00	Etched capacitor foil	kg	5.3%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
		Other:				
7607.19.30	00	Cut to shape, of a thickness not exceeding 0.15 mm	kg	5.7%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7607.19.60	00	Other	kg	3%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5%[1/]
7607.20		Backed:				
7607.20.10	00	Covered or decorated with a character, design, fancy effect or pattern	kg	3.7%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	22.5%[1/]
7607.20.50	00	Other	kg	Free		23%[1/]

Heading/ Subheading	Stat. Suf-fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7608		Aluminum tubes and pipes:				
7608.10.00		Of aluminum, not alloyed		5.7%	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)[2/]	45%
	30	Seamless	kg			
	90	Other	kg			
7608.20.00		Of aluminum alloys		5.7%	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)[2/]	45%
	30	Seamless	kg			
	90	Other	kg			
7609.00.00	00	Aluminum tube or pipe fittings (for example, couplings, elbows, sleeves)	kg	5.7%	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7610		Aluminum structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminum plates, rods, profiles, tubes and the like, prepared for use in structures:				
7610.10.00		Doors, windows and their frames and thresholds for doors		5.7%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	10	Windows and their frames	kg			
	20	Thresholds for doors	kg			
	30	Other	kg			
7610.90.00		Other		5.7%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	20	Sheet-metal roofing, siding, flooring, and roof guttering and drainage equipment	kg			
	40	Architectural and ornamental work	kg			
		Other:				
	60	Mobile homes	kg			
	80	Other	kg			

Heading/ Subheading	Stat. Suf- fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7611.00.00		Aluminum reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment	.....	2.6%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	30	Tanks	No.			
	90	Other	No.			
7612		Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:				
7612.10.00	00	Collapsible tubular containers	No	2.4%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7612.90		Other:				
7612.90.10		Of a capacity not exceeding 20 liters	.....	5.7%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
		Cans of a capacity not exceeding 355 ml:				
	40	With a circular cross section, of a kind used for aerosols	No.			
	45	Other	No.			
	60	Cans of a capacity exceeding 355 ml but less than 3.8 liters	No.			
	90	Other	No.			
7612.90.50	00	Other	No	Free		25%[1/]
7613.00.00	00	Aluminum containers for compressed or liquefied gas	No	5%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25%[1/]

Heading/ Subheading	Stat. Suf-fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7614		Stranded wire, cables, plaited bands and the like, including slings and similar articles, of aluminum, not electrically insulated:				
7614.10		With steel core:				
7614.10.10	00	Not fitted with fittings and not made up into articles.....	kg.....	4.9%	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
7614.10.50	00	Fitted with fittings or made up into articles.....	kg.....	4.9%	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
7614.90		Other:				
		Not fitted with fittings and not made up into articles:				
7614.90.20		Electrical conductors.....	.....	4.9%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
	30	With a cross-sectional area less than 240 mm^2.....	kg			
	60	With a cross-sectional area greater than or equal to 240 mm^2.....	kg			
7614.90.40	00	Other.....	kg.....	4.9%	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
7614.90.50	00	Fitted with fittings or made up into articles.....	kg.....	5.7%	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%

Heading/ Subheading	Stat. Suf- fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7615		Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum:				
7615.10		Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:				
7615.10.11	00	Pot scourers and scouring or polishing pads, gloves and the like	kg	3.1%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
		Other:				
		Cooking and kitchen ware:				
		Enameled or glazed or containing nonstick interior finishes:				
7615.10.20		Cast		3.1%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	15	Bakeware (cookware not suitable for stove top use)	No. kg			
	25	Other	No. kg			
7615.10.30		Other		3.1%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	15	Bakeware (cookware not suitable for stove top use)	No. kg			
	25	Other	No. kg			

Heading/ Subheading	Stat. Suf- fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7615 (con.)		Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: (con.)				
7615.10 (con.)		Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: (con.)				
		Other: (con.)				
		Cooking and kitchen ware: (con.)				
		Not enameled or glazed and not containing nonstick interior finishes:				
7615.10.50		Cast		3.1%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	20	Bakeware (cookware not suitable for stove top use)	No. kg			
	40	Other	No. kg			
7615.10.71		Other		3.1%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	25	Containers suitable for food preparation, baking, reheating or storage, 0.04 mm or more but not over 0.22 mm in thickness	No. kg			
		Other cookware:				
	30	Bakeware (cookware not suitable for stove top use)	No. kg			
	55	Other	No. kg			
	80	Other	No. kg			
7615.10.91	00	Other	kg	3.1%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
7615.20.00	00	Sanitary ware and parts thereof	kg	3.8%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%

Heading/ Subheading	Stat. Suf- fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7616		Other articles of aluminum:				
7616.10		Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles:				
7616.10.10	00	Nails, tacks and staples	kg	5.7%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7616.10.30	00	Rivets	kg	4.7%	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7616.10.50	00	Cotters and cotter pins	kg	5.7%	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
		Other:				
7616.10.70		Having shanks, threads or holes over 6 mm in diameter		5.5%	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 2.75% (JP)	45%
	30	Threaded fasteners	kg			
	90	Other	kg			
7616.10.90		Other		6%	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	30	Threaded fasteners	kg			
	90	Other	kg			

Heading/ Subheading	Stat. Suf- fix	Article Description	Unit of Quantity	Rates of Duty 1 General	Rates of Duty 1 Special	Rates of Duty 2
7616 (con.)		Other articles of aluminum: (con.)				
		Other:				
7616.91.00	00	Cloth, grill, netting and fencing, of aluminum wire	kg	2.5%	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7616.99		Other:				
7616.99.10	00	Luggage frames	kg	Free		45%
7616.99.51		Other		2.5%	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	20	Laminated goods consisting of 2 or more flat-rolled sheets of aluminum held together with an adhesive or having a core of non-metallic material	kg			
	30	Ladders	No.			
	40	Venetian blinds and parts thereof	No.			
	50	Hangers and supports for pipes and tubes	kg			
		Other:				
	60	Castings	kg			
	70	Forgings	kg			
		Other:				
	75	Articles of wire	kg			
	90	Other	kg			

1/ See 9903.90.09.
2/ See additional U.S. note 1 to this chapter.