Harmonized Tariff Schedule of the United States Revision 11 (2023)

Annotated for Statistical Reporting Purposes

CHAPTER 73

ARTICLES OF IRON OR STEEL

XV 73-1

Notes

- 1. In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
- 2. In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

- 1. For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
- 2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

Statistical Note

For the purposes of statistical reporting numbers 7310.10.0005, 7310.29.0020 and 7310.29.0055, "refillable stainless steel kegs,
whether or not pressurized" refers to cylindrical kegs for liquid beverages, each keg with a domed top and bottom and a single
neck piece, designed for a coupler (valve) system and an extractor tube (spear) by which the keg can be cleaned, filled and
dispense the liquid contents.

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subfleading	fix	Ai licie Description	Quantity	General	Special	- 2
7301		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel:				
7301.10.00	00	Sheet pilling	kg	Free ^{1/}		2%
7301.20 7301.20.10	00	Angles, shapes and sections: Of iron or nonalloy steel	kg	Free ^{2/}		20%
7301.20.50	00	Of alloy steel	kg	Free ^{2/}		28%
7302.10		Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails: Rails:		- 1		40/
'302.10.10		Of iron or nonalloy steel New: Not heat treated:		Free [!]		1%
	10	Standard tee rails over 30 kg per meter Other:	kg			
	15	Over 30 kg per meter	Ŭ			
	25	Other Heat treated:	kg			
	35	Standard tee rails over 30 kg per meter Other:	kg			
	45	Over 30 kg per meter	kg			
	55	Other Used:	kg			
	65	Railway rails for rerolling	kg			
7302.10.50	75	Other Of alloy steel	0	Free ^{1/}		9%
302.10.30	20	New		Free-		3 76
	40	Used: Railway rails for rerolling				
7302.30.00	60 00	OtherSwitch blades, crossing frogs, point rods and other crossing pieces	J	Free ^{2/}		45%
7302.40.00	00	Fish-plates and sole plates				2%
7302.90 7302.90.10	00	Other: Sleepers (cross-ties)	kg	Free ^{1/}		2%
7302.90.90	00	Other	kg	Free ^{1/}		45%
303.00.00	30	Tubes, pipes and hollow profiles, of cast iron		Free ^{2/}		33%
	60	Pressure pipe with an inside diameter of less than				
	90	356 mm Other	•			

)	(٧
7	3	_	1

Heading/ Subheading	Stat. Suf- Article Description		Unit		Rates of Duty	
Subneading	Sut- fix	Article Description	of Quantity	General	1 Special	2
304		Tubes, pipes and hollow profiles, seamless, of iron (other than				
		cast iron) or steel: Line pipe of a kind used for oil or gas pipelines:				
304.11.00		Of stainless steel		Free ^{1/}		35%
	20	Having an outside diameter not exceeding				
		114.3 mm	_			
	50	Having an outside diameter exceeding 114.3 mm				
	80	but not exceeding 406.4 mm Having an outside diameter exceeding	kg			
	00	406.4 mm	kg			
304.19		Other:		1/		4/
304.19.10	20	Of iron or nonalloy steel		Free ¹⁷		25% ^{4/}
	20	Having an outside diameter not exceeding 114.3 mm	ka			
	30	Having an outside diameter exceeding	J			
		114.3 mm but less than 215.9 mm	kg			
		Having an outside diameter of 215.9 mm or				
	45	more but not exceeding 406.4 mm: Having a wall thickness less than				
	"	12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or				
	00	more	kg			
	80	Having an outside diameter exceeding 406.4 mm	kg			
304.19.50		Of other alloy steel		Free ^{1/}		35%
	20	Having an outside diameter not exceeding 114.3 mm	ka			
	50	Having an outside diameter exceeding	kg			
	30	114.3 mm but not exceeding 406.4 mm	kg			
	80	Having an outside diameter exceeding				
		406.4 mm	kg			

Subheading	Suf-	Article Description	of		1	2
	fix	· ·	Quantity	General	Special	1
'304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for				
304.22.00		oil or gas: Drill pipe of stainless steel Having an outside diameter not exceeding		Free ^{1/}		35%
	30	168.3 mm: Having a wall thickness not exceeding	ka			
	45 60	9.5 mm Having a wall thickness exceeding 9.5 mm Having an outside diameter exceeding	•			
304.23		168.3 mm Other drill pipe:	_			
304.23.30	00	Of iron or nonalloy steel				25%
'304.23.60		Of alloy steelHaving an outside diameter not exceeding 168.3 mm:		Free ^{1/}		35%
	30	Having a wall thickness not exceeding 9.5 mm	kg			
	45	Having a wall thickness exceeding 9.5 mm	kg			
'304.24	60	Having an outside diameter exceeding 168.3 mm Other, of stainless steel:	kg			
304.24.30		Casing: Threaded or coupled Having an outside diameter less than		Free ^{1/}		28%
	10	215.9 mm: Having a wall thickness less than 12.7 mm	ka			
	20	Having a wall thickness of 12.7 mm or more	· ·			
	30	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than	S			
	40	12.7 mm Having a wall thickness of 12.7 mm or				
	45	more Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm	kg ka			
	80	Having an outside diameter exceeding 406.4 mm				

)	X	٧
73	2	F

	Stat.	Article Description	Unit		Rates of Duty	1 2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
, ,		cast iron) or steel: (con.)				
		Casing, tubing and drill pipe, of a kind used in drilling for				
7004.04		oil or gas: (con.)				
7304.24 con.)		Other, of stainless steel: (con.)				
COII.)		Casing: (con.)				
7304.24.40		Other		Free ^{1/}		8.5% ^{4/}
		Having an outside diameter less than		1.00		0.070
		215.9 mm:				
	10	Having a wall thickness less than				
		12.7 mm	kg			
	20	Having a wall thickness of 12.7 mm or				
		more	kg			
		Having an outside diameter of 215.9 mm				
	30	or more but not exceeding 285.8 mm: Having a wall thickness less than				
	30	12.7 mm	ka			
	40		•			
	40	Having a wall thickness of 12.7 mm or more	kg			
		Having an outside diameter exceeding	Νg			
		285.8 mm but not exceeding 406.4 mm:				
	50	Having a wall thickness less than				
		12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or				
		=	kg			
	80	Having an outside diameter exceeding				
70040400			kg	47		
7304.24.60		Tubing		Free ^{1/}		35%
		Having an outside diameter not exceeding				
	15	114.3 mm: Having a wall thickness not exceeding				
	10		kg			
	30	Having a wall thickness exceeding	3			
	30	_ =	kg			
	45	Having an outside diameter exceeding	9			
		114.3 mm but less than 215.9 mm	kg			
	60	Having an outside diameter of 215.9 mm or				
		more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding				
	. •		kg			

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	or Quantity	General	1 Special	┥ ′
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than		General	Operation	
()		cast iron) or steel: (con.)				
		Casing, tubing and drill pipe, of a kind used in drilling for				
		oil or gas: (con.)				
304.29		Other:				
		Casing:				
		Of iron or nonalloy steel:				
304.29.10		Threaded or coupled		Free ^{1/}		20% ^{4/}
		Having an outside diameter less than				
		215.9 mm:				
	10	Having a wall thickness less than				
		12.7 mm	kg			
	20	Having a wall thickness of				
		12.7 mm or more	kg			
		Having an outside diameter of	· ·			
		215.9 mm or more but not exceeding				
		285.8 mm:				
	30	Having a wall thickness less than				
		12.7 mm	kg			
	40	Having a wall thickness of				
		12.7 mm or more	kg			
		Having an outside diameter exceeding	0			
		285.8 mm but not exceeding				
		406.4 mm:				
	50	Having a wall thickness less than				
		12.7 mm	kg			
	60	Having a wall thickness of				
		12.7 mm or more	ka			
	80	Having an outside diameter exceeding				
		406.4 mm				
304.29.20		Other	U	Free ^{1/}		1% 4 ′
		Having an outside diameter less than		1100		1 70
		215.9 mm:				
	10	Having a wall thickness less than				
		12.7 mm				
	20	Having a wall thickness of				
	20	12.7 mm or more	ka			
		Having an outside diameter of	Ng			
		215.9 mm or more but not exceeding				
		285.8 mm:				
	30	Having a wall thickness less than				
		12.7 mm				
	40	Having a wall thickness of	J			
	40	12.7 mm or more	ka			
		Having an outside diameter exceeding				
		285.8 mm but not exceeding				
		406.4 mm:				
	50	Having a wall thickness less than				
		<u> </u>	kg			
	60	Having a wall thickness of	_			
	00	12.7 mm or more	ka			
	80	Having an outside diameter exceeding				
		406.4 mm				
			·-9			
			•		Ī	1

XV
73-7

	Stat. Suf-	Article Description	Unit		Rates of Duty	2
Subheading	fix	Article Description	of Quantity	General	1 Special	2
7304 (con.) 7304.29 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: (con.) Other: (con.) Casing: (con.) Of other alloy steel:				
7304.29.31		Threaded or coupled Having an outside diameter less than		Free ^{1/}		28% ^{4/}
	10	215.9 mm: Having a wall thickness less than 12.7 mm				
	20	Having a wall thickness of 12.7 mm or moreHaving an outside diameter of 215.9 mm or more but not exceeding	· ·			
	30	285.8 mm: Having a wall thickness less than 12.7 mm				
	40	Having a wall thickness of 12.7 mm or moreHaving an outside diameter exceeding 285.8 mm but not exceeding	kg			
	50	406.4 mm: Having a wall thickness less than 12.7 mm	ka			
	60	Having a wall thickness of 12.7 mm or more	· ·			
7204 20 41	80	Having an outside diameter exceeding 406.4 mm	kg	– 1/		0.50/4/
7304.29.41	10	Other		Free ^{1/}		8.5% ^{4/}
	20	Having a wall thickness of 12.7 mm or more	kg			
	30	Having a wall thickness less than 12.7 mm	kg			
	40	Having a wall thickness of 12.7 mm or more	kg			
	50	Having a wall thickness less than 12.7 mm	kg			
	80 80	Having an outside diameter exceeding	kg kg			

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
_	fix	·	Quantity	General	Special	<u> </u>
'304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: (con.)				
304.29 con.)		Other: (con.)				
304.29.50		Tubing: Of iron or nonalloy steel		E 1/		050/4/
304.29.30		Having an outside diameter not exceeding		Free-		25% ^{4/}
	15	114.3 mm: Having a wall thickness not exceeding 9.5 mm				
	30	Having a wall thickness exceeding	kg			
	45	9.5 mm Having an outside diameter exceeding	kg			
	.0	114.3 mm but less than 215.9 mm	kg			
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm	ka			
7304.29.61		Of other alloy steel		Free ^{1/}		35%
	15	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding				
		9.5 mm				
	30	Having a wall thickness exceeding 9.5 mm	kg			
	45	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm				
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm	kg			

	ΧV	
7	3-a	

	Stat.		Unit		Rates of Duty	-ī
	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)	-	Tubes, pipes and hollow profiles, seamless, of iron (other than		General	Оресіаі	1
. (00)		cast iron) or steel: (con.)				
		Other, of circular cross section, of iron or nonalloy steel:				
304.31		Cold-drawn or cold-rolled (cold-reduced):				
304.31.30	00	Hollow bars				22%
304.31.60		Other		Free ^{1/}		25% ^{4/}
	10	Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces				
		and feedwater heaters	_			
	50	Other	kg			
304.39.00		Other		Free ^{1/}		25% ^{4/}
		Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces and				
	02	feedwater heaters: Having an outside diameter less than				
	-	38.1 mm	ka			
	04	Having an outside diameter of 38.1 mm or				
	∪ +	more but less than 190.5 mm	ka			
	06	Having an outside diameter of 190.5 mm or	9			
	υO	more but not exceeding 285.8 mm	ka			
	08	Having an outside diameter exceeding	9			
	00	285.8 mm	ka			
		200.0	l Ng			
			Ī	I	Ī	I

fix Quantity General Special		Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
cast iron) or steel: (con.)	Jubrieading		Atticle Description		General		
Other: 16 Galvanized, having an outside diameter not exceeding 114.3 mm	304 (con.)		cast iron) or steel: (con.) Other, of circular cross section, of iron or nonalloy steel:				
Other: Author of the state of							
Other: Having an outside diameter less than 38.1 mm							
Having an outside diameter less than 38.1 mm		16		kg			
more but not exceeding 114.3 mm: Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm		20	Having an outside diameter less than	kg			
Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm		24	more but not exceeding 114.3 mm:				
more but not exceeding 12.7 mm				kg			
Having a vall thickness of 12.7 mm or more but less than 19 mm		28		kg			
Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thickness less than 12.7 mm		32		ka			
Having a wall thickness of 12.7 mm or more but less than 19 mm		36	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thickness less than				
Having a wall thickness of 19 mm or more more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm		40	Having a wall thickness of 12.7 mm or				
Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm		44	Having a wall thickness of 19 mm or				
12.7 mm		48	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm:	kg			
more but less than 19 mm		52		•			
more			more but less than 19 mm				
Having a wall thickness less than 12.7 mm		50	more Having an outside diameter exceeding	kg			
more but less than 19 mm		62	Having a wall thickness less than	kg			
Having a wall thickness of 19 mm or more		68					
Having a wall thickness less than 19 mmkg Having a wall thickness of 19 mm or		72	more Having an outside diameter exceeding	kg			
80 Having a wall thickness of 19 mm or		76	Having a wall thickness less than	ka			
		80	Having a wall thickness of 19 mm or	J			

	Stat.	Antiple Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
		cast iron) or steel: (con.)				
004.44		Other, of circular cross section, of stainless steel:				
304.41 304.41.30		Cold-drawn or cold-rolled (cold-reduced): Of an external diameter of less than 19 mm		- 1/		36%
	05	Of high-nickel alloy steel		Free**		30%
	US		kg			
	4-	Other:				
	15	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining				
		furnaces and feedwater heaters	ka			
	45	Other	_			
304.41.60	45	Other		Free ^{1/}		36%
	05	Of high-nickel alloy steel		Free-		30 /6
	05		ĸy			
	4.5	Other:				
	15	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining				
		furnaces and feedwater heaters	ka			
	4.5		•			
304.49.00	45	OtherOther	•	1/		36%
	0E	Of high-nickel alloy steel		Free ^{1/}		30%
	05		ng			
	4-	Other:				
	15	Hollow bars	кд			
		Other:				
	45	Suitable for use in boilers, superheaters,				
		heat exchangers, condensers, refining furnaces and feedwater heaters	ka			
			ŭ			
	60	Other	kg			
				Ī		Ī

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Jabricading	fix	/ Hadio Boodilphori	Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Other, of circular cross section, of other alloy steel:				
'304.51 '304.51.10	00	Cold-drawn or cold-rolled (cold-reduced): Suitable for use in the manufacture of ball or roller		1/		0.40/
304.51.50		bearings Other				34% 35%
	05	Of high-nickel alloy steel Other:				
	15	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters: Of heat-resisting steel	ka			
	45	Other	kg			
304.59	60	OtherOther:	kg			
304.59.10	00	Suitable for use in the manufacture of ball or roller bearings		Free ^{1/}		34%
7304.59.20		Other: Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces		1/		050/
	30	and feedwater heatersOf heat-resisting steel		Free [±]		35%
	40	Other: Having an outside diameter less than 38.1 mm				
	45	Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm	ka			
	55	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm	Ü			
	60	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm				
	70	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm				
	80	Having an outside diameter exceeding 406.4 mm				
		100.1	Ng			

	Χ	V
73	-1	3

Subheating Such Annice Description Quantity General Special 2	Heading/	Stat.	Australia Decembration	Unit		Rates of Duty	
Tubes.pipes and hollow profiles, seamless, of iron (other than cast iron) or stels (con.) 304.59	Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	_ 2
Other: (con.) Other: (con.	304 (con.)		cast iron) or steel: (con.)		36	Gpot.id.	
Other							
304.59.80 O							
Other	304.59.60	00		kg	Free ^{1/}		36%
Having an outside diameter less than 38.1 mm.	304 59 80						
38.1 mm or more but not exceeding 114.3 mm: Having a wall thickness less than 6.4 mm or more but not exceeding 12.7 mm. Having a vall thickness exceeding 12.7 mm. Having an uslide diameter exceeding 114.3 mm but less than 190.5 mm: Having a vall thickness less than 12.7 mm. Kg Having a vall thickness less than 12.7 mm. Kg Having a vall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a vall thickness of 12.7 mm or more but less than 19 mm. Kg Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm or more but not exceeding 285.8 mm: Kg Having a wall thickness of 12.7 mm or more but not exceeding 285.8 mm: Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having an outside diameter exceeding 285.8 mm but not exceeding 285.8 mm but not exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 12.7 mm or more but less than 12.7 mm. Kg Having a wall thickness of 19 mm or more. Having a wall thickness of 19 mm or more. Having a wall thickness of 19 mm or more. Having a wall thickness of 19 mm or more. Having a wall thickness of 19 mm or more.	001.00.00	10	Having an outside diameter less than		riee		0370
12.7 mm. kg			38.1 mm or more but not exceeding				
or more but not exceeding 12.7 mm		15					
Having a wall thickness exceeding 12.7 mm		20	or more but not exceeding				
Having a noutside diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thickness less than 12.7 mm		25	Having a wall thickness exceeding				
12.7 mm		30	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm:				
12.7 mm or more but less than 19 mm							
Having a wall thickness of 19 mm or more		35	12.7 mm or more but less than	ka			
Or more		40		_			
12.7 mm			or moreHaving an outside diameter of 190.5 mm or more but not exceeding 285.8 mm:	kg			
12.7 mm or more but less than 19 mm		43					
Having a wall thickness of 19 mm or more		50	12.7 mm or more but less than	ka			
Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm		55	Having a wall thickness of 19 mm				
12.7 mm			Having an outside diameter exceeding 285.8 mm but not exceeding	Ng .			
12.7 mm or more but less than 19 mm		60					
or morekg Having an outside diameter exceeding		65	12.7 mm or more but less than	kg			
80 Having an outside diameter exceeding		70	Having a wall thickness of 19 mm				
		80	Having an outside diameter exceeding				
					1		

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.)				
304.90		Other:				
204 20 40		Having a wall thickness of 4 mm or more:	.	4/		40/
304.90.10		Of iron or nonalloy steel				1%
304.90.30	00	Of alloy steel	kg	Free ^{1/}		8.5%
304.90.50	00	Having a wall thickness of less than 4 mm: Of iron or nonalloy steel	ka	Free ^{1/}		25%
304.90.70		Of alloy steel				35%
004.00.70		or any steel	Ng	Free		00 70

	Х	V
73	-1	5

	Stat.	A COLON	Unit		Rates of Duty	_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7305		Other tubes and pipes (for example, welded, riveted or similarly	-		·	
		closed), having circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel:				
		Line pipe of a kind used for oil or gas pipelines:				
7305.11		Longitudinally submerged arc welded:				
7305.11.10		Of iron or nonalloy steel		Free ^{1/}		5.5% ^{4/}
	30	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm				
	60	With an external diameter exceeding 609.6 mm				
7305.11.50	00	Of alloy steel	kg	Free ^{1/}		10%
7305.12 7305.12.10		Other, longitudinally welded: Of iron or nonalloy steel		Free ^{1/}		5.5% ^{4/}
	30	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm				
	60	With an external diameter exceeding				
7005 46 56		609.6 mm		1/		100'
7305.12.50	00	Of alloy steel	kg	Free ¹¹		10%
7305.19 7305.19.10		Other: Of iron or nonalloy steel		F 1/		5.5%
, 303.18.10	30	With an external diameter exceeding 406.4 mm		ree-		J.J 7/0
	30	but not exceeding 609.6 mm				
	60	With an external diameter exceeding	9			
	00	609.6 mm	kg			
7305.19.50	00	Of alloy steel		Free ^{1/}		10%
7305.20		Casing of a kind used in drilling for oil or gas:				
		Of iron or nonalloy steel:				
7305.20.20	00	Threaded or coupled				20%
7305.20.40	00	Other	kg	Free ^{1/}		1%
		Of alloy steel:				
7305.20.60	00	Threaded or coupled				28%
7305.20.80	00	Other	kg	Free ^{1/}		8.5%
7005.04		Other, welded:				
7305.31 7305.31.20	00	Longitudinally welded: Tapered pipes and tubes of steel principally used				
7000.01.20	00	as parts of illuminating articles	kg	Free ^{1/}		45%
		Other:	J	1100		
7305.31.40	00	Of iron or nonalloy steel	ka	Free ^{1/}		5.5%
7305.31.60			_			10%
000.01.00	10	Of alloy steel		ree-		10%
			9			
7305.39	90	OtherOther:	кg			
7305.39	00	Of iron or nonalloy steel	kg	Free ^{1/}		5.5%
7305.39.50		Of alloy steel				10%
7305.39.30	50	Other:	···9	LIGG_		10 /0
7305.90.10	00	Of iron or nonalloy steel	kg	Free ^{1/}		5.5%
7305.90.50	00	Of alloy steel	ka	Free ^{1/}		10%
		•	3	1100		
Į				I	Į	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Gubrieadirig	fix	Atticle Description	Quantity	General	Special	
'306 '306.11.00		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: Line pipe of a kind used for oil or gas pipelines: Welded, of stainless steel		Free ^{1/}		10%
	10	With an outside diameter not exceeding 114.3 mm				
'306.19	50	With an outside diameter exceeding 114.3 mm Other:	kg			
'306.19.10	10	Of iron or nonalloy steel		Free ¹ /		5.5%
1000 10 51	50	With an outside diameter exceeding 114.3 mm	0	47		
306.19.51	10	Of alloy steel With an outside diameter not exceeding 114.3 mm		Free ^{1/}		10%
7206 21	50	With an outside diameter exceeding 114.3 mm Casing and tubing of a kind used in drilling for oil or gas:	kg			
7306.21 7306.21.30	00	Welded of stainless steel: Casing: Threaded or coupled	ka	E1/		28%
306.21.40 306.21.80	UÜ	Other Tubing				8.5% 10%
300.21.00	10	Imported with coupling		Free**		10%
	50	Other	9			
7306.29	30	Other: Casing: Of iron or nonalloy steel:	C			
7306.29.10	30	Threaded or coupledImported with coupling		Free ^{1/}		20%
7306.29.20	90 00	Other	kg kg	Free ^{5/}		1% ^{4/}
306.29.31	00	Other: Threaded or coupled				28%
'306.29.41	00	Other Tubing:		Free ^{1/}		8.5%
'306.29.60	10	Of iron or nonalloy steel Imported with coupling		Free ^{1/}		5.5% ^{4/}
7306.29.81	50	Other		Free ^{1/}		10%
	10 50	Imported with coupling Other				

	Х	V
73	-1	7

	Stat.	Autolo Documentos	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
306 (con.)		Other tubes, pipes and hollow profiles (for example, open				
		seamed or welded, riveted or similarly closed), of iron or steel: (con.)				
306.30		Other, welded, of circular cross section, of iron or nonalloy steel:				
306.30.10	00	Having a wall thickness of less than 1.65 mm	kg	Free ^{1/}		25%
306.30.30	00	Having a wall thickness of 1.65 mm or more: Tapered steel pipes and tubes principally used as				
		parts of illuminating articles	kg	Free ^{1/}		45%
306.30.50		Other		Free ^{1/}		5.5% ^{4/}
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold				
		drawn	kg			
	15	Other, cold-drawn	kg			
	20	Other, cold-rolled (cold-reduced) with a wall thickness not exceeding 2.54 mm	kg			
		Other: With an outside diameter not exceeding 114.3 mm:				
	25	Galvanized: Imported with coupling	ka			
	28	Internally coated or lined with a	···9			
		non-electrically insulating material,				
		suitable for use as electrical conduit	ka			
	32		kg			
		Other:	···9			
	35	Tube and pipe hollows for redrawing	ka			
	40	Other, imported with coupling	_			
	55	· · · · · · · · · · · · · · · · · · ·	kg			
	55	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm:	ĸġ			
	85	Galvanized	kg			
	90	Other	kg			
						1

Stat. Suf-	Article Description	Unit of		Rates of Duty	2
fix	Attitute Description	Quantity	General	Special	
	Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel:				
	Other, welded, of circular cross section, of stainless steel:		Free ^{1/}		36%
	Containing more than 0.5 percent by weight of nickel:				
10					
15 90	Other	kg			
05			Free ^{1/}		11%
15	Other: Suitable for use in boilers, superheaters, heat				
	exchangers, condensers, refining furnaces and feedwater heaters, whether or not				
	cold-drawn Other, cold-drawn or cold-rolled (cold-	kg			
40					
40	Other:	kg			
	weight of chromium	_			
44	Other Other: With an outside diameter not exceeding 114.3 mm:	kg			
62	less than 24 percent by weight of nickel:				
02	but less than 5 percent by weight				
64 80					
	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm:				
85	less than 24 percent by weight of				
90		· ·			
	Suf-fix 10 15 90 05 15 40 42 44 62 64 80 85	Suf- fix Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.) Other, welded, of circular cross section, of stainless steel: Having a wall thickness of less than 1.65 mm	Sulf fix	Suffix Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.) Other, welded, of circular cross section, of stainless steel: Having a wall thickness of less than 1.65 mm Containing more than 0.5 percent by weight of nickel: 10	Suffix Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.) Other, welded, of circular cross section, of stainless steel: Having a wall thickness of less than 1.65 mm. Containing more than 0.5 percent by weight of nickel: 10 Containing more than 1.5 percent but less than 5 percent by weight of nickel: 10 Containing more than 1.5 percent but less than 5 percent by weight of nickel: 10 Other

	Χ	V
73	-1	a

Stat.	* # * * * * * * * * * * * * * * * * * *	Unit		Rates of Duty	T -
Suf- fix	Article Description	of Quantity	General	1 Special	2
	Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel:	,		5,	
00	Other, welded, of circular cross section, of other alloy steel:	kg	Free ^{1/}		35%
00	Having a wall thickness of 1.65 mm or more:				
00	as parts of illuminating articles	kg			45%
10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not		Free ^{1/}		10%
30	Other, cold-drawn or cold-rolled (cold-reduced)	kg			
50	Other: With an outside diameter not exceeding 114.3 mm	kg			
70	Other, welded, of noncircular cross section:	kg			
00	Having a wall thickness of 4 mm or more:	ka	F1/		1%
00					28%
00	Having a wall thickness of less than 4 mm: Of iron or nonalloy steel	kg	Free ^{1/}		25%
	Of alloy steel				35%
		Ŭ			
00	Of other noncircular cross section:	Ng			
00	Of iron or nonalloy steel				1%
	Having a wall thickness of less than 4 mm:				28% 25%
00					35%
30	Of stainless steel	kg	1100		
	Other:				
					5.5%
	C. 4.0, 0.00		i iee		
	10 00 00 00 00 00 00 00 00 00 00 00 00 0	tix Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.) Other, welded, of circular cross section, of other alloy steel: Having a wall thickness of less than 1.65 mm	fix Quantity Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.) (con.) Other, welded, of circular cross section, of other alloy steel: Having a wall thickness of less than 1.65 mm. kg	Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.) Other, welded, of circular cross section, of other alloy steel: Having a wall thickness of 1.65 mm or more: Tapered pipes and tubes of steel principally used as parts of illuminating articles	Other welded, of circular cross section: Other, welded, of circular cross section of other alloy steel Having a wall thickness of 1.65 mm or more: Tapered pipes and tubes of steel principally used as parts of illuminating articles

	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty	2
	fix		Quantity	General	Special	1
307		Tube or pipe fittings (for example, couplings, elbows, sleeves),				
		of iron or steel: Cast fittings:				
307.11.00		Of nonmalleable cast iron		4 8% ^{2/}	Free (A*, AU, BH,	25%
				4.070	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	30	For threaded pipe	ka		P, PA, PE, S, SG)	
	50	Other:	Ng			
	45	For cast-iron soil pipe	ka			
	60	Other	•			
307.19	00	Other:	ing .			
307.19.30		Ductile fittings		5.6% ^{2/}	Free (A*, AU, BH,	45%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
	40	Grooved-end fittings (including grooved			1,171,12,0,00)	
		couplings)	kg			
		Other:				
	60	Threaded	kg			
	70	With mechanical, push-on (rubber				
		compression) or flanged joints attached	Ŭ			
2007 10 00	85	Other		2/	F /A ALL DIL	450/
307.19.90		Other		6.2% ^{2/}	Free (A+, AU, BH, CL, CO, D, E, IL,	45%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	Unions	kg			
	40	Other:				
	40	Grooved-end fittings (including grooved couplings)	ka			
			ky			
	60	Other: Threaded	ka			
	80	Other	ŭ			
	00	Otrier	kg			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		

	ΧV
73	-21

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves),			·	
		of iron or steel: (con.)				
		Other, of stainless steel:				
307.21		Flanges:				
307.21.10	00	Not machined, not tooled and not otherwise	Long	2/	Francis (A* ALL DIL	0.40/
		processed after forging	kg	3.3% 2	Free (A*, AU, BH, CL, CO, D, E, IL,	34%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
2007 04 50	00	Othor	le ou	2/	•	450/
'307.21.50	UU	Other	kg	5.6%=	Free (A*, AU, B, BH, CL, CO, D, E, IL,	45%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
307.22		Threaded elbows, bends and sleeves:			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
307.22.10	00	Sleeves (couplings)	kg	Free ^{2/}		45%
307.22.50	00	Other	ka	0.00/2/	Free (A, AU, B, BH,	15%
307.22.30	00	Other	kg	6.2%=	CL, CO, D, E, IL,	45%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
307.23.00		Butt welding fittings		5% ^{2/}	Free (A*, AU, B, BH,	45%
				3 / 3	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	Not machined, not tooled and not otherwise	l			
		processed after forming	ŭ			
	90		kg			
307.29.00		Other		5% ^{2/}	Free (A*, AU, B, BH,	45%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
	30	Nipples	ka		1,1 A,1 L, 3, 30)	
			_			
	90	Other	кд			
					1	i .

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
.a.z.iioaaiiig	fix		Quantity	General	Special	
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: (con.) Other:				
307.91		Flanges: Not machined, not tooled and not otherwise processed after forging:				
307.91.10	00	Of iron or nonalloy steel	kg	3.3% ^{2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	25%
307.91.30	00	Of alloy steel (except stainless steel)	kg	3.2% ^{2/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	33%
07.91.50		Other		5.5% ^{2/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 2.75% (JP)	45%
	40	With an inside diameter of less than 360 mm:				
	10	Of allow steel (event steinless steel)	ŭ			
	30	Of alloy steel (except stainless steel) With an inside diameter of 360 mm or more:	кg			
	50	Of iron or nonalloy steel	kg			
07.92 07.92.30	70	Of alloy steel (except stainless steel) Threaded elbows, bends and sleeves: Sleeves (couplings)	_	Eroo ^{2/}		45%
.07.02.00	10	Of iron or nonalloy steel		Fiee		1070
	30	Of alloy steel (except stainless steel) Other				
				6.2%2	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 3.1% (JP)	
				I		Ī

	X	()	V
73	_′	٥.	ર

	Stat.	Artiala Dagarintian	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves),		Conordi	Ороска	
()		of iron or steel: (con.)				
		Other: (con.)				
'307.93		Butt welding fittings:				
		With an inside diameter of less than 360 mm:				
307.93.30		Of iron or nonalloy steel		6.2% ^{2/}	Free (A+, AU, B, BH,	45%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
	10	Not machined, not tooled and not			1,17,12,0,00)	
	. •	otherwise processed after forging	ka			
	40	·	_			
7307.93.60		OtherOf alloy steel (except stainless steel)	kg	5 50/ ^{2/}	Free (A*, AU, B, BH,	150/
307.33.00	00	Of alloy steer (except stairliess steer)	Ky	5.5%	CL, CO, D, E, IL,	45 /0
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7307.93.90		With an inside diameter of 360 mm or more		4.3%2	Free (A*, AU, B, BH,	45%
				1.0 70	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
				1	P, PA, PE, S, SG)	
		Of iron or nonalloy steel:				
	10	Not machined, not tooled and not	l.			
		otherwise processed after forging	kg			
	40	Other				
	60	Of alloy steel (except stainless steel)	kg			
7307.99		Other:				
		Not machined, not tooled and not otherwise				
307.99.10	00	processed after forging: Of iron or nonalloy steel	ka	0.70/2/	Free (A, AU, BH, CL,	OF0/4/
307.33.10	00	Of front of floridiloy steel	Ny	3.7%-	CO, D, E, IL, JO,	25%-
					JP, KR, MA, OM,	
					P, PA, PE, S, SG)	
7307.99.30	nn	Of alloy steel (except stainless steel)	ka	0.00/2/	Free (A, AU, BH, CL,	33%
007.00.00	00	Or alloy steer (except starriess steer)	, vg	3.2%	CO, D, E, IL, JO,	00 70
					JP, KR, MA, OM,	
					P, PA, PE, S, SG)	
7307.99.50		Other		4.3% ^{2/}	Free (A, AU, B, BH,	45%
					CL, CO, D, E, IL,	
					JO, JP, KR, MA,	
					OM, P, PA, PE, S,	
		Of iron or nanalloy atools			SG)	
	15	Of iron or nonalloy steel: Nipples	ka	1		
			_	1		
	45	Other		1		
	60	Of alloy steel (except stainless steel)	кд	1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
	1		I	Ī	i e	

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Subfleading	fix	Article Description	Quantity	General	Special	
'308		Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing			·	
		frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns)				
		of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel:				
7308.10.00	00		kg	Free ^{6/}		45%
7308.20.00		Towers and lattice masts		Free ^{6/}		45%
	20	Tubular, whether or not tapered, and sectional components thereof				
	90	Other				
7308.30 7308.30.10	00	Doors, windows and their frames and thresholds for doors: Of stainless steel	kg	Free ^{2/}		35%
7308.30.50		Other		Free ^{2/}		25%
	15	Windows and their frames	kg			
	25	Thresholds for doors	kg			
	50	Other	kg			
7308.40.00	00	Equipment for scaffolding, shuttering, propping or pit- propping ⁷	kg	Free ^{2/}		45%
7308.90		Other:				
7000 00 00	00	Columns, pillars, posts, beams, girders and similar structural units:		21		
7308.90.30		Not in part of alloy steel				20% ^{4/}
7308.90.60	00	Other	kg	Free ^{6/}		30% ^{4/}
7308.90.70	00	Other: Steel grating	ka	Eroo <u>6/</u>		45%
	00		_			
7308.90.95	30	OtherSheet-metal roofing, siding, flooring and roof drainage equipment		Free≝		45%
	60	Other: Architectural and ornamental work	kg			
	90	Other	kg			
7309.00.00		Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal				450/
	30	equipment Tanks		Free		45%
	50	I GUINS	kg			
	90	Other	•			
			kg			
				1		1

	Χ	V
73	-2	5

Heading/	Stat.	Autilla Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
310		Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:			7,	
7310.10.00	05	Of a capacity of 50 liters or more	No.	Free ^{2/}		25% ^{4/}
	15		kg			
'310.21.00	90	Other Of a capacity of less than 50 liters: Cans which are to be closed by soldering or crimping		Free ^{2/}		25%
	25	Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods		1100		
7310.29.00	50	Other Other Containers, of circular cross section, of a volume		Free ^{2/}		25% ^{4/}
	20	capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods Refillable stainless steel kegs, whether or not pressurized, of a kind described in statistical note 1 to this chapter				
	30	·	No.			
	55	Refillable stainless steel kegs, whether or not pressurized, of a kind described in statistical note 1 to this chapter				
7311.00.00	30	Other Containers for compressed or liquefied gas, of iron or steel Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific exemption to those requirements: Seamless steel containers not overwrapped, marked DOT 3A, 3AX, 3AA, 3AAX, 3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number		Free ^{2/}		25% ^{4/}
	60		No. kg			
	90		No. kg			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix		Quantity	General	Special	
312 312.10		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated: Stranded wire, ropes and cables:				
		Stranded wire: Of stainless steel:				
312.10.05	00	Fitted with fittings or made up into articles	kg	Free ^{2/}		45%
312.10.10		Other		Free ^{2/}		45%
	30	Tire cord	kg			
	50	Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by				
		8.5	Ü			
	70	Other	kg			
312.10.20	00	Other: Fitted with fittings or made up into articles	kg	Free ^{2/}		45%
312.10.30		Other		Free ^{2/}		35%
	05	Tire cord				
	10	For prestressing concrete: Covered with textile or other non-				
		metallic material	kg			
	12	Other				
	20	Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by				
		8.5	kg			
	45	Other: Of brass plated wire	kg			
		Other:				
	65	Galvanized: ACSR core strand	kg			
	70	Other: Covered with textile or other nonmetallic				
		material	kg			
	74	Other	kg			
	80	Other	kg			
						1

	X۱
73	-27

	Stat.	A CL D	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'312 (con.)		Stranded wire, ropes, cables, plaited bands, slings and the	,			
` '		like, of iron or steel, not electrically insulated: (con.)				
312.10		Stranded wire, ropes and cables: (con.)				
con.)		Ropes, cables and cordage other than stranded wire:				
		Of stainless steel:				
7312.10.50	00	Fitted with fittings or made up into articles	kg	Free ^{2/}		45%
7312.10.60		Other		Froo ^{2/}		45%
0.2	30	With a diameter not exceeding 9.5 mm		1166		1070
	60	Other				
	00	Other:	Ng			
7312.10.70	00	Fitted with fittings or made up into articles	kg	Free ^{2/}		45%
		Other:				
7312.10.80	00	Of brass plated wire	kg	Free ^{2/}		35%
7312.10.90		Other		Frac ^{2/}		35%
7012.10.00		Galvanized:		riee		0070
	30	With a diameter not exceeding				
		9.5 mm	kg			
	60	With a diameter exceeding				
		9.5 mm	3			
7312.90.00	90	Other	kg	– 2/		45%
			ку	Free=		45%
7313.00.00	00	Barbed wire of iron or steel; twisted hoop or single flat wire,				
		barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel	ka	- 2/		Free
			Kg	Free-		1166
7314		Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel:				
		Woven cloth:				
7314.12		Endless bands for machinery, of stainless steel:				
7314.12.10	00	With meshes not finer than 12 wires to the lineal	2	_ 2/		35%
		centimeter in warp or filling	m kg	Free=		35%
7314.12.20	00	With meshes finer than 12 but not finer than	Ng			
/314.12.20	00	36 wires to the lineal centimeter in warp or filling	m ²	Free ^{2/}		50%
		or whose to the impart containing in warp or immig.	kg	1100		
		With meshes finer than 36 wires to the lineal				
		centimeter in warp or filling:				
		Fourdrinier wires, seamed or not seamed,				
7314.12.30	00	suitable for use in papermaking machines: With 94 or more wires to the lineal				
7314.12.30	00	centimeter	m ²	Free ^{2/}		75%
			kg			
7314.12.60	00	Other	m ²	Free ^{2/}		75%
			kg			000/
7314.12.90	00	Other	m²	Free ^{2/}		60%
			kg			
	1		I	I		1

Subheading	Suf-	Article Description	of	-	1	2
Subficuting	fix	/ table 2000/plion	Quantity	General	Special	╡ -
314 (con.)		Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel: (con.) Woven cloth: (con.)			-,	
314.14		Other woven cloth, of stainless steel:				
314.14.10	00	With meshes not finer than 12 wires to the lineal	2	2/		050/
		centimeter in warp or filling	m ²	. Free ^{2/}		35%
			kg			
314.14.20	00	With meshes finer than 12 but not finer than	m²	Γ _{να α} 2/		50%
			kg	. Free ²		30 78
		With meshes finer than 36 wires to the lineal centimeter in warp or maximum:				
		Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines:				
314.14.30	00	With 94 or more wires to the lineal				
314.14.50	00	centimeter	m ²	. Free ^{2/}		75%
			kg			
314.14.60	00	Other	m²	. Free ^{2/}		75%
	33		kg			
314.14.90	00	Other	m ²	. Free ^{2/}		60%
			kg	_ 2/		600/
314.19.01	00	Other	m ²	. Free ^{2/}		60%
314.20.00	00	Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm	kg			
		or more and having a mesh size of 100 cm ² or more	kg	· Free ^{2/}		45%
		Other grill, netting and fencing, welded at the intersection:	_			
314.31		Plated or coated with zinc:				
314.31.10	00	Wire fencing plated or coated with zinc, whether				
		or not covered with plastic material	kg	Free ^{2/}		1.1¢/kg
314.31.50		Other:				45%
017.01.00	10	Welded wire stucco netting, furred, not		rree-		70/0
	10	reinforced with supplemental horizontal				
		wire	kg			
	80		kg			
314.39.00	00		kg	· Free ^{2/}		45%
		Other grill, netting and fencing:				
314.41.00		Plated or coated with zinc		Free ^{2/}		1.1¢/kg ^{4/}
	30	Chain link fencing				÷9
		Woven wire stucco netting, furred, not reinforced				
		with supplemental horizontal wire:				
	40	Of wire with maximum cross- sectional				
		dimension of 1 mm				
	45	Other	_			
	80	Other				1, , ,
314.42.00		Coated with plastics		Free ^{2/}		1.1¢/kg
	30	Chain link fencing				
	60	Other	kg			
314.49	00	Other:		- 2/		450/
		Not cut to shape				45%
314.49.60	00	Cut to shape	kg	· Free ^{2/}		35%
			Ī	1		

	Χ	()
73	-1	0

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Jubrieading	fix	Attible Description	Quantity	General	Special	
'314 (con.)		Cloth (including endless bands), grill, netting and fencing, of				
7014 50 00	00	iron or steel wire; expanded metal of iron or steel: (con.)	m ²	Γ _{**} ο ο ² /		45%
314.50.00	00	Expanded metal	ka	. Free		13 /0
'315		Chain and parts thereof, of iron or steel:	···9			
313		Articulated link chain and parts thereof:				
7315.11.00		Roller chain		Free ^{2/}		40%
	05	For motor vehicles	kg			
		Other:				
		Of not over 50 mm pitch and containing more				
	10	than 3 parts per pitch: Bicycle chains	ka			
	-	-	_			
	45	Other	0			
7315.12.00	60	OtherOther Other chain		2 /		40%
313.12.00	20	Of not over 50 mm pitch and containing more than		Free-		40 /0
	20	3 parts per pitch				
		Other:	9			
	40	Welded steel chain	ka			
	60	Cast and combination chain	J			
			0			
7315.19.00	80	Other Parts		- 2/		40%
7315.19.00 7315.20	00	Skid chain:	ĸy	Free=		40%
7315.20	00	Not over 8 mm in diameter	ka	Free ^{2/}		10%
7315.20.50	00	Over 8 mm in diameter	кд	Free ²		2.5¢/kg
7315.81.00	nn	Other chain: Stud link	ka	2 /		4.4¢/kg
	00		Kg	Free_		Ψ/Ng
7315.82		Other, welded link:				
7315.82.10	00	Of alloy steel: Not over 10 mm in diameter	ka	Eroo <u>^{2/}</u>		10%
7315.82.30	00	Over 10 mm in diameter	kg	Free ²		10%
7315.82.50	00	Of iron or nonalloy steel: Not over 10 mm in diameter	ka	- 2/		10%
7315.82.70	00	Over 10 mm in diameter	kg	Free ^{2/}		10%
7315.89		Other:				
7315.89.10	00	With links of essentially round cross sections: Not over 8 mm in diameter	ka	1 50/2/	Free (A, AU, B, BH,	10%
7 0 10.00.10		110, 010, 0 1111 111 010, 110, 111	Kg	1.5%	CL, CO, D, E, IL,	1070
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7315.89.30	00	Over 8 mm in diameter				4.7¢/kg
7315.89.50	00	Other	kg	3.9% ^{2/}	Free (A, AU, B, BH,	45%
				1	CL, CO, D, E, IL,	
				1	JO, KR, MA, OM, P, PA, PE, S, SG)	
7315.90.00	00	Other parts	kg	2 9%2/	Free (A*, AU, B, BH,	45%
3.3.00.00	•			2.370	CL, CO, D, E, IL,	/ •
					JO, KR, MA, OM,	
				1	P, PA, PE, S, SG)	
7316.00.00	00	Anchors, grapnels and parts thereof, of iron or steel		Free ^{2/}		25%
			kg	1		
				1		
				1		
				1		
				1		
					1	1

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Atticle Description	Of Quantity	General	1 Special	
317.00		Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper:				
317.00.10	00	Thumb tacks	kg	Free ^{5/}		4%
317.00.20	00	Other, suitable for use in powder-actuated handtools: Not threaded	kg	Free ^{2/}		1.5¢/kg
317.00.30	00	Threaded	kg	Free ^{8/}		45%
047.00.55		Other: Of one piece construction:				0.50/
317.00.55		Made of round wire Collated nails:		Free ^{8/}		3.5%
	01	Collated roofing nails with a length of 20.6 mm to 46.1 mm, a head diameter of 8.3 mm to 10.6 mm, a shank diameter of 2.5 mm to 3.2 mm, whether or not galvanized	ka			
		Other:	Kg			
	02	Assembled in a wire coil: Galvanized	ka			
	03	Other	Ŭ			
		Assembled in a plastic strip:	J			
	05	Galvanized	Ŭ			
	07 08	Other				
		Assembled in a paper strip	•			
	11	Assembled in a wire strip Other	_			
	18	Other:	kg			
	19	With a length of less than 25.4 mm and with a diameter of less than 1.65 mm Other:	kg			
	20	Smooth shank: Not coated, plated or painted	ka			
		Coated, plated or painted:				
	30 40	Galvanized Vinyl, resin or cement				
		coated	J			
	50	Other Other:	kg			
	60	Not coated, plated or painted	kg			
	70	Coated, plated or painted: Galvanized	ka			
	80	Vinyl, resin or cement coated				
	90	Other	_			
317.00.65		Other		Free ^{8/}		5.5%
	30	Cut				
047.00.75	60	Other	J	- 2/		00/
317.00.75	00	Of two or more pieces	kg	Free ^{2/}		8%

	Χ	V
73	-3	1

	Stat.	Artiala Dagarintian	Unit		Rates of Duty	2
ubheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
118		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: Threaded articles:				
18.11.00	00	Coach screws	kg	12.5% ^{2/}	Free (A+, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25%
18.12.00	00	Other wood screws	kg	12.5% ^{2/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25%
18.13.00	00	Screw hooks and screw rings		5.7% ^{<u>2′</u>}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	30 60	Having shanks or threads with a diameter of less than 6 mm Having shanks or threads with a diameter of 6 mm	kg			
318.14	60	or more Self-tapping screws:				
318.14.10		Having shanks or threads with a diameter of less than 6 mm		6.2% ^{2/}	Free (A+, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	30	Of stainless steel	•		3.1% (JP)	
318.14.50	60	Other Having shanks or threads with a diameter of 6 mm or more		0.00(2)	Free (A+, AU, B, BH,	<i>1</i> 5%
		of more		8.6% ²	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 4.3% (JP)	43 /0
	20	Of stainless steel	kg		, , , ,	
	80	Other	kg			
					1	

Heading/ Subbeading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	Sut- fix	Article Description	of Quantity	General	1 Special	1 2
'318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.)			,	
'318.15		Threaded articles: (con.) Other screws and bolts, whether or not with their nuts or washers:				
'318.15.20		Bolts and bolts and their nuts or washers entered or exported in the same shipment		Free ^{2/}		3.5% ^{4/}
	10	Having shanks or threads with a diameter of less than 6 mm				
	20	Having shanks or threads with a diameter of 6 mm or more: Track bolts	ka			
			, and the second			
	30	Structural bolts				
	41	Right-angle anchor bolts	_			
	46	Other:	kg			
	51	With round heads: Of stainless steel	ka			
	55	Other With hexagonal heads:	, and the second			
	61	Of stainless steel	kg			
	65	Other Other:	kg			
	91	Of stainless steel	kg			
'318.15.40	95 00	Other Machine screws 9.5 mm or more in length and 3.2 mm or more in diameter (not including cap	kg			
7040 45 50		screws)				2.2¢/kg ^{4/}
'318.15.50	30	Studs Of stainless steel		Free		45%
	30	Other: Continuously threaded rod:	Ng			
	51	Of alloy steel	kg			
	56	Other	kg			
	90		kg			
			I	1	ĺ	

	Χ	V
73	-3	3

	Stat.	Artiala Deparintian	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters,				
		cotter pins, washers (including spring washers) and similar				
		articles, of iron or steel: (con.)				
010.15		Threaded articles: (con.)				
'318.15 con.)		Other screws and bolts, whether or not with their nuts or washers: (con.)				
5011.)		Other:				
318.15.60		Having shanks or threads with a diameter of				
		less than 6 mm		6.2% ^{2/}	Free (A*, AU, B, BH,	45%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
		Coaket agraves			P, PA, PE, S, SG)	
	10	Socket screws: Of stainless steel	ka			
	-		_			
	40		kg			
	70	Other: Of stainless steel	ka			
	_		•			
2010 15 00	80	Othertleving charles or threads with a diameter of	kg			
'318.15.80		Having shanks or threads with a diameter of		0.50/2/	Froo /A* All B BH	15%
		6 mm or more		8.5%	Free (A*, AU, B, BH, CL, CO, D, E, IL,	1 5/0
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	20	Set screws	kg			
		Other:				
		Socket screws:				
	30	Of stainless steel	kg			
	45	Other	ka			
		Other:	9			
		With hexagonal heads:				
	55	Of stainless steel	kg			
		Other:				
	66	Cap screws	kg			
	69	Other	ka			
		Other:	3			
	82	Of stainless steel	kg			
	85	Other	kg			
'318.16.00		Nuts		Free ^{5/}		0.5%4/
		Lugnuts:				
	15	Non-locking chrome-plated	kg			
	30	Locking	kg			
	45	Other	•		1	
	+3	Other:	'\9			
	60	Of stainless steel	kg		1	
	85	Other	•			
7318.19.00		Other		5 70/. ^{2/}	Free (A*, AU, B, BH,	45%
010.10.00				. 5.7 %	CL, CO, D, E, IL,	1070
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
					2.85% (JP)	
					I	

Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix		Quantity	General	Special	
318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.) Non-threaded articles:				
7318.21.00		Spring washers and other lock washers		5.8% ^{2/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 2.9% (JP)	35%
	30	Helical spring lock washers	•			
	90	Other	kg	-		
7318.22.00	00	Other washers	_			1.3¢/kg ^{4/}
7318.23.00	00	Rivets	kg	Free ^{2/}		2.2¢/kg
7318.24.00	00	Cotters and cotter pins	kg	3.8% ^{2/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	45%
7318.29.00	00	Other	kg	2.8% ^{2/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	45%
7319 7319.40		Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included: Safety pins and other pins:				
7319.40.20	10	Safety pins		4.5% ^{5/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
	10	On cards	•			
7319.40.30	50 00	Other Dressmakers' or common pins		4.1% ^{5/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
7319.40.50		Other		Free ^{5/}	,	35%
	10	Push pins				
	50	Other	kg			
7319.90	00	Other:	the out to the	_ 5/		
7319.90.10		Sewing, darning or embroidery needles			_ ,,	Free
7319.90.90	00	Other	No	2.9% ^{5/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
						1

	X١	
73	-31	

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
320		Springs and leaves for springs, of iron or steel:	,			
320.10		Leaf springs and leaves therefor:				
200 40 00	00	Suitable for motor vehicle suspension:				
320.10.30	00	To be used in motor vehicles having a G.V.W. not exceeding 4 metric tons	ka	0.00/2/	Free (A*, AU, B, BH,	25%
		exceeding 4 metric toris	Kg	3.2%	CL, CO, D, E, IL,	25 /6
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7320.10.60		Other		3.2% ^{2/}	Free (A+, AU, B, BH,	25%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	15	Leaf springs having individual leaves with a			P, PA, PE, S, SG)	
		thickness of 1.6 mm or more and leaves				
		therefor	kg			
	60	Other				
7320.10.90		Other		3.2% ^{2/}	Free (A*, AU, B, BH,	25%
					CL, CO, D, E, IL,	
					JO, JP, KR, MA, OM, P, PA, PE, S,	
					SG)	
	15	Leaf springs having individual leaves with a				
		thickness of 1.6 mm or more and leaves				
		therefor	•			
	60	Other	kg			
7320.20	00	Helical springs: Suitable for motor-vehicle suspension	ka	0.0045/	From /A ALL D. DLL	250/
7320.20.10	00	Suitable for motor-vehicle suspension	ку	3.2%	Free (A, AU, B, BH, CL, CO, D, E, IL,	25%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7320.20.50		Other		3.9% ^{5/}	Free (A, AU, B, BH,	45%
				0.0 70	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
		Helical springs, of wire having a cross-sectional			P, PA, PE, S, SG)	
		dimension of less than 5.1 mm:				
	10	Suitable for use in mattress supports and				
		mattresses of heading 9404	kg			
	20		kg			
	45	Helical springs, of wire having a cross-sectional				
		dimension of 5.1 mm or more but less than 12.7 mm	ka			
	00		kg			
7320.90	60	Other:	kg			
7320.90.10	00	Hairsprings	kg	· Free ^{2/}		65%
7320.90.50		Other			Free (A*, AU, B, BH,	
7320.90.50		Otrier		2.9%=	CL, CO, D, E, IL,	43%
					JO, JP, KR, MA,	
					OM, P, PA, PE, S,	
		Of wire:			SG)	
	10	Suitable for use in mattress supports and				
	.0	mattresses of heading 9404	kg			
	20	Other	•			
	60		kg			
			1		1	

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix	Attible Description	Quantity	General	Special	
321		Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel:				
321.11 321.11.10		Cooking appliances and plate warmers: For gas fuel or for both gas and other fuels: Portable		5.7% ^{2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO,	45%
	00	01			KR, MA, OM, P, PA, PE, S, SG)	
	30	Stoves or ranges				
321.11.30	60	Other ^{7/} Other: Stoves or ranges:		Fran ^{2/}		45%
321.11.30	10	Of a maximum width not exceeding 70 centimeters		Free-		43 /6
	20	Of a maximum width exceeding 70 but not exceeding 80 centimeters				
	50	Of a maximum width exceeding 80 centimeters	No.			
	00	Other				45%
	00	For liquid fuel				45%
321.19.00	20	Other, including appliances for solid fuel Portable: Hibachis		Free		45%
	40	Other:Other:				
	60	Of cast iron				
321.81	80	Other Other appliances: For gas fuel or for both gas and other fuels:	No.			
321.81.10	00	Portable	No	. 2.9%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
321.81.50	00	Other	No	· Free ^{5/}		45%
321.82		For liquid fuel:				
321.82.10	00	Portable	No	· 2.9% ⁵	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
321.82.50	00		No	· Free ^{5/}		45%
321.89.00		Other, including appliances for solid fuel		Free ^{5/}		45%
	10	Fireplace grates of cast iron				
	50	Other	No.			
				Ī	I	I

	Χ	V
73	-3	7

Heading/	Stat.	A CL D C	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	_ 2
321 (con.)		Stoves, ranges, grates, cookers (including those with	- Quantity	General	Ореска	
021 (00111)		subsidiary boilers for central heating), barbecues, braziers,				
		gas rings, plate warmers and similar nonelectric domestic				
		appliances, and parts thereof, of iron or steel: (con.)				
321.90		Parts:				
		Of articles in subheading 7321.11.30:				
7321.90.10	00	Cooking chambers, whether or not assembled	No	· Free ^{2/}		45%
			kg			
7321.90.20	იი	Top surface panels with or without burners or				
0000		controls	No	Froo ^{2/}		45%
			kg	11166		
7321.90.40	00	Door assemblies, incorporating more than one of	_			
321.90.40	00	the following: inner panel, outer panel, window,				
			No	- 2/		45%
		ii isuidtioi i	kg	Free=		45%
			J			
7321.90.50	00		No	· Free ^{2/}		45%
			kg			
7321.90.60		Other		Free ^{2/}		45%
		Of cooking appliances and plate warmers:				
	40	Shelving and racks for cooking ovens	No.			
			kg			
	60	Other	No.			
	00	01101	kg			
	90	Other ^{7/}	No.			
	00	Otrier	_			
			kg			
7322		Radiators for central heating, not electrically heated, and parts				
		thereof, of iron or steel; air heaters and hot air distributors				
		(including distributors which can also distribute fresh or				
		conditioned air), not electrically heated, incorporating a				
		motor-driven fan or blower, and parts thereof, of iron or steel:				
		Radiators and parts thereof:				
7322.11.00	00	Of cast iron	No	· Free ^{2/}		45%
7322.19.00	იი	Other	Nο	Eroo <u>2/</u>		45%
7322.90.00	00	Other, including parts				45%
7322.90.00	4-			Free=		45%
	15	Air heaters, not electrically heated, incorporating a	NI-			
		motor-driven fan or blower	_			
			kg			
	30	Hot air distributors, not electrically heated,				
		incorporating a motor-driven fan or blower	No.			
			kg			
	45	Parts of air heaters and hot air distributors	No.			
	10	Tatto of all floators and flot all distributors	140.			
l l						

73-38	Stat.		Unit	T	Rates of Duty	_
Heading/ Subheading	Suf-	Article Description	of		1	2
7000	fix	Table likeless on allow best allowed and and allowed as and a man allowed	Quantity	General	Special	
7323		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring				
		or polishing pads, gloves and the like, of iron or steel:				
7323.10.00	00	Iron or steel wool; pot scourers and scouring or polishing				
		pads, gloves and the like	kg	Free ^{2/}		22¢/kg + 30%
		Other:				
7323.91		Of cast iron, not enameled:				
7323.91.10	00	Coated or plated with precious metal		Free ^{5/}		20%
			kg			
7323.91.50		Other		5.3%	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	20	Bakeware (cookware not suitable for stove top			1,17,12,0,00)	
		· ·	No.			
			kg			
	40	Other	No.			
			kg			
7323.92.00		Of cast iron, enameled		Free ^{5/}		35.5%
	20	Bakeware (cookware not suitable for stove top				
		use)				
			kg			
	40	Other				
7323.93.00		Of stainless steel	kg	20/	Free (A*, AU, BH,	40%
7323.93.00		Of Staffless Steet		270	CL, CO, D, E, IL,	40%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	l	Cooking and kitchen ware:				
	15	Teakettles				
			kg			
		Other:				
	35	Cooking ware: Bakeware (cookware not suitable for				
	33	stove top use)	No.			
			kg			
	45	Other	No			
			kg			
	60	Kitchen ware	No.			
			kg			
	80	Other	No.			
			kg			
i l	•	1		1	•	1

	Stat.	A 41 5 14	Unit		Rates of Duty	-
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
323 (con.)		Table, kitchen or other household articles and parts thereof,	Quartity	Ochera	Орсска	
020 (0011.)		of iron or steel; iron or steel wool; pot scourers and scouring				
		or polishing pads, gloves and the like, of iron or steel: (con.)				
		Other: (con.)				
323.94.00		Of iron (other than cast iron) or steel, enameled		2.7% ^{5/}	Free (A, AU, BH, CL,	35.5%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		Cooking and kitchen ware:				
	10	Of steel: Teakettles	No.			
	10	reaketties	kg			
			ĸy			
		Other:				
	04	Cooking ware:				
	21	Bakeware (cookware not suitable				
		for stove top use)				
			kg			
	26	Other	No.			
			kg			
	30	Kitchen ware	No.			
	40	Other	kg			
	40	Otner	No.			
	80	Other	kg No.			
	00	Otrier	kg			
			ĸy			
			I	Ī	I	1

Not coated or plated with precious metal: Of tinplate Kitchen or tableware suitable for food or drink contact	No.		Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	50%
of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: (con.) Other: Coated or plated with precious metal: Coated or plated with silver	kg Nokg 	. 8.2%	CL, CO, D, E, IL, JO, KR, MA, OM,	65%
Other: Coated or plated with precious metal: Coated or plated with silver	kg Nokg 	. 8.2%	CL, CO, D, E, IL, JO, KR, MA, OM,	65%
Ocated or plated with silver	kg Nokg 	. 8.2%	CL, CO, D, E, IL, JO, KR, MA, OM,	65%
Not coated or plated with precious metal: Of tinplate Kitchen or tableware suitable for food or drink contact	Nokg		CL, CO, D, E, IL, JO, KR, MA, OM,	
Not coated or plated with precious metal: Of tinplate Kitchen or tableware suitable for food or drink contact	kg No.		CL, CO, D, E, IL, JO, KR, MA, OM,	
Of tinplate Kitchen or tableware suitable for food or drink contact	No.	Free		
Kitchen or tableware suitable for food or drink contact	No.			40%
Other	kg			
	No.			
	kg			
Other:	NI -	F 99/	F /A+ All D!!	406′
3		. 5.3%	Free (A*, AU, BH,	40%
	ĸg		JO, KR, MA, OM, P, PA, PE, S, SG)	
Other		3.4% ^{2/}	Free (A*, AU, BH,	40%
			JO, KR, MA, OM, P, PA, PE, S, SG)	
Kitchen or tableware suitable for food	NI.			
	-			
3				
	No.			
		0.4072/	Eroo (A* ALL DLL C	400/
		3.4%-	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40 /6
	No.			
,				
Baths:	140.			
Of cast iron, whether or not enamelled:				
				20%
				40%
				40%
Other, including parts	No	· Free ^{2/}		40%
	Other Kitchen or tableware suitable for food or drink contact Gates for confining children or pets Other Sanitary ware and parts thereof, of iron or steel: Sinks and wash basins, of stainless steel Stainless steel sinks with one or more drawn bowls (basins) Other Other Other Other Other Other Other Other	Cother	Cother	Rg

	Χ	V
73	-4	1

	Stat.	Anti-la Danasiatia	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
325		Other cast articles of iron or steel:			·	
325.10.00	10	Of nonmalleable cast iron		Free ^{2/}		10% ^{4/}
	10	Manhole covers, rings and frames	"			
	20	Catch basins, grates and frames	_			
	25 30	Cleanout covers and frames Valve and service boxes	3			
			ŭ			
	35	Meter boxes	"			
	80	Other Other:	kg			
7325.91.00	00	Grinding balls and similar articles for mills	kg	2.9% ^{2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
325.99		Other:	1.	0/		
7325.99.10		Of cast iron				20%
7325.99.50	00	Other	kg	2.9% ^{2/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7326		Other articles of iron or steel:				
7326.11.00	00	Forged or stamped, but not further worked: Grinding balls and similar articles for mills	ka	Free ^{2/}		27.5%
7326.19.00	33	Other		2.9% ^{2/}	Free (A, AU, B, BH,	
320.19.00		Ottlet		2.9%	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45 /6
	10	Forged				
7000 00 00	80	Other		2/	Free /A ALL D DLL	450/
7326.20.00	10	Articles of iron or steel wire		3.9% ^{2/}	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	10	Belts and belting	_			
	20	Garment hangers				
	30	Sod staples, U staples, irrigation staples, ground staples, and ground pins				
	40	Double loop bar ties and double loop wire ties				
	55	Paint roller frames				
	90	Other				
	-					
			1			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix		Quantity	General	Special	
326 (con.)		Other articles of iron or steel: (con.)				
326.90 326.90.10	00	Other:	No	_ 2/		1E0/
326.90.10	00	Of tinplate	kg	Free		45%
		Other:	Ng .			
7326.90.25	00	Cable or inner wire for caliper and cantilever				
020.00.20		brakes and casing therefor, whether or not cut to				
		length	kg	Free ^{2/}		45%
7326.90.35	00	Containers of a kind normally carried on the				
020.00.00		person, in the pocket or in the handbag	doz	7.8% ^{2/}	Free (AU, BH, CL,	110%
		· · · · · · · · · · · · · · · · · · ·			CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
7326.90.45	00	Horse and mule shoes	kg	Free ^{2/}		10%
		Other:				
7326.90.60	00	Coated or plated with precious metal		8.6% ^{2/}	Free (A, AU, BH, CL,	65%
			kg		CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
7326.90.86		Other		0.00/2/	•	150/
320.90.86		Otner		2.9% ^{2/}	Free (A, AU, B, BH, CL, CO, D, E, IL,	45%
					JO, JP, KR, MA,	
					OM, P, PA, PE, S,	
	٥.	Dade for dealers and			SG)	
	05	Rods for electrical grounding	ŭ			
	10	Laminated goods consisting of two or more				
		flat-rolled sheets of iron or steel held together with an adhesive or having a core				
		of non-metallic material				
	30	Hangers and similar supports for tubes	.9			
	50	and pipes	kg			
	35	Fence posts, studded with corrugations,				
	55	knobs, studs, notches or similar				
		protrusions, with or without anchor				
		plates	kg			
	45	Barbed tape	kg			
	60	Ladders	No.			
	75	Paint roller frames (other than of iron or				
			No.			
	76	Metal handles for brooms, mops, paint				
	. •	applicators and similar products	No.			
	77	Burial caskets				
	88	Other ^{7/}				
	55	Oulei	Λg			
						I

Harmonized Tariff Schedule of the United States Revision 11 (2023)

Annotated for Statistical Reporting Purposes

Endnotes--page 73 - 43

- $\underline{1/}$ See 9903.88.15 and U.S. note 16 to subchapter III, chapter 99. $\underline{2/}$ See 9903.88.03.
- 3/ See U.S. note 16 to subchapter III, chapter 99.
- 4/ See 9903.90.09.
- 5/ See 9903.88.15.
- 6/ See 9903.88.02.
- <u>7/</u> See 9903.88.67.
- 8/ See 9903.88.03 and U.S. note 16 to subchapter III, chapter 99.