# SECTION IX

## WOOD AND ARTICLES OF WOOD; WOOD CHARCOAL; CORK AND ARTICLES OF CORK; MANUFACTURES OF STRAW, OF ESPARTO OR OF OTHER PLAITING MATERIALS; BASKETWARE AND WICKERWORK

CHAPTER 44

WOOD AND ARTICLES OF WOOD; WOOD CHARCOAL



Notes

1. This chapter does not cover:

   (a) Wood, in chips, in shavings, crushed, ground or powdered, of a kind used primarily in perfumery, in pharmacy, or for insecticidal, fungicidal or similar purposes (heading 1211);

   (b) Bamboo or other materials of a woody nature of a kind used primarily for plaiting, in the rough, whether or not split, sawn lengthwise or cut to length (heading 1401);

   (c) Wood, in chips, in shavings, ground or powdered, of a kind used primarily in dyeing or in tanning (heading 1404);

   (d) Activated charcoal (heading 3802);

   (e) Articles of heading 4202;

   (f) Goods of chapter 46;

   (g) Footwear or parts thereof of chapter 64;

   (h) Goods of chapter 66 (for example, umbrellas and walking-sticks and parts thereof);

   (ij) Goods of heading 6808;

   (k) Imitation jewelry of heading 7117;

   (l) Goods of section XVI or section XVII (for example, machine parts, cases, covers, cabinets for machines and apparatus and wheelwrights' wares);

   (m) Goods of section XVIII (for example, clock cases and musical instruments and parts thereof);

   (n) Parts of firearms (heading 9305);

   (o) Articles of chapter 94 (for example, furniture, luminaires and lighting fittings, prefabricated buildings);

   (p) Articles of chapter 95 (for example, toys, games, sports equipment);

   (q) Articles of chapter 96 (for example, smoking pipes and parts thereof, buttons, pencils, and monopods, bipods, tripods and similar articles) excluding bodies and handles, of wood, for articles of heading 9603; or

   (r) Articles of chapter 97 (for example, works of art).

2. In this chapter, the expression "densified wood" means wood which has been subjected to chemical or physical treatment (being, in the case of layers bonded together, treatment in excess of that needed to insure a good bond), and which has thereby acquired increased density or hardness together with improved mechanical strength or resistance to chemical or electrical agencies.

3. Headings 4414 to 4421 apply to articles of the respective descriptions of particle board or similar board, fiberboard, laminated wood or densified wood as they apply to such articles of wood.

4. Products of heading 4410, 4411 or 4412 may be worked to form the shapes provided for in respect of the articles of heading 4409, curved, corrugated, perforated, cut or formed to shapes other than square or rectangular or submitted to any other operation provided it does not give them the character of articles of other headings.

5. Heading 4417 does not apply to tools in which the blade, working edge, working surface or other working part is formed by any of the materials specified in note 1 to chapter 82.

6. Subject to note 1 above and except where the context otherwise requires, any reference to "wood" in a heading of this chapter applies also to bamboo and other materials of a woody nature.

Subheading Notes

1. For the purposes of subheading 4401.31, the expression "wood pellets" means by-products such as cutter shavings, sawdust or chips, of the mechanical wood processing industry, furniture-making industry or other wood transformation activities, which have been agglomerated either directly by compression or by the addition of a binder in a proportion not exceeding 3 percent by weight. Such pellets are cylindrical, with a diameter not exceeding 25 mm and a length not exceeding 100 mm.

2. For the purposes of subheading 4401.32, the expression "wood briquettes" means by-products such as cutter shavings, sawdust or chips, of the mechanical wood processing industry, furniture making or other wood transformation activities, which have been agglomerated either directly by compression or by the addition of a binder in a proportion not exceeding 3 percent by weight. Such briquettes are in the form of cubiform, polyhedral or cylindrical units with the minimum cross-sectional dimension greater than 25 mm.

3. For the purposes of subheading 4407.13, "S-P-F" refers to wood sourced from mixed stands of spruce, pine and fir where the proportion of each species varies and is unknown.

4. For the purposes of subheading 4407.14, "Hem-fir" refers to wood sourced from mixed stands of Western hemlock and fir where the proportion of each species varies and is unknown.

Additional U.S. Notes

1. In this chapter:

   (a) The term "wood waste" means residual material other than firewood resulting from the processing of wood, including scraps, shavings, sawdust, veneer clippings, chipper rejects and similar small wood residues, as well as larger or coarser solid types of residual wood such as slabs, edgings, cull pieces and veneer log cores;

   (b) The term "standard wood moldings" means wood moldings worked to a pattern and having the same profile in cross section throughout their length; and

   (c) The term "surface covered," as applied to the articles of headings 4411 and 4412, means that one or more exterior surfaces of a product have been treated with creosote or other wood preservatives, or with fillers, sealers, waxes, oils, stains, varnishes, paints or enamels, or have been overlaid with paper, fabric, plastics, base metal, or other material.

2. The effectiveness of the proviso to section 304(a)(3)(J) of the Tariff Act of 1930 (19 U.S.C. 1304(a)(3)(J)), to the extent permitted by that section and as provided for in schedule XX to the General Agreement on Tariffs and Trade, is suspended, with the result that sawed lumber and sawed timbers however provided for, telephone, trolley, electric light and telegraph poles of wood and bundles of shingles, other than red cedar shingles, shall not be required to be marked to indicate the country of origin.

3. Heading 4409 includes articles having a repeating design worked along any edge or face.

4. Heading 4418 includes--

   (a) drilled or notched lumber studs; and

   (b) multi-layer assembled flooring panels having a face ply 4 mm or more in thickness.

Statistical Note

1. For the purposes of heading 4407, the term "rough" includes wood that has been edged, resawn, crosscut or trimmed to smaller sizes but it does not include wood that has been dressed or surfaced by planing on one or more edges or faces or has been edge-glued or end-glued.

Compiler's Note

The provisions of subchapter II of chapter 99 (Miscellaneous Tariff Bills or MTBs), the provisions of the Generalized System of Preferences (GSP) found in General Note 4 and most product exclusions from the additional tariffs on products of China in subchapter III of chapter 99 expired on December 31, 2020. However, no endnotes or footnotes relating to these provisions have been deleted as of the issue date of this edition.

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4401 | | Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: | | | | |
| | | Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: | | | | |
| 4401.11.00 | 00 | Coniferous | kg | Free[1/] | | 20% |
| 4401.12.00 | 00 | Nonconiferous | kg | Free[1/] | | 20% |
| | | Wood in chips or particles: | | | | |
| 4401.21.00 | 00 | Coniferous | t dwb | Free[1/] | | Free |
| 4401.22.00 | 00 | Nonconiferous | t dwb | Free[1/] | | Free |
| | | Sawdust and wood waste and scrap, agglomerated in logs, briquettes, pellets or similar forms: | | | | |
| 4401.31.00 | 00 | Wood pellets | kg | Free[1/] | | Free |
| 4401.32.00 | 00 | Wood briquettes | kg | Free[1/] | | Free |
| 4401.39 | | Other: | | | | |
| 4401.39.20 | 00 | Artificial fire logs composed of wax and sawdust, with or without added materials | kg | Free[1/] | | 20% |
| 4401.39.42 | | Other | | Free[1/] | | Free |
| | 10 | Sawdust | kg | | | |
| | 20 | Shavings | kg | | | |
| | 90 | Other | kg | | | |
| | | Sawdust and wood waste and scrap, not agglomerated: | | | | |
| 4401.41.00 | 00 | Sawdust | kg | Free[1/] | | Free |
| 4401.49.00 | | Other | | Free[1/] | | Free |
| | 20 | Shavings | kg | | | |
| | 90 | Other | kg | | | |
| 4402 | | Wood charcoal (including shell or nut charcoal), whether or not agglomerated: | | | | |
| 4402.10.00 | 00 | Of bamboo | t | Free[1/] | | Free |
| 4402.20.00 | 00 | Of shell or nut | t | Free[1/] | | Free |
| 4402.90.01 | 00 | Other | t | Free[1/] | | Free |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4403 | | Wood in the rough, whether or not stripped of bark or sap-wood, or roughly squared: | | | | |
| | | Treated with paint, stain, creosote or other preservatives: | | | | |
| 4403.11.00 | | Coniferous | ..... | Free[1/] | | Free |
| | | Poles, piles and posts: | | | | |
| | 20 | Telephone, telegraph and electrical power poles | m | | | |
| | 40 | Fence posts | m | | | |
| | 50 | Other | m | | | |
| | 60 | Other | $m^3$ | | | |
| 4403.12.00 | | Nonconiferous | ..... | Free[1/] | | Free |
| | | Poles, piles and posts: | | | | |
| | 20 | Telephone, telegraph and electrical power poles | m | | | |
| | 40 | Fence posts | m | | | |
| | 50 | Other | m | | | |
| | 60 | Other | $m^3$ | | | |
| | | Other, coniferous: | | | | |
| 4403.21.01 | | Of pine (Pinus spp.), of which the smallest cross-sectional dimension is 15 cm or more | ..... | Free[1/] | | Free |
| | | Poles, piles and posts: | | | | |
| | 12 | Telephone, telegraph and electrical power poles | m | | | |
| | 15 | Fence posts | m | | | |
| | 16 | Other | m | | | |
| | | Logs and timber: | | | | |
| | 20 | Southern yellow pine (Loblolly pine (Pinus taeda)), long leaf pine (Pinus palustris), pitch pine (Pinus rigida), short leaf pine (Pinus echinata), slash pine (Pinus elliottii) and Virginia pine (Pinus virginiana) | $m^3$ | | | |
| | 25 | Ponderosa pine (Pinus ponderosa) | $m^3$ | | | |
| | 30 | Other | $m^3$ | | | |
| | 65 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4403 (con.) | | Wood in the rough, whether or not stripped of bark or sap-wood, or roughly squared: (con.) | | | | |
| | | Other, coniferous: (con.) | | | | |
| 4403.22.01 | | Of pine (Pinus spp.), other | ..... | Free[1/] | | Free |
| | 08 | Pulpwood | $m^3$ | | | |
| | | Poles, piles and posts: | | | | |
| | 12 | Telephone, telegraph and electrical power poles | m | | | |
| | 15 | Fence posts | m | | | |
| | 16 | Other | m | | | |
| | | Logs and timber: | | | | |
| | 20 | Southern yellow pine (Loblolly pine (Pinus taeda)), long leaf pine (Pinus palustris), pitch pine (Pinus rigida), short leaf pine (Pinus echinata), slash pine (Pinus elliottii) and Virginia pine (Pinus virginiana) | $m^3$ | | | |
| | 25 | Ponderosa pine (Pinus ponderosa) | $m^3$ | | | |
| | 30 | Other | $m^3$ | | | |
| | 65 | Other | $m^3$ | | | |
| 4403.23.01 | | Of fir (Abies spp.) and spruce (Picea spp.), of which the smallest cross-sectional dimension is 15 cm or more | ..... | Free[1/] | | Free |
| | | Poles, piles and posts: | | | | |
| | 12 | Telephone, telegraph and electrical power poles | m | | | |
| | 15 | Fence posts | m | | | |
| | 16 | Other | m | | | |
| | | Logs and timber: | | | | |
| | 35 | Spruce (Picea spp.) | $m^3$ | | | |
| | 42 | Other fir; balsam | $m^3$ | | | |
| | 65 | Other | $m^3$ | | | |
| 4403.24.01 | | Of fir (Abies spp.) and spruce (Picea spp.), other | ..... | Free[1/] | | Free |
| | 04 | Pulpwood | $m^3$ | | | |
| | | Poles, piles and posts: | | | | |
| | 12 | Telephone, telegraph and electrical power poles | m | | | |
| | 15 | Fence posts | m | | | |
| | 16 | Other | m | | | |
| | | Logs and timber: | | | | |
| | 35 | Spruce (Picea spp.) | $m^3$ | | | |
| | 42 | Other fir; balsam | $m^3$ | | | |
| | 65 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4403 (con.) | | Wood in the rough, whether or not stripped of bark or sap-wood, or roughly squared: (con.) | | | | |
| | | Other, coniferous: (con.) | | | | |
| 4403.25.01 | | Other, of which the smallest cross-sectional dimension is 15 cm or more | | Free[1/] | | Free |
| | | Poles, piles and posts: | | | | |
| | 12 | Telephone, telegraph and electrical power poles | m | | | |
| | 15 | Fence posts | m | | | |
| | 16 | Other | m | | | |
| | | Logs and timber: | | | | |
| | 40 | Douglas-fir (Pseudotsuga menziesii) | $m^3$ | | | |
| | 50 | Western hemlock (Tsuga heterophylla) | $m^3$ | | | |
| | 52 | Other hemlock | $m^3$ | | | |
| | 55 | Western red cedar (Thuja plicata) | $m^3$ | | | |
| | 57 | Other cedar | $m^3$ | | | |
| | 64 | Other | $m^3$ | | | |
| | 65 | Other | $m^3$ | | | |
| 4403.26.01 | | Other | | Free[1/] | | Free |
| | 08 | Pulpwood | $m^3$ | | | |
| | | Poles, piles and posts: | | | | |
| | 12 | Telephone, telegraph and electrical power poles | m | | | |
| | 15 | Fence posts | m | | | |
| | 16 | Other | m | | | |
| | | Logs and timber: | | | | |
| | 40 | Douglas-fir (Pseudotsuga menziesii) | $m^3$ | | | |
| | 50 | Western hemlock (Tsuga heterophylla) | $m^3$ | | | |
| | 52 | Other hemlock | $m^3$ | | | |
| | 55 | Western red cedar (Thuja plicata) | $m^3$ | | | |
| | 57 | Other cedar | $m^3$ | | | |
| | 64 | Other | $m^3$ | | | |
| | 65 | Other | $m^3$ | | | |
| | | Other, of tropical wood: | | | | |
| 4403.41.00 | 00 | Dark Red Meranti, Light Red Meranti and Meranti Bakau | $m^3$ | Free[1/] | | Free |
| 4403.42.00 | 00 | Teak | $m^3$ | Free[1/] | | Free |
| 4403.49.02 | 00 | Other | $m^3$ | Free[1/] | | Free |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4403 (con.) | | Wood in the rough, whether or not stripped of bark or sap-wood, or roughly squared: (con.) | | | | |
| | | Other: | | | | |
| 4403.91.00 | | Of oak (Quercus spp.) | ..... | Free[1/] | | Free |
| | 20 | Of red oak | $m^3$ | | | |
| | 40 | Other | $m^3$ | | | |
| 4403.93.01 | 00 | Of beech (Fagus spp.), of which the smallest cross-sectional dimension is 15 cm or more | $m^3$ | Free[1/] | | Free |
| 4403.94.01 | 00 | Of beech (Fagus spp.), other | $m^3$ | Free[1/] | | Free |
| 4403.95.01 | | Of birch (Betula spp.), of which the smallest cross-sectional dimension is 15 cm or more | ..... | Free[1/] | | Free |
| | 27 | Poles, piles and posts | $m^3$ | | | |
| | 30 | Other | $m^3$ | | | |
| 4403.96.01 | | Of birch (Betula spp.), other | ..... | Free[1/] | | Free |
| | 23 | Pulpwood | $m^3$ | | | |
| | 27 | Poles, piles and posts | $m^3$ | | | |
| | 30 | Other | $m^3$ | | | |
| 4403.97.00 | | Of poplar and aspen (Populus spp.) | ..... | Free[1/] | | Free |
| | 22 | Pulpwood | $m^3$ | | | |
| | 26 | Poles, piles and posts | $m^3$ | | | |
| | | Other: | | | | |
| | 65 | Of yellow poplar (Liriodendron tulipifera) | $m^3$ | | | |
| | 67 | Of other poplar; of aspen or cottonwood | $m^3$ | | | |
| 4403.98.00 | | Of eucalyptus (Eucalyptus spp.) | ..... | Free[1/] | | Free |
| | 23 | Pulpwood | $m^3$ | | | |
| | 28 | Poles, piles and posts | $m^3$ | | | |
| | 95 | Other | $m^3$ | | | |
| 4403.99.01 | | Other | ..... | Free[1/] | | Free |
| | 23 | Pulpwood | $m^3$ | | | |
| | 28 | Poles, piles and posts | $m^3$ | | | |
| | | Other: | | | | |
| | 40 | Of ash (Fraxinus spp.) | $m^3$ | | | |
| | 50 | Of western red alder (Alnus rubra) | $m^3$ | | | |
| | 55 | Of cherry (Prunus spp.) | $m^3$ | | | |
| | 60 | Of maple (Acer spp.) | $m^3$ | | | |
| | 70 | Of walnut (Juglans spp.) | $m^3$ | | | |
| | 75 | Of paulownia (Paulownia spp.) | $m^3$ | | | |
| | 95 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4404 | | Hoopwood; split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise; wooden sticks, roughly trimmed but not turned, bent or otherwise worked, suitable for the manufacture of walking-sticks, umbrellas, tool handles or the like; chipwood and the like: | | | | |
| 4404.10.00 | | Coniferous | | Free[1/] | | Free |
| | 40 | Fence pickets, palings and rails | kg | | | |
| | 80 | Poles, piles and posts | kg | | | |
| | 90 | Other | kg | | | |
| 4404.20.00 | | Nonconiferous | | Free[1/] | | Free |
| | 40 | Fence pickets, palings and rails | kg | | | |
| | 80 | Poles, piles and posts | kg | | | |
| | 90 | Other | kg | | | |
| 4405.00.00 | 00 | Wood wool (excelsior); wood flour | kg | 3.2%[1/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4406 | | Railway or tramway sleepers (cross-ties) of wood: | | | | |
| | | Not impregnated: | | | | |
| 4406.11.00 | 00 | Coniferous | $m^3$ No. | Free[1/] | | Free |
| 4406.12.00 | 00 | Nonconiferous | $m^3$ No. | Free[1/] | | Free |
| | | Other: | | | | |
| 4406.91.00 | 00 | Coniferous | $m^3$ No. | Free[1/] | | Free |
| 4406.92.00 | 00 | Nonconiferous | $m^3$ No. | Free[1/] | | Free |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4407 | | Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: | | | | |
| | | Coniferous: | | | | |
| 4407.11.00 | | Of pine (Pinus spp.) | ..... | Free[1/] | | $1.70/m$^3$ |
| | 01 | Finger-jointed | $m^3$ | | | |
| | | Other: | | | | |
| | 02 | Treated with paint, stain, creosote or other preservative | $m^3$ | | | |
| | | Not treated: | | | | |
| | | Eastern white pine (Pinus strobus) and red pine (Pinus resinosa): | | | | |
| | 42 | Rough | $m^3$ | | | |
| | 43 | Other | $m^3$ | | | |
| | | Lodgepole pine (Pinus contorta): | | | | |
| | 44 | Rough | $m^3$ | | | |
| | 45 | Other | $m^3$ | | | |
| | | Southern yellow pine (Loblolly pine (Pinus taeda)), long leaf pine (Pinus palustris), pitch pine (Pinus rigida), short leaf pine (Pinus echinata), slash pine (Pinus elliottii) and Virginia pine (Pinus virginiana): | | | | |
| | 46 | Rough | $m^3$ | | | |
| | 47 | Other | $m^3$ | | | |
| | | Ponderosa pine (Pinus ponderosa): | | | | |
| | 48 | Rough | $m^3$ | | | |
| | 49 | Other | $m^3$ | | | |
| | | Other pine: | | | | |
| | 52 | Rough | $m^3$ | | | |
| | 53 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4407 (con.) | | Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: (con.) | | | | |
| | | Coniferous: (con.) | | | | |
| 4407.12.00 | | Of fir (Abies spp.) and spruce (Picea spp.) | ..... | Free[1/] | | $1.70/m$^3$ |
| | 01 | Finger-jointed | $m^3$ | | | |
| | | Other: | | | | |
| | 02 | Treated with paint, stain, creosote or other preservative | $m^3$ | | | |
| | | Not treated: | | | | |
| | | Sitka spruce (Picea sitchensis): | | | | |
| | 17 | Rough | $m^3$ | | | |
| | 18 | Other | $m^3$ | | | |
| | | Other spruce: | | | | |
| | 19 | Rough | $m^3$ | | | |
| | 20 | Other | $m^3$ | | | |
| | | Fir (Abies spp.): | | | | |
| | 58 | Rough | $m^3$ | | | |
| | 59 | Other | $m^3$ | | | |
| 4407.13.00 | 00 | Of S-P-F (spruce (Picea spp.), pine (Pinus spp.) and fir (Abies spp.)) | $m^3$ | Free[1/] | | $1.70/m$^3$ |
| 4407.14.00 | 00 | Of Hem-fir (Western hemlock (Tsuga heterophylla) and fir (Abies spp.)) | $m^3$ | Free[1/] | | $1.70/m$^3$ |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4407 (con.) | | Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: (con.) | | | | |
| | | Coniferous: (con.) | | | | |
| 4407.19.00 | | Other | | Free[1/] | | $1.70/m$^3$ |
| | 01 | Finger-jointed | $m^3$ | | | |
| | | Other: | | | | |
| | 02 | Treated with paint, stain, creosote or other preservative | $m^3$ | | | |
| | | Not treated: | | | | |
| | | Douglas-fir (Pseudotsuga menziesii): | | | | |
| | | Rough: | | | | |
| | 54 | Having a minimum dimension less than 5.1 cm | $m^3$ | | | |
| | 55 | Having a minimum dimension 5.1 cm or more but less than 12.7 cm | $m^3$ | | | |
| | 56 | Having a minimum dimension 12.7 cm or more | $m^3$ | | | |
| | 57 | Other | $m^3$ | | | |
| | | Hemlock (Tsuga spp.): | | | | |
| | 64 | Rough | $m^3$ | | | |
| | 65 | Other | $m^3$ | | | |
| | | Larch (Larix spp.): | | | | |
| | 66 | Rough | $m^3$ | | | |
| | 67 | Other | $m^3$ | | | |
| | | Western red cedar: | | | | |
| | 68 | Rough | $m^3$ | | | |
| | 69 | Other | $m^3$ | | | |
| | | Yellow cedar (Chamaecyparis nootkatensis): | | | | |
| | 74 | Rough | $m^3$ | | | |
| | 75 | Other | $m^3$ | | | |
| | | Other cedar (Thuja spp., Juniperus spp., Chamaecyparis spp., Cupressus spp. and Libocedrus spp.): | | | | |
| | 76 | Rough | $m^3$ | | | |
| | 77 | Other | $m^3$ | | | |
| | | Redwood (Sequoia sempervirens): | | | | |
| | 82 | Rough | $m^3$ | | | |
| | 83 | Other | $m^3$ | | | |
| | | Other: | | | | |
| | 92 | Rough | $m^3$ | | | |
| | 93 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4407 (con.) | | Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: (con.) | | | | |
| | | Of tropical wood: | | | | |
| 4407.21.00 | 00 | Mahogany (Swietenia spp.) | $m^3$ | Free[1/] | | $1.27/$m^3$ |
| 4407.22.00 | | Virola, Imbuia and Balsa | | Free[1/] | | $1.27/$m^3$ |
| | 06 | Balsa (Ochroma lagopus) | $m^3$ | | | |
| | 91 | Other | $m^3$ | | | |
| 4407.23.01 | 00 | Teak | $m^3$ | Free[1/] | | $1.27/$m^3$ |
| 4407.25.00 | 00 | Dark Red Meranti, Light Red Meranti and Meranti Bakau | $m^3$ | Free[1/] | | $1.27/$m^3$ |
| 4407.26.00 | 00 | White Lauan, White Meranti, White Seraya, Yellow Meranti and Alan | $m^3$ | Free[1/] | | $1.27/$m^3$ |
| 4407.27.00 | 00 | Sapelli | $m^3$ | Free[1/] | | $1.27/$m^3$ |
| 4407.28.00 | 00 | Iroko | $m^3$ | Free[1/] | | $1.27/$m^3$ |
| 4407.29.02 | | Other | | Free[1/] | | $1.27/$m^3$ |
| | 06 | Acajou d'Afrique (Khaya spp.), also known as African mahogany | $m^3$ | | | |
| | 11 | Anigre (Aningeria spp.), also known as Aningre, Aniegre or Anegre | $m^3$ | | | |
| | 16 | Keruing (Dipterocarpus spp.) | $m^3$ | | | |
| | 20 | Ipé (Tabebuia spp. or Handroanthus spp.), also known as Tahibo or Taheebo, LaPacho or Lapacho, Brazilian walnut and Patagonian walnut | $m^3$ | | | |
| | 40 | Andiroba (Carapa guianensis and C. procera), Padauk (Pterocarpus spp.), also known as Padouk | $m^3$ | | | |
| | 60 | Cedro (Cedrela spp.), also known as Spanish Cedar | $m^3$ | | | |
| | 85 | Jatoba (Hymenaea spp.), also known as Brazilian Cherry | $m^3$ | | | |
| | 96 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4407 (con.) | | Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: (con.) | | | | |
| | | Other: | | | | |
| 4407.91.00 | | Of oak (Quercus spp.) | | Free[1/] | | $1.27/m$^3$ |
| | 22 | Red oak | $m^3$ | | | |
| | 63 | Other | $m^3$ | | | |
| 4407.92.00 | 00 | Of beech (Fagus spp.) | $m^3$ | Free[1/] | | $1.27/m$^3$ |
| 4407.93.00 | | Of maple (Acer spp.) | | Free[1/] | | $1.27/m$^3$ |
| | 10 | Hard maple | $m^3$ | | | |
| | 20 | Other | $m^3$ | | | |
| 4407.94.00 | 00 | Of cherry (Prunus spp.) | $m^3$ | Free[1/] | | $1.27/m$^3$ |
| 4407.95.00 | 00 | Of ash (Fraxinus spp.) | $m^3$ | Free[1/] | | $1.27/m$^3$ |
| 4407.96.00 | | Of birch (Betula spp.) | | Free[1/] | | $1.27/m$^3$ |
| | 11 | North American (Betula alleghaniensis, Betula papyrifera, Betula lenta, Betula nigra) | $m^3$ | | | |
| | 13 | European (Betula pendula, Betula pubescens), also known as Baltic, Russian or Chinese birch | $m^3$ | | | |
| | 19 | Other | $m^3$ | | | |
| 4407.97.00 | | Of poplar and aspen (Populus spp.) | | Free[1/] | | $1.27/m$^3$ |
| | 72 | Yellow poplar (Liriodendron tulipifera) | $m^3$ | | | |
| | 79 | Other poplar; aspen; cottonwood | $m^3$ | | | |
| 4407.99.02 | | Other | | Free[1/] | | $1.27/m$^3$ |
| | 42 | Hickory (Carya spp.) and pecan (Carya illinoensis, Carya pecan) | $m^3$ | | | |
| | 61 | Walnut (Juglans spp) | $m^3$ | | | |
| | 63 | Western red alder (Alnus rubra) | $m^3$ | | | |
| | 95 | Other nonconiferous | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4408 | | Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: | | | | |
| 4408.10.01 | | Coniferous | | Free[1/] | | 20% |
| | 25 | Douglas fir | $m^2$ | | | |
| | 45 | Other | $m^2$ | | | |
| | | Of tropical wood: | | | | |
| 4408.31.01 | 00 | Dark Red Meranti, Light Red Meranti and Meranti Bakau | $m^2$ | Free[1/] | | 20% |
| 4408.39.02 | | Other | | Free[1/] | | 20% |
| | 10 | Spliced or end-jointed | $m^2$ | | | |
| | | Other: | | | | |
| | 20 | Acajou or Acajou d'Afrique (Khaya spp.), also known as African mahogany | $m^2$ | | | |
| | 30 | Anigre (Aningeria spp.), also known as Aningre, Aniegre or Anegre | $m^2$ | | | |
| | 40 | Ceiba (Ceiba spp.) | $m^2$ | | | |
| | 50 | Obeche (Triplochiton spp.), also known as Ayous | $m^2$ | | | |
| | 60 | Okoume (Aucoumea spp.) | $m^2$ | | | |
| | 70 | Sapele (Sapelli), Sipo or Utile (Entandrophragma spp.) | $m^2$ | | | |
| | 91 | Other | $m^2$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4408 (con.) | | Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: (con.) | | | | |
| 4408.90.01 | | Other | | Free[1/] | | 20% |
| | | Spliced or end-jointed: | | | | |
| | 05 | Ash (Fraxinus spp.) | $m^2$ | | | |
| | 10 | Birch (Betula spp.) | $m^2$ | | | |
| | 15 | Cherry (Prunus spp.) | $m^2$ | | | |
| | 21 | Maple (Acer spp.) | $m^2$ | | | |
| | | Oak (Quercus spp.): | | | | |
| | 31 | Red | $m^2$ | | | |
| | 37 | Other | $m^2$ | | | |
| | 45 | Walnut (Juglans spp.) | $m^2$ | | | |
| | 51 | Other | $m^2$ | | | |
| | | Other: | | | | |
| | 56 | Ash (Fraxinus spp.) | $m^2$ | | | |
| | 61 | Birch (Betula spp.) | $m^2$ | | | |
| | 66 | Cherry (Prunus spp.) | $m^2$ | | | |
| | 71 | Maple (Acer spp.) | $m^2$ | | | |
| | | Oak (Quercus spp.): | | | | |
| | 76 | Red | $m^2$ | | | |
| | 81 | Other | $m^2$ | | | |
| | 87 | Walnut (Juglans spp.) | $m^2$ | | | |
| | 97 | Other | $m^2$ | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4409 | | Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, molded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed: | | | | |
| 4409.10 | | Coniferous: | | | | |
| 4409.10.05 | 00 | Wood continuously shaped along any of its ends, whether or not also continuously shaped along any of its edges or faces, all the foregoing whether or not planed, sanded or end-jointed | $m^3$ | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | | Other: | | | | |
| 4409.10.10 | | Wood siding | | Free[1/] | | 2.2¢/$m^2$ |
| | | Resawn bevel siding: | | | | |
| | 20 | Western red cedar | $m^2$<br>$m^3$ | | | |
| | 40 | Other | $m^2$<br>$m^3$ | | | |
| | | Other: | | | | |
| | 60 | Western red cedar | $m^2$<br>$m^3$ | | | |
| | 80 | Other | $m^2$<br>$m^3$ | | | |
| 4409.10.20 | 00 | Wood flooring | $m^2$<br>$m^3$ | Free[1/] | | 33 1/3% |
| | | Wood moldings: | | | | |
| | | Standard wood molding: | | | | |
| 4409.10.40 | | Pine (Pinus spp.) | | Free[1/] | | 5% |
| | 10 | End-jointed | m | | | |
| | 90 | Other | m | | | |
| 4409.10.45 | 00 | Other | m | Free[1/] | | 5% |
| 4409.10.50 | 00 | Other | m | Free[1/] | | 40% |
| | | Wood dowel rods: | | | | |
| 4409.10.60 | 00 | Plain | m<br>$m^3$ | Free[1/] | | 5% |
| 4409.10.65 | 00 | Sanded, grooved, or otherwise advanced in condition | m<br>$m^3$ | 4.9%[1/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4409.10.90 | | Other | | Free[1/] | | $1.70/$m^3$ |
| | 20 | Western red cedar | $m^2$<br>$m^3$ | | | |
| | 40 | Other | $m^2$<br>$m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4409 (con.) | | Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, molded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed: (con.) | | | | |
| | | Nonconiferous: | | | | |
| 4409.21 | | Of bamboo: | | | | |
| 4409.21.05 | 00 | Wood continuously shaped along any of its ends, whether or not also continuously shaped along any of its edges or faces, all the foregoing whether or not planed, sanded or end-jointed | $m^3$ | 3.2%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4409.21.90 | 00 | Other | $m^3$ | Free[1/] | | $1.70/$m^3$ |
| 4409.22 | | Of tropical wood: | | | | |
| 4409.22.05 | | Wood continuously shaped along any of its ends, whether or not also continuously shaped along any of its edges or faces, all the foregoing whether or not planed, sanded or end-jointed | | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | | Wood flooring (end-matched): | | | | |
| | 15 | Jatoba (Hymenaea spp.), also known as Brazilian Cherry | $m^2$<br>$m^3$ | | | |
| | 20 | Ipé (Tabebuia spp. or Handroanthus spp.), also known as Tahibo or Taheebo, LaPacho or Lapacho, Brazilian walnut, and Patagonian walnut | $m^2$<br>$m^3$ | | | |
| | 35 | Santos mahogany (Myroxylon balsamum), also known as Cabreuva | $m^2$<br>$m^3$ | | | |
| | 45 | Cumaru (Dipteryx spp.), also known as Brazilian teak | $m^2$<br>$m^3$ | | | |
| | 60 | Other | $m^2$<br>$m^3$ | | | |
| | 90 | Other | $m^2$<br>$m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4409 (con.) | | Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, molded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed: (con.) | | | | |
| | | Nonconiferous: (con.) | | | | |
| 4409.22 (con.) | | Of tropical wood: (con.) | | | | |
| | | Other: | | | | |
| 4409.22.10 | 00 | Wood siding | $m^2$ | Free[1/] | | 4.3¢/$m^2$ |
| 4409.22.25 | 00 | Wood flooring | $m^2$ $m^3$ | Free[1/] | | 8% |
| | | Wood moldings: | | | | |
| 4409.22.40 | 00 | Standard wood moldings | m | Free[1/] | | 5% |
| 4409.22.50 | | Other | | Free[1/] | | 40% |
| | 20 | Durian (Durio spp.) | m | | | |
| | 40 | Jelutong (Dyera spp.) | m | | | |
| | 60 | Obeche (Triplochiton spp.), also known as Ayous | m | | | |
| | 90 | Other | m | | | |
| | | Wood dowel rods: | | | | |
| 4409.22.60 | 00 | Plain | m | Free[1/] | | 5% |
| 4409.22.65 | 00 | Sanded, grooved or otherwise advanced in condition | m | 4.9%[1/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4409.22.90 | | Other | | Free[1/] | | $1.70/$m^3$ |
| | 20 | Cumaru (Dipteryx spp.), also known as Brazilian teak | $m^3$ | | | |
| | 30 | Ipé (Tabebuia spp. or Handroanthus spp.), also known as Tahibo or Taheebo, LaPacho or Lapacho, Brazilian walnut and Patagonian walnut | $m^3$ | | | |
| | 45 | Keruing (Dipterocarpus spp.) | $m^3$ | | | |
| | 60 | Padauk (Padouk) or Narra (Pterocarpus spp.) | $m^3$ | | | |
| | 90 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4409 (con.) | | Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, molded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed: (con.) | | | | |
| | | Nonconiferous: (con.) | | | | |
| 4409.29 | | Other: | | | | |
| 4409.29.06 | | Wood continuously shaped along any of its ends, whether or not also continuously shaped along any of its edges or faces, all the foregoing whether or not planed, sanded or end-jointed | | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 55 | Wood flooring (end-matched) | $m^2$<br>$m^3$ | | | |
| | 65 | Other | $m^2$<br>$m^3$ | | | |
| | | Other: | | | | |
| 4409.29.11 | 00 | Wood siding | $m^2$ | Free[1/] | | 4.3¢/$m^2$ |
| 4409.29.26 | | Wood flooring | | Free[1/] | | 8% |
| | 30 | Maple (Acer spp.) | $m^2$<br>$m^3$ | | | |
| | 50 | Birch (Betula spp.) and beech (Fagus spp.) | $m^2$<br>$m^3$ | | | |
| | 60 | Other | $m^2$<br>$m^3$ | | | |
| | | Wood moldings: | | | | |
| 4409.29.41 | 00 | Standard wood moldings[2/] | m | Free[1/] | | 5% |
| 4409.29.51 | 00 | Other | m | Free[1/] | | 40% |
| | | Wood dowel rods: | | | | |
| 4409.29.61 | 00 | Plain | m | Free[1/] | | 5% |
| 4409.29.66 | 00 | Sanded, grooved or otherwise advanced in condition | m | 4.9%[1/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4409.29.91 | 00 | Other | $m^3$ | Free[1/] | | \$1.70/$m^3$ |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4410 | | Particle board, oriented strand board (OSB) and similar board (for example, waferboard) of wood or other ligneous materials, whether or not agglomerated with resins or other organic binding substances: | | | | |
| | | Of wood: | | | | |
| 4410.11.00 | | Particle board | | Free[1/] | | 40% |
| | 10 | Unworked or not further worked than sanded | $m^3$ kg | | | |
| | 20 | Surface-covered with melamine-impregnated paper | $m^3$ kg | | | |
| | 30 | Surface-covered with decorative laminates of plastic | $m^3$ kg | | | |
| | 60 | Other | $m^3$ kg | | | |
| 4410.12.00 | | Oriented strand board (OSB) | | Free[1/] | | 40% |
| | 10 | Unworked or not further worked than sanded | $m^3$ kg | | | |
| | 20 | Other | $m^3$ kg | | | |
| 4410.19.00 | | Other | | Free[1/] | | 40% |
| | 10 | Unworked or not further worked than sanded | $m^3$ kg | | | |
| | 20 | Surface-covered with melamine-impregnated paper | $m^3$ kg | | | |
| | 30 | Surface-covered with decorative laminates of plastic | $m^3$ kg | | | |
| | 60 | Other | $m^3$ kg | | | |
| 4410.90.00 | 00 | Other | $m^3$ kg | Free[1/] | | 20% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4411 | | Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: | | | | |
| | | Medium density fiberboard (MDF): | | | | |
| 4411.12 | | Of a thickness not exceeding 5 mm: | | | | |
| 4411.12.10 | 00 | Not mechanically worked or surface covered..... | $m^3$..... | Free[1/] | | 30% |
| | | Other: | | | | |
| | | Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other parts of buildings: | | | | |
| 4411.12.20 | 00 | Laminated boards bonded in whole or in part, or impregnated, with synthetic resins..... | kg..... $m^3$ | 1.9¢/kg + 1.5%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33¢/kg + 25% |
| 4411.12.30 | 00 | Other..... | $m^3$..... | Free[1/] | | 20% |
| | | Other: | | | | |
| 4411.12.60 | 00 | Not surface covered (except for oil treatment)..... | $m^3$..... | Free[1/] | | 30% |
| 4411.12.90 | | Other..... | ..... | 3.9%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 10 | Standard wood molding..... | $m^3$ | | | |
| | 90 | Other..... | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4411 (con.) | | Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.) | | | | |
| | | Medium density fiberboard (MDF): (con.) | | | | |
| 4411.13 | | Of a thickness exceeding 5 mm but not exceeding 9 mm: | | | | |
| 4411.13.10 | 00 | Not mechanically worked or surface covered..... | $m^3$..... | Free[1/] | | 30% |
| | | Other: | | | | |
| | | Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other parts of buildings: | | | | |
| 4411.13.20 | 00 | Laminated boards bonded in whole or in part, or impregnated, with synthetic resins[3/]..... | kg..... $m^3$ | 1.9¢/kg + 1.5%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33¢/kg + 25% |
| 4411.13.30 | 00 | Other..... | $m^3$..... | Free[1/] | | 20% |
| | | Other: | | | | |
| 4411.13.60 | 00 | Not surface covered (except for oil treatment)..... | $m^3$..... | Free[1/] | | 30% |
| 4411.13.90 | | Other..... | ..... | 3.9%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 10 | Standard wood molding..... | $m^3$ | | | |
| | 90 | Other..... | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4411 (con.) | | Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.) | | | | |
| | | Medium density fiberboard (MDF): (con.) | | | | |
| 4411.14 | | Of a thickness exceeding 9 mm: | | | | |
| 4411.14.10 | 00 | Not mechanically worked or surface covered..... | $m^3$..... | Free[1/] | | 30% |
| | | Other: | | | | |
| | | Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other parts of buildings: | | | | |
| 4411.14.20 | 00 | Laminated boards bonded in whole or in part, or impregnated, with synthetic resins..... | kg..... $m^3$ | 1.9¢/kg + 1.5%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33¢/kg + 25% |
| 4411.14.30 | 00 | Other..... | $m^3$..... | Free[1/] | | 20% |
| | | Other: | | | | |
| 4411.14.60 | 00 | Not surface covered (except for oil treatment)..... | $m^3$..... | Free[1/] | | 30% |
| 4411.14.90 | | Other..... | ..... | 3.9%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 10 | Standard wood molding..... | $m^3$ | | | |
| | 90 | Other..... | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4411 (con.) | | Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.) | | | | |
| | | Other: | | | | |
| 4411.92 | | Of a density exceeding 0.8 g/cm$^3$ : | | | | |
| 4411.92.10 | 00 | Not mechanically worked or surface covered..... | m$^3$..... | Free[1/] | | 30% |
| | | Other: | | | | |
| 4411.92.20 | 00 | Not surface covered (except for oil treatment)..... | m$^3$..... | Free[1/] | | 30% |
| | | Other: | | | | |
| 4411.92.30 | 00 | Tileboard which has been continuously worked along any of its edges and is dedicated for use in the construction of walls, ceilings or other parts of buildings..... | m$^3$..... | Free[1/] | | 20% |
| 4411.92.40 | 00 | Other..... | m$^3$..... | 6%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 4411.93 | | Of a density exceeding 0.5 g/cm$^3$ but not exceeding 0.8 g/cm$^3$ : | | | | |
| 4411.93.10 | 00 | Not mechanically worked or surface covered..... | m$^3$..... | Free[1/] | | 30% |
| | | Other: | | | | |
| | | Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other parts of buildings: | | | | |
| 4411.93.20 | 00 | Laminated boards bonded in whole or in part, or impregnated, with synthetic resins..... | kg..... m$^3$ | 1.9¢/kg + 1.5%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33¢/kg + 25% |
| 4411.93.30 | 00 | Other..... | m$^3$..... | Free[1/] | | 20% |
| | | Other: | | | | |
| 4411.93.60 | 00 | Not surface covered (except for oil treatment)..... | m$^3$..... | Free[1/] | | 30% |
| 4411.93.90 | | Other..... | ..... | 3.9%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 10 | Standard wood molding..... | m$^3$ | | | |
| | 90 | Other[4/]..... | m$^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4411 (con.) | | Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.) | | | | |
| | | Other: (con.) | | | | |
| 4411.94.00 | | Of a density not exceeding 0.5 g/cm$^3$ | | Free[1/] | | 20% |
| | | Of a density exceeding 0.35 g/cm$^3$ but not exceeding 0.5 g/cm$^3$: | | | | |
| | | Not mechanically worked or surface covered: | | | | |
| | 10 | Impregnated with bitumen | m$^3$ | | | |
| | 20 | Other | m$^3$ | | | |
| | | Other: | | | | |
| | 30 | Impregnated with bitumen | m$^3$ | | | |
| | 40 | Other | m$^3$ | | | |
| | | Other: | | | | |
| | | Not mechanically worked or surface covered: | | | | |
| | 50 | Impregnated with bitumen | m$^3$ | | | |
| | 60 | Other | m$^3$ | | | |
| | | Other: | | | | |
| | 70 | Impregnated with bitumen | m$^3$ | | | |
| | 80 | Other | m$^3$ | | | |
| 4412 | | Plywood, veneered panels and similar laminated wood: | | | | |
| 4412.10 | | Of bamboo: | | | | |
| 4412.10.05 | 00 | Plywood[5/] | m$^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.10.90 | 00 | Other[5/] | m$^3$ | Free[1/] | | 40% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: | | | | |
| 4412.31 | | With at least one outer ply of tropical wood: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.31.06 | | With a face ply of birch (Betula spp.) | ..... | Free[1/] | | 50% |
| | 20 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length | $m^3$ | | | |
| | | Other: | | | | |
| | 40 | Not surface covered | $m^3$ | | | |
| | 60 | Other | $m^3$ | | | |
| 4412.31.26 | | With a face ply of Spanish cedar (Cedrela spp.) or walnut (Juglans spp) | ..... | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 10 | With a face ply of Spanish cedar (Cedrela spp.) | $m^3$ | | | |
| | 20 | With a face ply of walnut (Juglans spp.) | $m^3$ | | | |
| | | Other: | | | | |
| | | With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red Meranti, White Lauan, Sipo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rio or Palissandre de Rose: | | | | |
| 4412.31.42 | 00 | With a face ply of mahogany (Swietenia spp. or Khaya spp.) | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.31.45 | 00 | Panels not exceeding 3.6 mm in thickness and exceeding 1.2 m in width and 2.2 m in length | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.) | | | | |
| 4412.31 (con.) | | With at least one outer ply of tropical wood: (con.) | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red Meranti, White Lauan, Sipo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rio or Palissandre de Rose: (con.) | | | | |
| 4412.31.48 | | Other | ..... | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 50 | Panels not exceeding 3.6 mm in thickness and not exceeding 1.2 m in width and 2.2 m in length | $m^3$ | | | |
| | | Other: | | | | |
| | 65 | Not surface covered | $m^3$ | | | |
| | | Other: | | | | |
| | 75 | Wood flooring | $m^3$ | | | |
| | 80 | Other | $m^3$ | | | |
| 4412.31.52 | | Other | ..... | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 25 | Wood flooring | $m^3$ | | | |
| | | Other: | | | | |
| | 35 | With a face ply of sen (Kalopanax spp.) | $m^3$ | | | |
| | | Other: | | | | |
| | 55 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length | $m^3$ | | | |
| | | Other: | | | | |
| | 65 | Not surface covered | $m^3$ | | | |
| | 75 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.) | | | | |
| 4412.31 (con.) | | With at least one outer ply of tropical wood: (con.) | | | | |
| | | Other: | | | | |
| 4412.31.61 | 00 | With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red Meranti, White Lauan, Sipo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rio or Palissandre de Rose | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.31.92 | 00 | Other | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.33 | | Other, with at least one outer ply of nonconiferous wood of the species alder (Alnus spp.), ash (Fraxinus spp.), beech (Fagus spp.), birch (Betula spp.), cherry (Prunus spp.), chestnut (Castanea spp.), elm (Ulmus spp.), eucalyptus (Eucalyptus spp.), hickory (Carya spp.), horse chestnut (Aesculus spp.), lime (Tilia spp.), maple (Acer spp.), oak (Quercus spp.), plane tree (Platanus spp.), poplar and aspen (Populus spp.), robinia (Robinia spp.), tulipwood (Liriodendron spp.) or walnut (Juglans spp.): | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.33.06 | | With a face ply of birch (Betula spp.) | | Free[1/] | | 50% |
| | 20 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length | $m^3$ | | | |
| | | Other: | | | | |
| | 40 | Not surface covered | $m^3$ | | | |
| | | Other: | | | | |
| | 65 | Wood flooring | $m^3$ | | | |
| | 70 | Other | $m^3$ | | | |
| 4412.33.26 | | With a face ply of walnut (Juglans spp.) | | 5.1%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 25 | Wood flooring | $m^3$ | | | |
| | 30 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.) | | | | |
| 4412.33 (con.) | | Other, with at least one outer ply of nonconiferous wood of the species alder (Alnus spp.), ash (Fraxinus spp.), beech (Fagus spp.), birch (Betula spp.), cherry (Prunus spp.), chestnut (Castanea spp.), elm (Ulmus spp.), eucalyptus (Eucalyptus spp.), hickory (Carya spp.), horse chestnut (Aesculus spp.), lime (Tilia spp.), maple (Acer spp.), oak (Quercus spp.), plane tree (Platanus spp.), poplar and aspen (Populus spp.), robinia (Robinia spp.), tulipwood (Liriodendron spp.) or walnut (Juglans spp.): (con.) | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.) | | | | |
| 4412.33.32 | | Other | | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 25 | Wood flooring | $m^3$ | | | |
| | | Other: | | | | |
| | 35 | With a face ply of sen (Kalopanax spp.) | $m^3$ | | | |
| | 55 | With a face ply of mahogany (Swietenia spp. or Khaya spp.) | $m^3$ | | | |
| | | Other: | | | | |
| | 65 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length | $m^3$ | | | |
| | | Other: | | | | |
| | 75 | Not surface covered | $m^3$ | | | |
| | 85 | Other | $m^3$ | | | |
| 4412.33.57 | 00 | Other | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.) | | | | |
| 4412.34 | | Other, with at least one outer ply of nonconiferous wood not specified under subheading 4412.33: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.34.26 | 00 | With a face ply of Spanish cedar (Cedrela spp.) | $m^3$ | 5.1%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.34.32 | | Other | | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 25 | Wood flooring | $m^3$ | | | |
| | | Other: | | | | |
| | 35 | With a face ply of sen (Kalopanax spp.) | $m^3$ | | | |
| | 55 | With a face ply of mahogany (Swietenia spp. or Khaya spp.) | $m^3$ | | | |
| | | Other: | | | | |
| | 65 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length | $m^3$ | | | |
| | | Other: | | | | |
| | 75 | Not surface covered | $m^3$ | | | |
| | 85 | Other | $m^3$ | | | |
| 4412.34.57 | 00 | Other | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.) | | | | |
| 4412.39 | | Other, with both outer plies of coniferous wood: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.39.10 | 00 | With a face ply of Parana pine (Araucaria angustifolia) | $m^3$ | Free[1/] | | 40% |
| 4412.39.30 | 00 | With a face ply of European red pine (Pinus silvestris) | $m^3$ | 3.4%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.39.40 | | Other | | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | | With at least one outer ply of Douglas fir (Pseudotsuga menziesii): | | | | |
| | 11 | Rough, or touch sanded for sizing purposes, but not further processed | $m^3$ | | | |
| | 12 | Fully sanded on at least one face, but not further processed | $m^3$ | | | |
| | 19 | Other | $m^3$ | | | |
| | | With at least one outer ply of long leaf pine (Pinus palustris), short leaf pine (Pinus echinata), southern yellow pine (loblolly pine)(Pinus taeda), slash pine (Pinus elliotti), pitch pine (Pinus rigida) or Virginia pine (Pinus virginiana): | | | | |
| | 31 | Rough, or touch sanded for sizing purposes, but not further processed | $m^3$ | | | |
| | 32 | Fully sanded on at least one face, but not further processed | $m^3$ | | | |
| | 39 | Other | $m^3$ | | | |
| | | With at least one outer ply of Agathis spp.: | | | | |
| | 51 | Rough, or touch sanded for sizing purposes, but not further processed | $m^3$ | | | |
| | 52 | Fully sanded on at least one face, but not further processed | $m^3$ | | | |
| | 59 | Other | $m^3$ | | | |
| | | Other: | | | | |
| | 61 | Rough, or touch sanded for sizing purposes, but not further processed | $m^3$ | | | |
| | 62 | Fully sanded on at least one face, but not further processed | $m^3$ | | | |
| | 69 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.) | | | | |
| 4412.39 (con.) | | Other, with both outer plies of coniferous wood: (con.) | | | | |
| 4412.39.50 | | Other | | 5.1%[1/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 10 | With at least one outer ply of Douglas fir (Pseudotsuga menziesii) | $m^3$ | | | |
| | 30 | With at least one outer ply of long leaf pine (Pinus palustris), short leaf pine (Pinus echinata), southern yellow pine (loblolly pine) (Pinus taeda), slash pine (Pinus elliotti), pitch pine (Pinus rigida) or Virginia pine (Pinus virginiana) | $m^3$ | | | |
| | 50 | Other | $m^3$ | | | |
| | | Laminated veneered lumber (LVL): | | | | |
| 4412.41.00 | 00 | With at least one outer ply of tropical wood | $m^3$ | Free[1/] | | 40% |
| 4412.42.00 | 00 | Other, with at least one outer ply of nonconiferous wood | $m^3$ | Free[1/] | | 40% |
| 4412.49.00 | 00 | Other, with both outer plies of coniferous wood | $m^3$ | Free[1/] | | 40% |
| | | Blockboard, laminboard and battenboard: | | | | |
| 4412.51 | | With at least one outer ply of tropical wood: | | | | |
| | | Plywood: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.51.10 | | With a face ply of birch (Betula spp.) | | Free[1/] | | 50% |
| | 30 | Not surface covered | $m^3$ | | | |
| | 50 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Blockboard, laminboard and battenboard: (con.) | | | | |
| 4412.51 (con.) | | With at least one outer ply of tropical wood: (con.) | | | | |
| | | Plywood: (con.) | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.) | | | | |
| 4412.51.31 | | Other | | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 05 | Wood flooring | $m^2$<br>$m^3$ | | | |
| | | Other: | | | | |
| | 11 | With a face ply of Spanish cedar (Cedrela spp.) | $m^2$<br>$m^3$ | | | |
| | 21 | With a face ply of walnut (Juglans spp.) | $m^2$<br>$m^3$ | | | |
| | 41 | With a face ply of mahogany (Swietenia spp. or Khaya spp.) | $m^2$<br>$m^3$ | | | |
| | | Other: | | | | |
| | 61 | Not surface covered | $m^2$<br>$m^3$ | | | |
| | 75 | Other | $m^2$<br>$m^3$ | | | |
| 4412.51.41 | 00 | Other | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.51.51 | 00 | Other | $m^3$ | Free[1/] | | 40% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Blockboard, laminboard and battenboard: (con.) | | | | |
| 4412.52 | | Other, with at least one outer ply of nonconiferous wood: | | | | |
| | | Plywood: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.52.10 | | With a face ply of birch (Betula spp.) | ..... | Free[1/] | | 50% |
| | 30 | Not surface covered | $m^3$ | | | |
| | 50 | Other | $m^3$ | | | |
| 4412.52.31 | | Other | ..... | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 05 | Wood flooring | $m^2$<br>$m^3$ | | | |
| | | Other: | | | | |
| | 21 | With a face ply of walnut (Juglans spp.) | $m^2$<br>$m^3$ | | | |
| | | Other: | | | | |
| | 61 | Not surface covered | $m^2$<br>$m^3$ | | | |
| | 75 | Other | $m^2$<br>$m^3$ | | | |
| 4412.52.41 | 00 | Other | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.52.51 | 00 | Other | $m^3$ | Free[1/] | | 40% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Blockboard, laminboard and battenboard: (con.) | | | | |
| 4412.59 | | Other, with both outer plies of coniferous wood: | | | | |
| | | Plywood: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.59.60 | 00 | With a face ply of Parana pine (Araucaria angustifolia) | $m^3$ | Free[1/] | | 40% |
| 4412.59.70 | 00 | With a face ply of European red pine (Pinus silvestris) | $m^3$ | 3.4%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.59.80 | 00 | Other | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.59.90 | 00 | Other | $m^3$ | 5.1%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.59.95 | 00 | Other | $m^3$ | Free[1/] | | 40% |
| | | Other: | | | | |
| 4412.91 | | With at least one outer ply of tropical wood: | | | | |
| 4412.91.06 | 00 | Containing at least one layer of particle board | $m^3$ | Free[1/] | | 40% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other: (con.) | | | | |
| 4412.91 (con.) | | With at least one outer ply of tropical wood: (con.) | | | | |
| | | Other: | | | | |
| | | Plywood: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.91.10 | | With a face ply of birch (Betula spp.) | ..... | Free[1/] | | 50% |
| | 20 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length | $m^3$ | | | |
| | | Other: | | | | |
| | 30 | Not surface covered | $m^3$ | | | |
| | 40 | Other | $m^3$ | | | |
| 4412.91.31 | | Other | ..... | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 10 | With a face ply of Spanish cedar (Cedrela spp.) | $m^3$ | | | |
| | 20 | With a face ply of walnut (Juglans spp.) | $m^3$ | | | |
| | 30 | With a face ply of sen (Kalopanax spp.) | $m^3$ | | | |
| | 40 | With a face ply of mahogany (Swietenia spp. or Khaya spp.) | $m^3$ | | | |
| | | Other: | | | | |
| | 50 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width, and 2.2 m in length | $m^3$ | | | |
| | 60 | Other, not surface covered | $m^3$ | | | |
| | 70 | Other | $m^3$ | | | |
| 4412.91.41 | 00 | Other | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.91.51 | | Other | ..... | Free[1/] | | 40% |
| | 05 | Wood flooring | $m^3$ | | | |
| | 15 | Other | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other: (con.) | | | | |
| 4412.92 | | Other, with at least one outer ply of nonconiferous wood: | | | | |
| 4412.92.07 | 00 | Containing at least one layer of particle board..... | $m^3$..... | Free[1/] | | 40% |
| | | Other: | | | | |
| | | Plywood: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.92.11 | | With a face ply of birch (Betula spp.)..... | ..... | Free[1/] | | 50% |
| | 20 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length..... | $m^3$ | | | |
| | | Other: | | | | |
| | 30 | Not surface covered..... | $m^3$ | | | |
| | 40 | Other..... | $m^3$ | | | |
| 4412.92.31 | | Other..... | ..... | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 20 | With a face ply of walnut (Juglans spp.) ..... | $m^3$ | | | |
| | | Other: | | | | |
| | 50 | Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width, and 2.2 m in length..... | $m^3$ | | | |
| | 60 | Other, not surface covered..... | $m^3$ | | | |
| | 70 | Other..... | $m^3$ | | | |
| 4412.92.42 | 00 | Other..... | $m^3$..... | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.92.52 | | Other..... | ..... | Free[1/] | | 40% |
| | 05 | Wood flooring..... | $m^3$ | | | |
| | 15 | Other..... | $m^3$ | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4412 (con.) | | Plywood, veneered panels and similar laminated wood: (con.) | | | | |
| | | Other: (con.) | | | | |
| 4412.99 | | Other, with both outer plies of coniferous wood: | | | | |
| 4412.99.58 | 00 | Containing at least one layer of particle board | $m^3$ | Free[1/] | | 40% |
| | | Other: | | | | |
| | | Plywood: | | | | |
| | | Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: | | | | |
| 4412.99.61 | 00 | With a face ply of Parana pine (Araucaria angustifolia) | $m^3$ | Free[1/] | | 40% |
| 4412.99.71 | 00 | With a face ply of European red pine (Pinus silvestris) | $m^3$ | 3.4%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.99.81 | 00 | Other | $m^3$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.99.91 | 00 | Other | $m^3$ | 5.1%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4412.99.97 | 00 | Other | $m^3$ | Free[1/] | | 40% |
| 4413.00.00 | 00 | Densified wood, in blocks, plates, strips or profile shapes | kg | 3.7%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 50% |
| 4414 | | Wooden frames for paintings, photographs, mirrors or similar objects: | | | | |
| 4414.10.00 | 00 | Of tropical wood | No | 3.9%[6/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4414.90.00 | 00 | Other | No | 3.9%[6/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4415 | | Packing cases, boxes, crates, drums and similar packings, of wood; cable-drums, of wood; pallets, box-pallets and other load boards, of wood; pallet collars of wood: | | | | |
| 4415.10 | | Cases, boxes, crates, drums and similar packings; cable-drums: | | | | |
| 4415.10.30 | 00 | Packing boxes and cases with solid sides, lids and bottoms | No. | Free[1/] | | 15% |
| 4415.10.60 | 00 | Containers designed for use in the harvesting of fruits and vegetables | No. | Free[1/] | | Free |
| 4415.10.90 | 00 | Other | No. | 10.7%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4415.20 | | Pallets, box-pallets and other load boards; pallet collars: | | | | |
| 4415.20.40 | 00 | Containers designed for use in the harvesting of fruits and vegetables | No. | Free[1/] | | Free |
| 4415.20.80 | 00 | Other | No. | 10.7%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4416.00 | | Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: | | | | |
| 4416.00.30 | | Casks, barrels and hogsheads | | Free[1/] | | 15% |
| | 10 | New | No. | | | |
| | | Used: | | | | |
| | 20 | Assembled (set up) | No. | | | |
| | 30 | Unassembled (knocked down) | No. | | | |
| 4416.00.60 | | Staves and hoops; tight barrelheads of softwood | | Free[1/] | | Free |
| | | New: | | | | |
| | 10 | Staves | No. | | | |
| | 20 | Hoops | No. | | | |
| | 30 | Tight barrelheads | No. | | | |
| | | Used: | | | | |
| | 40 | Staves | No. | | | |
| | 50 | Other | No. | | | |
| 4416.00.90 | | Other | | 3.2%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 20 | New | kg | | | |
| | 40 | Used | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4417.00 | | Tools, tool bodies, tool handles, broom or brush bodies and handles, of wood; boot or shoe lasts and trees, of wood: | | | | |
| 4417.00.20 | 00 | Broom and mop handles, 1.9 cm or more in diameter and 97 cm or more in length | No | Free[6/] | | 33 1/3% |
| 4417.00.40 | 00 | Paint brush and paint roller handles | kg | Free[6/] | | 33 1/3% |
| 4417.00.60 | 00 | Brush backs | No | Free[1/] | | 33 1/3% |
| 4417.00.80 | | Other | | 5.1%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 10 | Tool handles | kg | | | |
| | 90 | Other | kg | | | |
| 4418 | | Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: | | | | |
| | | Windows, French-windows and their frames: | | | | |
| 4418.11.00 | 00 | Of tropical wood | No | 3.2%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.19.00 | 00 | Other | No | 3.2%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | | Doors and their frames and thresholds: | | | | |
| 4418.21 | | Of tropical wood: | | | | |
| 4418.21.40 | 00 | French doors | No | 4.8%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.21.80 | | Other | | 4.8%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 30 | Flush doors | No. | | | |
| | 60 | Other | No. | | | |
| 4418.29 | | Other: | | | | |
| 4418.29.40 | 00 | French doors | No | 4.8%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.29.80 | | Other | | 4.8%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 30 | Flush doors | No. | | | |
| | 60 | Other | No. | | | |
| 4418.30.01 | 00 | Posts and beams other than products of subheadings 4418.81 to 4418.89 | kg | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4418 (con.) | | Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: (con.) | | | | |
| 4418.40.00 | 00 | Formwork (shuttering) for concrete constructional work.... | kg..... | 3.2%[1/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.50.00 | | Shingles and shakes..... | ..... | Free[1/] | | Free |
| | | Shingles: | | | | |
| | 10 | Of western red cedar..... | square kg | | | |
| | 30 | Other..... | square kg | | | |
| | 50 | Other..... | square kg | | | |
| | | Assembled flooring panels: | | | | |
| 4418.73 | | Of bamboo or with at least the top layer (wear layer) of bamboo: | | | | |
| | | For mosaic floors: | | | | |
| 4418.73.10 | 00 | Solid..... | $m^2$..... | Free[1/] | | 33 1/3% |
| | | Other: | | | | |
| 4418.73.20 | 00 | Having a face ply more than 6 mm in thickness..... | $m^2$..... | Free[1/] | | 33 1/3% |
| 4418.73.30 | 00 | Other..... | $m^2$..... | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | | Other, multilayer: | | | | |
| 4418.73.40 | 00 | Having a face ply more than 6 mm in thickness..... | $m^2$..... | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | | Other: | | | | |
| 4418.73.60 | 00 | Of unidirectional bamboo..... | $m^2$..... | Free[1/] | | 40% |
| 4418.73.70 | 00 | Other..... | $m^2$..... | 5%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4418.73.90 | 00 | Other..... | $m^2$..... | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4418 (con.) | | Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: (con.) | | | | |
| | | Assembled flooring panels: (con.) | | | | |
| 4418.74 | | Other, for mosaic floors: | | | | |
| 4418.74.10 | 00 | Solid | $m^2$ | Free[1/] | | 33 1/3% |
| | | Other: | | | | |
| 4418.74.20 | 00 | Having a face ply more than 6 mm in thickness | $m^2$ | Free[1/] | | 33 1/3% |
| 4418.74.90 | 00 | Other | $m^2$ | 8%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4418.75 | | Other, multilayer: | | | | |
| 4418.75.40 | 00 | Having a face ply more than 6 mm in thickness | $m^2$ | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.75.70 | 00 | Other | $m^2$ | 5%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 4418.79.01 | 00 | Other | $m^2$ | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | | Engineered structural timber products: | | | | |
| 4418.81.00 | 00 | Glue-laminated timber (glulam) | kg | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.82.00 | 00 | Cross-laminated timber (CLT or X-lam) | kg | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.83.00 | 00 | I-beams | kg | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.89.00 | 00 | Other | kg | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4418 (con.) | | Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: (con.) | | | | |
| | | Other: | | | | |
| 4418.91 | | Of bamboo: | | | | |
| 4418.91.10 | 00 | Drilled or notched lumber studs | $m^3$ | Free[1/] | | $1.70/$m^3$ |
| 4418.91.91 | | Other | | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 05 | Wood flooring | $m^2$<br>$m^3$ | | | |
| | | Other: | | | | |
| | 10 | Arches, laminated | kg | | | |
| | 20 | Roof trusses | kg | | | |
| | 40 | Other fabricated structural wood members | kg | | | |
| | 50 | Prefabricated partitions and panels for buildings | kg | | | |
| | 95 | Other | kg | | | |
| 4418.92.00 | 00 | Cellular wood panels | kg | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4418.99 | | Other: | | | | |
| 4418.99.10 | 00 | Drilled or notched lumber studs | $m^3$ | Free[1/] | | $1.70/$m^3$ |
| 4418.99.91 | | Other | | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 05 | Wood flooring | $m^2$<br>$m^3$ | | | |
| | | Other: | | | | |
| | 10 | Arches, laminated | kg | | | |
| | 20 | Roof trusses | kg | | | |
| | 40 | Other fabricated structural wood members | kg | | | |
| | 50 | Prefabricated partitions and panels for buildings | kg | | | |
| | 95 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4419 | | Tableware and kitchenware, of wood: | | | | |
| | | Of bamboo: | | | | |
| 4419.11.00 | 00 | Bread boards, chopping boards and similar boards.... | No..... | 3.2%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4419.12.00 | 00 | Chopsticks..... | kg..... | 3.2%[7/] | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4419.19 | | Other: | | | | |
| 4419.19.10 | 00 | Forks and spoons..... | kg..... | 5.3%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4419.19.90 | 00 | Other..... | kg..... | 3.2%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4419.20 | | Of tropical wood: | | | | |
| 4419.20.10 | 00 | Forks and spoons..... | kg..... | 5.3%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4419.20.90 | 00 | Other..... | kg..... | 3.2%[6/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4419.90 | | Other: | | | | |
| 4419.90.11 | 00 | Forks and spoons..... | kg..... | 5.3%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4419.90.91 | 00 | Other..... | kg..... | 3.2%[6/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4420 | | Wood marquetry and inlaid wood; caskets and cases for jewelry or cutlery and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling within chapter 94: | | | | |
| | | Statuettes and other ornaments: | | | | |
| 4420.11.00 | 00 | Of tropical wood | No | 3.2%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4420.19.00 | 00 | Other | No | 3.2%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4420.90 | | Other: | | | | |
| | | Jewelry boxes, silverware chests, cigar and cigarette boxes, microscope cases, tool or utensil cases and similar boxes, cases and chests, all the foregoing of wood: | | | | |
| 4420.90.20 | 00 | Cigar and cigarette boxes | No | Free[6/] | | 60% |
| | | Other: | | | | |
| 4420.90.45 | 00 | Not lined with textile fabrics | No | 4.3%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4420.90.65 | 00 | Lined with textile fabrics | kg<br>No. | Free[1/] | | 11¢/kg + 20% |
| 4420.90.80 | 00 | Other[8/] | No | 3.2%[1/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4421 | | Other articles of wood: | | | | |
| 4421.10.00 | 00 | Clothes hangers | Hundreds | 3.2%[7/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4421.20 | | Coffins: | | | | |
| 4421.20.10 | 00 | Of bamboo | No | 3.3%[1/] | Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4421.20.20 | 00 | Other | No | 3.3%[1/] | Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | | Other: | | | | |
| 4421.91 | | Of bamboo: | | | | |
| | | Wood dowel pins: | | | | |
| 4421.91.10 | 00 | Plain | m | Free[1/] | | 5% |
| 4421.91.20 | 00 | Sanded, grooved or otherwise advanced in condition | m | 4.9%[1/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | | Wood blinds, shutters, screens and shades, all the foregoing with or without their hardware: | | | | |
| 4421.91.30 | 00 | Consisting of wooden frames in the center of which are fixed louver boards or slats, with or without their hardware | No | 10.7%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4421.91.40 | 00 | Other | No | 5.1%[6/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 50% |
| | | Toothpicks, skewers, candy sticks, ice cream sticks, tongue depressors, drink mixers and similar small wares: | | | | |
| 4421.91.50 | 00 | Toothpicks | kg | Free[7/] | | 25% |
| 4421.91.60 | 00 | Other | kg | 5.1%[6/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4421.91.70 | | Pickets, palings, posts and rails, the foregoing which are sawn; assembled fence sections | | Free[1/] | | Free |
| | 20 | Assembled fence sections[2/] | No. | | | |
| | 40 | Other | No. | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4421 (con.) | | Other articles of wood: (con.) | | | | |
| | | Other: (con.) | | | | |
| 4421.91 (con.) | | Of bamboo: (con.) | | | | |
| | | Clothespins: | | | | |
| 4421.91.80 | | Spring-type | | 6.5¢/gross[7/] | Free (A+, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 20¢/gross |
| | 24 | Valued not over 80¢/gross | Gross | | | |
| | 27 | Valued over 80¢ but not over $1.35/gross | Gross | | | |
| | 30 | Valued over $1.35 but not over $1.70/gross | Gross | | | |
| | 33 | Valued over $1.70/gross | Gross | | | |
| 4421.91.85 | 00 | Other | Gross | 4.8%[7/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 35% |
| 4421.91.88 | 00 | Canoe paddles | No. | Free[7/] | | 35% |
| | | Other: | | | | |
| 4421.91.93 | 00 | Theatrical, ballet, and operatic scenery and properties, including sets | kg | Free[1/] | | 33 1/3% |
| 4421.91.94 | 00 | Edge-glued lumber | $m^3$ | Free[1/] | | 10% |
| 4421.91.98 | | Other | | 3.3%[1/] | Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 20 | Pencil slats | Gross | | | |
| | 70 | Gates for confining children or pets | No. | | | |
| | 80 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4421 (con.) | | Other articles of wood: (con.) | | | | |
| | | Other: (con.) | | | | |
| 4421.99 | | Other: | | | | |
| | | Wood dowel pins: | | | | |
| | | Plain: | | | | |
| 4421.99.10 | 00 | Coniferous | m | Free[1/] | | 5% |
| 4421.99.15 | 00 | Other[3/] | m | Free[1/] | | 5% |
| 4421.99.20 | 00 | Sanded, grooved or otherwise advanced in condition | m | 4.9%[1/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | | Wood blinds, shutters, screens and shades, all the foregoing with or without their hardware: | | | | |
| 4421.99.30 | 00 | Consisting of wooden frames in the center of which are fixed louver boards or slats, with or without their hardware | No | 10.7%[6/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4421.99.40 | 00 | Other | No | 5.1%[7/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 50% |
| | | Toothpicks, skewers, candy sticks, ice cream sticks, tongue depressors, drink mixers and similar small wares: | | | | |
| 4421.99.50 | 00 | Toothpicks | kg | Free[7/] | | 25% |
| 4421.99.60 | 00 | Other | kg | 5.1%[7/] | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| 4421.99.70 | | Pickets, palings, posts and rails, the foregoing which are sawn; assembled fence sections | | Free[1/] | | Free |
| | 20 | Assembled fence sections | No. | | | |
| | 40 | Other | No. | | | |
| | | Clothespins: | | | | |
| 4421.99.80 | | Spring-type | | 6.5¢/gross[7/] | Free (A+, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 20¢/gross |
| | 24 | Valued not over 80¢/gross | Gross | | | |
| | 27 | Valued over 80¢ but not over $1.35/gross | Gross | | | |
| | 30 | Valued over $1.35 but not over $1.70/gross | Gross | | | |
| | 33 | Valued over $1.70/gross | Gross | | | |
| 4421.99.85 | 00 | Other | Gross | 4.8%[7/] | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 35% |
| 4421.99.88 | 00 | Canoe paddles | No | Free[6/] | | 35% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 4421 (con.) | | Other articles of wood: (con.) | | | | |
| | | Other: (con.) | | | | |
| 4421.99 (con.) | | Other: (con.) | | | | |
| | | Other: | | | | |
| 4421.99.93 | 00 | Theatrical, ballet, and operatic scenery and properties, including sets | kg | Free[1/] | | 33 1/3% |
| 4421.99.94 | 00 | Edge-glued lumber | $m^3$ | Free[1/] | | 10% |
| 4421.99.98 | | Other | | 3.3%[1/] | Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 33 1/3% |
| | 20 | Pencil slats | Gross | | | |
| | 70 | Gates for confining children or pets | No. | | | |
| | 80 | Other | kg | | | |

1/ See 9903.88.03.
2/ See 9903.88.34.
3/ See 9903.88.48.
4/ See 9903.88.34 and 9903.88.56.
5/ See 9903.88.46.
6/ See 9903.88.15.
7/ See 9903.88.16.
8/ See 9903.88.37, 9903.88.40 and 9903.88.48.