Annotated for Statistical Reporting Purposes

SECTION XV

BASE METALS AND ARTICLES OF BASE METAL

XV-1

Notes

- 1. This section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 3207 to 3210, 3212, 3213 or 3215);
 - (b) Ferrocerium or other pyrophoric alloys (heading 3606);
 - (c) Headgear or parts thereof of heading 6506 or 6507;
 - (d) Umbrella frames or other articles of heading 6603;
 - (e) Goods of chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewelry);
 - (f) Articles of section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 8608) or other articles of section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 9306) or other articles of section XIX (arms and ammunition);
 - (k) Articles of chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (I) Articles of chapter 95 (for example, toys, games, sports equipment);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs, monopods, bipods, tripods and similar articles or other articles of chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of chapter 97 (for example, works of art).
- 2. Throughout the tariff schedule, the expression "parts of general use" means:
 - (a) Articles of heading 7307, 7312, 7315, 7317 or 7318 and similar articles of other base metals;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 9114); and
 - (c) Articles of heading 8301, 8302, 8308 or 8310 and frames and mirrors, of base metal, of heading 8306.

In chapters 73 to 76 and 78 to 82 (but not in heading 7315) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to note 1 to chapter 83, the articles of chapter 82 or 83 are excluded from chapters 72 to 76 and 78 to 81.

- 3. Throughout the schedule, the expression "base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- Throughout the schedule, the term "<u>cermets</u>" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "<u>cermets</u>" includes sintered metal carbides (metal carbides sintered with a metal).
- 5. Classification of alloys (other than ferroalloys and master alloys as defined in chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals.

Annotated for Statistical Reporting Purposes

Notes (con.)

- (b) An alloy composed of base metals of this section and of elements not falling within this section is to be treated as an alloy of base metals of this section if the total weight of such metals equals or exceeds the total weight of the other elements present.
- (c) In this section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- Unless the context otherwise requires, any reference in the tariff schedule to a base metal includes a reference to alloys which, by virtue of note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the General Rules of Interpretation) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of note 5, it is classified; and
- (c) A cermet of heading 8113 is regarded as a single base metal.
- 8. In this section, the following expressions have the meanings hereby assigned to them:
 - (a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90 percent or more by weight passes through a sieve having a mesh aperture of 1 mm.

Additional U.S. Note

1. For the purposes of this section, the term "unwrought" refers to metal, whether or not refined, in the form of ingots, blocks, lumps, billets, cakes, slabs, pigs, cathodes, anodes, briquettes, cubes, sticks, grains, sponge, pellets, flattened pellets, rounds, rondelles, shot and similar manufactured primary forms, but does not cover rolled, forged, drawn or extruded products, tubular products or cast or sintered forms which have been machined or processed otherwise than by simple trimming, scalping or descaling.

XV-2

Annotated for Statistical Reporting Purposes

CHAPTER 72

IRON AND STEEL

XV 72-1

Notes

 In this chapter and, in the case of notes (d), (e) and (f) below throughout the tariff schedule, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 percent by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 percent of chromium
- not more than 6 percent of manganese
- not more than 3 percent of phosphorus
- not more than 8 percent of silicon
- a total of not more than 10 percent of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 percent but not more than 30 percent of manganese and otherwise conforming to the specification at (a) above.

(c) Ferroalloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 percent or more of the element iron and one or more of the following:

- more than 10 percent of chromium
- more than 30 percent of manganese
- more than 3 percent of phosphorus
- more than 8 percent of silicon
- a total of more than 10 percent of other elements, excluding carbon, subject to a maximum content of 10 percent in the case of copper.

(d) Steel

Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 percent or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements.

Annotated for Statistical Reporting Purposes

XV 72-2 <u>Notes</u> (con.)

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3 percent or more of aluminum
- 0.0008 percent or more of boron
- 0.3 percent or more of chromium
- 0.3 percent or more of cobalt
- 0.4 percent or more of copper
- 0.4 percent or more of lead
- 1.65 percent or more of manganese
- 0.08 percent or more of molybdenum
- 0.3 percent or more of nickel
- 0.06 percent or more of niobium
- 0.6 percent or more of silicon.
- 0.05 percent or more of titanium
- 0.3 percent or more of tungsten (wolfram)
- 0.1 percent or more of vanadium
- 0.05 percent or more of zirconium
- 0.1 percent or more of other elements (except sulfur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferroalloys.

(h) Granules

Products of which less than 90 percent by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 percent or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semifinished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

Annotated for Statistical Reporting Purposes

XV 72-3

Notes (con.)

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least 10 times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, checkers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 7301 or 7302.

(o) Wire

Cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross section, suitable for drills, of which the greatest external dimension of the cross section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified according to their form, their composition and their appearance, in the headings of this chapter appropriate to similar hot-rolled products.

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

Annotated for Statistical Reporting Purposes

XV 72-4

Subheading Notes (con.)

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 percent of chromium
- more than 0.3 percent of copper
- more than 0.3 percent of nickel
- more than 0.1 percent of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Nonalloy free-cutting steel

Nonalloy steel containing by weight one or more of the following elements in the specified proportions:

- 0.08 percent or more of sulfur
- 0.1 percent or more of lead
- more than 0.05 percent of selenium
- more than 0.01 percent of tellurium
- more than 0.05 percent of bismuth.

(c) Silicon electrical steel

Alloy steels containing by weight at least 0.6 percent but not more than 6 percent of silicon and not more than 0.08 percent of carbon. They may also contain by weight not more than 1 percent of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High-speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 percent or more, 0.6 percent or more of carbon and 3 to 6 percent of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7 percent of carbon,
- 0.5 percent or more but not more than 1.9 percent of manganese, and
- 0.6 percent or more but not more than 2.3 percent of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferroalloys in the subheadings of heading 7202 the following rule should be observed:

A ferroalloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in chapter note 1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule, the unspecified "other elements" referred to in chapter note 1(c) must each exceed 10 percent by weight.

Additional U.S. Notes

- 1. For the purposes of the tariff schedule the following expressions have the meanings hereby assigned to them:
 - (a) High-strength steel

Flat-rolled products of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa.

Annotated for Statistical Reporting Purposes

Additional U.S. Notes (con.)

(b) Universal mill plate

Flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1,250 mm and of thickness of not less than 4 mm, not in coils and without patterns in relief.

(c) Concrete reinforcing bars and rods

Hot-rolled bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling.

(d) Razor blade steel

Flat-rolled products of stainless steel not over 0.25 mm in thickness and not over 23 mm in width, and containing by weight not over 14.7 percent of chromium, certified at the time of entry to be used in the manufacture of razor blades.

(e) Tool steel

Alloy steels which contain the following combinations of elements in the quantity by weight respectively indicated:

- (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or
- (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or
- (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or
- (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or
- (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or
- (vi) not less than 0.5 percent carbon and not less than 5.5 percent tungsten.

(f) Chipper knife steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.48 nor more than 0.55 percent of carbon;
- (ii) not less than 0.2 nor more than 0.5 percent of manganese;
- (iii) not less than 0.75 nor more than 1.05 percent of silicon;
- (iv) not less than 7.25 nor more than 8.75 percent of chromium;
- (v) not less than 1.25 nor more than 1.75 percent of molybdenum;
- (vi) none, or not more than 1.75 percent of tungsten; and
- (vii) not less than 0.2 nor more than 0.55 percent of vanadium.

(g) Heat-resisting steel

Alloy steels containing by weight less than 0.3 percent of carbon and 4 percent or more but less than 10.5 percent of chromium.

(h) Ball-bearing steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.95 nor more than 1.13 percent of carbon;
- (ii) not less than 0.22 nor more than 0.48 percent of manganese;
- (iii) none, or not more than 0.03 percent of sulfur;
- (iv) none, or not more than 0.03 percent of phosphorus;

Annotated for Statistical Reporting Purposes

XV 72-6

Additional U.S. Notes (con.)

- (v) not less than 0.18 nor more than 0.37 percent of silicon:
- (vi) not less than 1.25 nor more than 1.65 percent of chromium;
- (vii) none, or not more than 0.28 percent of nickel;
- (viii) none, or not more than 0.38 percent of copper; and
- (ix) none, or not more than 0.09 percent of molybdenum.
- 2. For the purposes of this chapter, unless the context provides otherwise, the term "further worked" refers to products subjected to any of the following surface treatments: polishing and burnishing; artificial oxidation; chemical surface treatments such as phosphatizing, oxalating and borating; coating with metal; coating with nonmetallic substances (e.g., enameling, varnishing, lacquering, painting, coating with plastics materials); or cladding.
- 3. No allowance or reduction of duties for partial damage or loss in consequence of discoloration or rust occurring before entry shall be made upon iron or steel or upon any article of iron or steel.

Statistical Notes

- 1. For the purposes of the tariff schedule, the expression <u>high-nickel alloy steel</u> refers to alloy steel containing by weight 24 percent or more of nickel, with or without other elements.
- 2. For the purposes of subheading 7204.10, <u>waste and scrap of cast iron</u> includes but is not necessarily limited to: cupola cast (ISRI number 252); charging box cast (ISRI number 253); heavy breakable cast (ISRI number 254); hammer blocks or bases (ISRI number 255); burnt iron (ISRI number 256); mixed cast (ISRI number 257); stove plate, clean cast iron stove (ISRI number 258); clean auto cast (ISRI numbers 259, 262 and 263); motor blocks (ISRI number 260); drop broken machinery cast (ISRI number 261); malleable (ISRI number 264); ingot molds and stools (ISRI numbers 265 and 266); and railroad ferrous scrap consisting of cast iron No. 1, No. 2, No. 3 and No. 4, cast iron brake shoes and No. 1 wheels.
- 3. For the purposes of subheading 7204.41 or 7204.49 the expression:
 - (a) No. 1 heavy melting includes, but is not necessarily limited to:
 - No. 1 heavy melting steel (ISRI numbers 200, 201 and 202); bundled No. 1 steel (ISRI number 217); cast steel (ISRI number 233); springs and crankshafts (ISRI number 244); ship scrap; and railroad ferrous scrap consisting of cast steel No. 1 and No. 2, railroad No. 1 melting steel, spring steel, destroyed steel cars, destroyed steel car sides and box car roofs (note: other types of railroad ferrous scrap are included in some of the grades listed below);
 - (b) No. 2 heavy melting includes, but is not necessarily limited to:
 - No. 2 heavy melting steel (ISRI numbers 203, 204, 205 and 206); bundled No. 2 steel (ISRI number 218); foundry steel (ISRI numbers 242 and 243); and hard steel cut 76 cm and under (ISRI number 248);
 - (c) No. 1 bundles includes, but is not necessarily limited to:
 - No. 1 busheling (ISRI number 207); new black sheet clippings (ISRI number 207A); No. 1 bundles (ISRI number 208); electric furnace bundles (ISRI number 235); silicon-bearing steel busheling, clippings, and bundles (ISRI numbers 239, 240 and 250); No. 1 railroad ferrous sheet scrap; and car clips;
 - (d) $\underline{\text{No. 2 bundles}}$ includes, but is not necessarily limited to:
 - No. 2 bundles (ISRI number 209); No. 3 bundles (ISRI number 214); incinerator bundles (ISRI number 215); terne plate bundles (ISRI number 216); and auto slabs (ISRI numbers 224 and 225);
 - (e) Borings, shovelings and turnings includes, but it not necessarily limited to:
 - Machine shop turnings, shoveling turnings and iron borings (ISRI numbers 219, 220, 221, 222 and 223); briquetted iron borings (ISRI number 226); briquetted steel turnings (ISRI number 227); alloy free turnings (ISRI numbers 245, 246 and 247); heavy turnings (ISRI number 251); chemical borings, No. 1 and No. 2 (ISRI numbers 267 and 271); malleable borings (ISRI number 270); steel shavings; and railroad ferrous scrap consisting of No. 1 turnings and No. 2 turnings, drillings and/or borings;
 - (f) Shredded scrap includes, but is not necessarily limited to:

Shredded clippings (ISRI number 212); and shredded automobile scrap (ISRI numbers 210 and 211);

Annotated for Statistical Reporting Purposes

XV 72-7

Statistical Notes (con.)

(g) Cut plate and structural includes but is not necessarily limited to:

Billet, bloom and forge crops (ISRI number 229); bar crops, punchings and plate scrap (ISRI numbers 230 and 234); plate and structural (ISRI numbers 231, 232, 236, 237 and 238); chargeable ingots and ingot butts (ISRI number 241); and chargeable slab crops (ISRI number 249).

4. Tire cord-quality steel wire rod

Rod measuring 5.0 mm or more but not more than 6.0 mm in cross-sectional diameter, with an average partial decarburization of no more than 70 micrometers in depth (maximum 200 micrometers); having no non-deformable inclusions with a thickness (measured perpendicular to the rolling direction) greater than 20 micrometers; and, containing by weight the following elements in proportions:

- 0.68 percent or more carbon,
- less than 0.01 percent of aluminum,
- 0.040 percent or less, in aggregate, of phosphorus and sulfur,
- 0.008 percent or less of nitrogen, and
- not more than 0.55 percent, in the aggregate, of copper, nickel and chromium.

5. Cold Heading Quality (CHQ)

Rod suitable for cold heading, forging, or thread rolling, and meeting standard ASTM F2282.

6. Welding quality wire rod

Rod measuring less than 10 mm in diameter having less than 0.2 percent carbon, less than 0.04 percent sulfur, and less than 0.04 percent phosphorus, suitable for drawing or rolling to final size for use as:

- (i) an uncoated or plated or copper coated solid welding wire or rod;
- (ii) the core wire or core rod for covered shielded metal arc ("SMAW") welding electrode, or
- (iii) the formed jacket of a flux cored welding electrode

that is suitable for consumption in the electric arc welding process.

7. Spring round wire

For the purposes of statistical reporting number 7223.00.1005, the term "spring round wire" means wire suitable for the manufacture of springs and meeting ASTM standard A313.

[Compiler's note: Steel products classifiable in headings of this chapter may be subject to additional duty. See note 16 to subchapter III, chapter 99 and related tariff provisions for this duty treatment.]

	Stat. Suf-				Rates of Duty 1	
Subfleading	fix	Atticle Description	of Quantity	General	Special	2
		I. PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM				
201 201.10.00	00	Pig iron and spiegeleisen in pigs, blocks or other primary forms: Nonalloy pig iron containing by weight 0.5 percent or less of phosphorus	†	Free		\$1.11/t
201.20.00	00	Nonalloy pig iron containing by weight more than 0.5 percent of phosphorus				\$1.11/t
201.50 201.50.30	00	Alloy pig iron; spiegeleisen: Alloy pig iron	t	Free		\$1.11/t
201.50.60 202	00	SpiegeleisenFerroalloys: Ferromanganese:	t	Free		0.5%
'202.11 '202.11.10	00	Containing by weight more than 2 percent of carbon: Containing by weight more than 2 percent but not				
		more than 4 percent of carbon	kg Mn kg	1.4%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6.5%
202.11.50	00	Containing by weight more than 4 percent of carbon	kg Mn kg	1.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	10.5%
7202.19 7202.19.10	00	Other: Containing by weight not more than 1 percent of carbon	kg Mn kg	2.3%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	22%
'202.19.50	00	Containing by weight more than 1 percent but not more than 2 percent of carbon		1.4%	PE, SG) Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA,	6.5%
					MX, OM, P, PA, PE, SG)	

	ΧV	
7	2-9	

	Stat.	A C. L. D C.	Unit		Rates of Duty	_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
202 (con.)		Ferroalloys: (con.)		Conordi	Opodiai	
102 (00)		Ferrosilicon:				
202.21		Containing by weight more than 55 percent of silicon:				
		Containing by weight more than 55 percent but not				
		more than 80 percent of silicon:				
202.21.10	00	Containing by weight more than 3 percent of				
		calcium	kg	1.1%	Free (A*, AU, BH,	11.5%
			Si kg		CA, CL, CO, D, E, IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
202.21.50	00	Other	ka	1.5%	Free (A*, AU, BH,	11.5%
202.21.00		G (110)	Si kg	1.070	CA, CL, CO, D, E,	11.070
			3		IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
202.21.75	00	Containing by weight more than 80 percent but not	l. a.	1.00/	Francia All Dil	00/
		more than 90 percent of silicon		1.9%	Free (A+, AU, BH, CA, CL, CO, D, E,	9%
			Si kg		IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
202.21.90	00	Containing by weight more than 90 percent of				
			kg	5.8%	Free (A+, AU, BH,	40%
			Si kg		CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
000 00 00		Others			PE, SG)	4.4.4/1
202.29.00		Other		Free		4.4¢/kg on
						silicon content
	10	Containing by weight over 2 percent of				Content
	. •	magnesium	kg			
		S	Si kg			
	50	Other	kg			
			Si kg			
202.30.00	00	Ferrosilicon manganese		3.9%	Free (A*, AU, BH,	23%
			Mn kg		CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
				I	i	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix	·	Quantity	General	Special	
202 (con.)		Ferroalloys: (con.)				
202 44 22	00	Ferrochromium:		1.00/	Free / 4 * 4 ! ! D! !	7.50/
202.41.00	00	Containing by weight more than 4 percent of carbon	Cr kg	1.9%	Free (A*, AU, BH, CA, CL, CO, D, E,	7.5%
			Crkg		IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
202.49		Other:			, ,	
202.49.10	00	Containing by weight more than 3 percent of				
202.10.10		carbon	kg	1.9%	Free (A+, AU, BH,	7.5%
			Cr kg		CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
202.49.50		Other		3.1%	Free (A, AU, BH,	30%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
	10	Containing by weight more than 0.5 percent			PE, SG)	
	10		kg			
			Cr kg			
	90	Other	kg			
	50	Otiloi	Cr kg			
202.50.00	00	Ferrosilicon chromium	kg	10%	Free (A, AU, BH,	25%
			Cr kg		CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
202.60.00	00	Ferronickel	kg	Free		6.6¢/kg
			Ni kg			
202.70.00	00	Ferromolybdenum	kg	4.5%	Free (A+, AU, BH,	31.5%
			Mo kg		CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
202.80.00	00	Ferrotungsten and ferrosilicon tungsten		5.6%	Free (A, AU, BH,	35%
			W kg		CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA, PE, SG)	
					1 L, 3G)	

	Х	V
72	-1	1

Heading/	Stat.	A 2 L D	Unit		Rates of Duty	_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7202 (con.)		Ferroalloys: (con.)	,		Sp SS SS	
, ,		Other:				
7202.91.00	00	Ferrotitanium and ferrosilicon titanium	kg	3.7%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
7202.92.00	00	Ferrovanadium	kg V kg	4.2%	Free (A+, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
'202.93 '202.93.40	00	Ferroniobium: Containing by weight less than 0.02 percent of phosphorus or sulfur or less than 0.4 percent of				
		silicon	kg	5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
202.93.80	00	Other	kg	5%	Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
202.99	00	Other:	Lon	4.00/	Francisco (Att. All. Dill	050/
202.99.10	00	Ferrozirconium	кg	4.2%	Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
'202.99.20	00	Calcium silicon	kg	5%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
202.99.80		Other		5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
	20	Ferrophosphorus	kg		1 2, 00)	
203		OtherFerrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 percent,	kg			
203.10.00		in lumps, pellets or similar forms: Ferrous products obtained by direct reduction of iron ore	t	Free		\$2.21/t
203.90.00	00	Other	t	Free		\$2.21/t

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Jubileading	fix	Atticle Description	Quantity	General	Special	
204		Ferrous waste and scrap; remelting scrap ingots of iron or steel:				
204.10.00	00	Waste and scrap of cast iron	t	. Free		74¢/t
204.21.00	00	Waste and scrap of alloy steel: Of stainless steel	t	Free		74¢/t
204.29.00	00	Other				74¢/t
204.30.00		Waste and scrap of tinned iron or steel				Free
204.41.00		Other waste and scrap: Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles		Free		74¢/t
	20	No. 1 bundles	_			
	40	No. 2 bundles	t			
	60	Borings, shovelings and turnings	t			
	80	Other				
204.49.00	20	Other No. 1 heavy melting		Free		74¢/t
	40	No. 2 heavy melting	ľ			
	60	Other: Cut plate and structural	t			
	70	Shredded				
	80	Other				
	00	Remelting scrap ingots	t	. Free		74¢/t
205		Granules and powders, of pig iron, spiegeleisen, iron or steel:				001
205.10.00	UU	Granules	кд	. ree		3%
205.21.00	იი	Powders: Of alloy steel	ka	Free		45%
205.29.00		Other	~			\$2.21/t
200.20.00	00	0.00		11100		ΨΕ.Ε 17τ

	Χ	V
72	-1	3

Heading/ Sta						es of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2	
			Quantity	Ocheral	Оресіаі		
		II. IRON AND NONALLOY STEEL					
206		Iron and nonalloy steel in ingots or other primary forms					
	00	(excluding iron of heading 7203):		_			
206.10.00		Ingots	•			20%	
206.90.00	00	Other	kg	Free		20%	
207		Semifinished products of iron or nonalloy steel: Containing by weight less than 0.25 percent of carbon:					
207.11.00	00	Of rectangular (including square) cross section, the					
		width measuring less than twice the thickness	kg	Free		20%	
207.12.00		Other, of rectangular (other than square) cross		_			
	10	section Having a width measuring less than four times the		Free		20%	
	10	thickness	kg				
	50	Having a width measuring at least four times the	J				
		thickness					
207.19.00	20	Other		Free		20%	
	30	Of circular cross section	•				
207.20.00	90	Other Containing by weight 0.25 percent or more of carbon		Free		20%	
201.20.00		Of rectangular (including square) cross section:		1166		20 /0	
	25	Having a width measuring less than four times the					
		thickness	kg				
	45	Having a width measuring at least four times the	L				
	75	thickness Of circular cross section					
	90	Other					
	90	Otilei	ĸy				

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	or Quantity	General	1 Special	┤
7208		Flat-rolled products of iron or nonalloy steel, of a width of	ĺ			
		600 mm or more, hot-rolled, not clad, plated or coated:				
7208.10		In coils, not further worked than hot-rolled, with patterns				
7208.10.15	00	in relief: Pickled	ka	Eroo		0.44/kg . 200
/208.10.15	00		ку	Free		0.4¢/kg + 20%
7000 10 00	00	Other:	l	F		000/
7208.10.30		Of a thickness of 4.75 mm or more	Ŭ			20%
7208.10.60	00	Of a thickness of less than 4.75 mm	kg	Free		20%
7000 05		Other, in coils, not further worked than hot-rolled, pickled:				
7208.25 7208.25.30	00	Of a thickness of 4.75 mm or more: Of high-strength steel	ka	Fron		20%
	00	Other	kg	Free		0.4¢/kg + 20%
7208.26.00		Of a thickness of 3 mm or more but less than				0.4+// 000
	30	4.75 mmHigh-strength steel		Free		0.4¢/kg + 20%
			_			
7000 07 00	60	Other		_		
7208.27.00	00	Of a thickness of less than 3 mm		Free		0.4¢/kg + 20%
	30	High-strength steel	I -			
	60	Other	kg			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Other, in coils, not further worked than hot-rolled:		_		000/
208.36.00	00	Of a thickness exceeding 10 mm		Free		20%
	30	High-strength steel	I -			
	60	Other				
7208.37.00		Of a thickness of 4.75 mm or more but not exceeding		_		
	20	10 mm		Free		20%
	30	High-strength steel	Ŭ			
	60	Other	kg			
7208.38.00		Of a thickness of 3 mm or more but less than				000/
	15	4.75 mm High-strength steel		Free		20%
	15		ky			
	00	Other:				
	30	With untrimmed edges	_			
	90	Other	_			
208.39.00		Of a thickness of less than 3 mm		Free		20%
	15	High-strength steel	kg			
		Other:				
	30	With untrimmed edges	kg			
	90	Other	kg			
'208.40		Not in coils, not further worked than hot-rolled, with patterns				
		in relief:				
208.40.30		Of a thickness of 4.75 mm or more		Free		20%
	30	Of a thickness exceeding 10 mm	kg			
	60	Other				1
7208.40.60		Of a thickness of less than 4.75 mm		Free		20%
	30	Of a thickness less than 3 mm	kg			
	60	Other	kg			

	>	(V
72	٠	1	5

Heading/ Stat. Subheading Suf-		itat. Nuf. Article Description			Rates of Duty	
Subheading	Sut- fix	Article Description	of Quantity	General	1 Special	2
208 (con.)		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: (con.)				
208.51.00	30	Other, not in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm Universal mill plate		Free		20%
		Other:	_			
	45	Of high-strength steel				
208.52.00	60 00	Other Of a thickness of 4.75 mm or more but not exceeding 10 mm	J	Free		20%
208.53.00	00	Of a thickness of 3 mm or more but less than 4.75 mm				20%
208.54.00	00	Of a thickness of less than 3 mm	_			20%
		Other	kg	Free		20%
ļ						
ļ						
ļ						
ļ						
1	•		1	Ī	Ī	-

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	·	Quantity	General	Special	<u> </u>
'209		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:				
7209.15.00	00	In coils, not further worked than cold-rolled (cold-reduced): Of a thickness of 3 mm or more				0.4¢/kg + 20°
209.16.00	30	Of a thickness exceeding 1 mm but less than 3 mm Of high-strength steel: Annealed		Free		0.4¢/kg + 20°
	60	Other	J			
	70	Other: Annealed	_			
7209.17.00	91	Other Of a thickness of 0.5 mm or more but not exceeding 1 mm		Free		0.4¢/kg + 20%
	30	Of high-strength steel: Annealed	kg			
	60	Other:Other:				
	70	Annealed	ľ			
7209.18 7209.18.15	91	Other Of a thickness of less than 0.5 mm: Of high-strength steel		Free		0.4¢/kg + 20%
	30 60	Annealed Other	kg			
7209.18.25		Other: Of a thickness of less than 0.361 mm				
	20	(blackplate)Annealed	kg	Free		20%
7209.18.60	85	Other		Free		0.4¢/kg + 20%
	90	Annealed Other Not in coils, not further worked than cold-rolled (cold-reduced):	J			
7209.25.00		Of a thickness of 3 mm or more	_			0.4¢/kg + 20%
7209.26.00		Of a thickness exceeding 1 mm but less than 3 mm	kg	Free		0.4¢/kg + 20%
7209.27.00		Of a thickness of 0.5 mm or more but not exceeding 1 mm				0.4¢/kg + 20%
7209.28.00 7209.90.00		Of a thickness of less than 0.5 mm Other	~			0.4¢/kg + 20% 0.4¢/kg + 20%

Х	.\
72-1	7

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	Quantity	General	1 Special	
7210		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, clad, plated or coated: Plated or coated with tin:				
7210.11.00	00	Of a thickness of 0.5 mm or more	kg	Free		6%
7210.12.00 7210.20.00		Of a thickness of less than 0.5 mmPlated or coated with lead, including terne-plate				6% 6%
7210.30.00	30	Electrolytically plated or coated with zinc Of high-strength steel	kg	Free		21.5%
	60	Other				
7210.41.00	00	Otherwise plated or coated with zinc: Corrugated	kg	Free		21.5%
7210.49.00		Other		Free		21.5%
	30	Of high-strength steel Other:	kg			
	91	Of a thickness of 0.4 mm or more				
7210.50.00	95 00	OtherPlated or coated with chromium oxides or with chromium				
210.00.00		and chromium oxides		Free		45%
7210.61.00	00	Plated or coated with aluminum. Plated or coated with aluminum-zinc alloys	kg	Free		21.5%
7210.69.00	00	Other	kg	Free		21.5%
7210.70 7210.70.30	00	Painted, varnished or coated with plastics: Not coated or plated with metal and not clad	kg	Free		0.4¢/kg + 20%
7210.70.60		Other		Free		21.5%
	30	Zinc coated or plated: Electrolytically coated or plated	kg			
	60	Other				
7210.90	90	OtherOther:	kg			
7210.90.10	00	Clad	kg	Free		30%
7210.90.60	00	Other: Electrolytically coated or plated with base metal	kg	Free		45%
7210.90.90	00	Other	kg	Free		21.5%
					İ	I

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
211		Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, not clad, plated or coated:				
211.13.00	00	Not further worked than hot-rolled: Universal mill plate	ka	Free		20%
211.14.00	00	Other, of a thickness of 4.75 mm or more	•			20%
211.14.00	30	Of high-strength steel	ka	Fiee		20%
		Other:	J			
	45	Not in coils	kg			
	90	Other	kg			
211.19		Other:				
211.19.15	00	Of a width of less than 300 mm: Of high-strength steel	ka	Fron		25%
211.19.13	00		ку	. Free		25%
211.19.20	00	Other: Of a thickness exceeding 1.25 mm	ka	Free		25%
211.19.30		Other	•			25%
211.19.30	00	Other:	kg	. Free		25%
211.19.45	00	Of high-strength steel	kg	. Free		20%
		Other:				
211.19.60	00	Pickled	kg	. Free		0.4¢/kg + 20
211.19.75		Other		Free		20%
	20	In coils:	Lan			
	30	With untrimmed edges	_			
	60 90	Other				
	90	Otrier	kg			

Х	١
72-1	(

Subheading	C £	Autiala Dagarintian	Unit		Rates of Duty	2
· ·	Suf- fix	Article Description	of Quantity	General	1 Special	2
7211 (con.)		Flat-rolled products of iron or nonalloy steel, of a width of less		Conordi	Openia	
(00)		than 600 mm, not clad, plated or coated: (con.)				
		Not further worked than cold-rolled (cold-reduced):				
7211.23		Containing by weight less than 0.25 percent of carbon:				
		Of a width of less than 300 mm:				
7011 00 15		Of a thickness exceeding 1.25 mm:	l. a.			050/
7211.23.15		Of high-strength steel				25%
7211.23.20		Other	kg	Free		25%
7211.23.30	00	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg	Free		25%
7211.23.45	00	Of a thickness not exceeding 0.25 mm	kg	Free		25%
7211.23.60		Other		Free		0.4¢/kg + 20%
	30	Of a thickness exceeding 1.25 mm	kg			
	60	Of a thickness exceeding 0.25 mm but not				
		exceeding 1.25 mm	kg			
	90	Of a thickness not exceeding 0.25 mm:	ka			
7211.29		Other:	Ng			
		Of a width of less than 300 mm:				
7211.29.20		Of a thickness exceeding 0.25 mm		Free		25%
	30	Of a width less than 51 mm, in coils	kg			
	90	Other	ka			
7211.29.45		Other		Free		25%
7211.29.60		Other		Free		0.4¢/kg + 20%
	30	Of a thickness exceeding 1.25 mm	kg			
	80	Other	ka			
7211.90.00		Other		Free		20%
7212		Flat-rolled products of iron or nonalloy steel, of a width of less				
		than 600 mm, clad, plated or coated:				
7212.10.00	00	Plated or coated with tin	kg	Free		6%
7212.20.00	00	Electrolytically plated or coated with zinc	kg	Free		21.5%
7212.30		Otherwise plated or coated with zinc:	3			
1212.30		Of a width of less than 300 mm:				
7212.30.10		Of a thickness exceeding 0.25 mm or more		Free		25%
	30	Of a width less than 51 mm, in coils				
	90	Other	ka			
7212.30.30		Other	ka ka	Free		25%
7212.30.50		Other				21.5%
7212.40		Painted, varnished or coated with plastics:				, , ,
7212.40.10	00	Of a width of less than 300 mm	kg	Free		25%
7212.40.50	00	Other				0.4¢/kg + 20%
7212.50.00		Otherwise plated or coated		Free		21.5%
7212.60.00		Clad	_	Free		30%
1212.00.00	00	Glau	ку	Free		30%
7212.00.00	00	Olau	kg	Fiee		30%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
oublieading	fix	Attible Description	Quantity	General	Special	
'213		Bars and rods, hot-rolled, in irregularly wound coils, of iron or				
213.10.00	00	nonalloy steel: Concrete reinforcing bars and rods	ka	Free		20%
213.20.00		Other, of free-cutting steel	ŭ.			5.5%
	10	Containing by weight 0.1 percent or more of lead				
	80	Other	kg			
'213.91		Other: Of circular cross section measuring less than 14 mm				
		in diameter:				
213.91.30		Not tempered, not treated and not partly manufactured		Free		5.5%
	11	Tire cord-quality steel wire rod as defined in				0.070
		statistical note 4 of this chapter	kg			
	15	Of Cold Heading Quality (CHQ) steel, as defined in statistical note 5 to this chapter	ka			
	20	Of welding quality wire rods as defined in	ĸg			
		statistical note 6 to this chapter	kg			
	93	Other	kg			
213.91.45	00	Other: Containing by weight 0.6 percent or more of				
∠10.81.40	00	carbon	kg	Free		5.5%
213.91.60	00	Other		Free		6%
213.99.00		Other		Free		5.5%
	30	Of circular cross section: With a diameter of 14 mm or more but less				
		than 19 mm	kg			
	60	With a diameter of 19 mm or more				
	90	Other	kg			

	>	(١
72	_′	2	

Heading/	Stat.	Artiala Dagarintian	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7214		Other bars and rods of iron or nonalloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including				
7214.10.00	00	those twisted after rolling: Forged	ka	Free		20%
7214.20.00		Concrete reinforcing bars and rods	•			20%
7214.30.00		Other, of free-cutting steel	_			20%
	10	Containing by weight 0.1 percent or more of lead	kg			1070
	80	Other	kg			
7214.91.00		Other: Of rectangular (other than square) cross-section Containing by weight less than 0.25 percent of carbon:		Free		20%
	16	With a maximum cross section less than 152 mm	kg			
	20	With a maximum cross section of 152 mm or more				
	60	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon				
	90	Containing by weight 0.6 percent or more of carbon	kg			
7214.99.00	16	Other Rounds: Containing by weight less than 0.25 percent of carbon: With a diameter less than 76 mm		Free		20%
	16 21	With a diameter less than 76 mm With a diameter of 76 mm or more but not	ŭ			
		exceeding 152 mm	kg			
	26 31	With a diameter exceeding 152 mm Containing by weight 0.25 percent or more but less than 0.6 percent of carbon: With a diameter less than 76 mm				
	36	With a diameter of 76 mm or more but not exceeding 152 mm				
	40 45	With a diameter exceeding 152 mm Containing by weight 0.6 percent or more of carbon	_			
	60	Other: Containing by weight less than 0.25 percent of carbon	ka			
	75	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon				
	90	Containing by weight 0.6 percent or more of	, Ng			
		carbon	kg			

215 215.10.00	10 80 16 18 20 61 63 65 90	Article Description Other bars and rods of iron or nonalloy steel: Of free-cutting steel, not further worked than cold-formed or cold-finished Containing by weight 0.1 percent or more of lead Other Other, not further worked than cold-formed or cold-finished Containing by weight less than 0.25 percent of carbon: With a diameter less than 76 mm With a diameter of 76 mm or more but not exceeding 228 mm Containing by weight 0.25 percent or more but less than 0.6 percent of carbon: With a diameter less than 76 mm With a diameter less than 76 mm With a diameter less than 76 mm With a diameter of 76 mm or more but not exceeding 228 mm Containing by weight 0.6 percent or more of carbon Other: Plated or coated with metal: Not cold-formed	kg kg kg kg kg kg kg kg kg		Special	0.3¢/kg + 20° 0.3¢/kg + 20°
215.10.00 1 215.50.00 1 1 1 2 6 6 6 9 215.90 215.90.10 0 215.90.30	10 80 16 18 20 61 63 65 90	Of free-cutting steel, not further worked than cold-formed or cold-finished	kg kg kg kg kg kg kg kg kg			
1 215.50.00 1 1 1 2 6 6 6 9 215.90 215.90.10 0 215.90.30	16 18 20 61 63 65 90	or cold-finished	kg kg kg kg kg kg kg kg kg			
215.50.00 1 1 1 2 6 6 6 9 215.90.10 0 215.90.30	16 18 20 61 63 65 90	Containing by weight 0.1 percent or more of lead Other, not further worked than cold-formed or cold-finished Containing by weight less than 0.25 percent of carbon: With a diameter less than 76 mm With a diameter of 76 mm or more but not exceeding 228 mm With a diameter exceeding 228 mm Containing by weight 0.25 percent or more but less than 0.6 percent of carbon: With a diameter less than 76 mm With a diameter less than 76 mm With a diameter of 76 mm or more but not exceeding 228 mm With a diameter exceeding 228 mm Containing by weight 0.6 percent or more of carbon Other: Plated or coated with metal: Not cold-formed	kg kg kg kg kg kg kg kg kg			
215.50.00 1 1 1 2 6 6 6 9 215.90 215.90.10 0 215.90.30	16 18 20 61 63 65 90	Other, not further worked than cold-formed or cold-finished	kg kg kg kg kg kg	Free		0.3¢/kg + 20
1 1 2 6 6 6 9 215.90 215.90.10 0 215.90.30	18 20 61 63 65 90	Containing by weight less than 0.25 percent of carbon: With a diameter less than 76 mm	kg kg kg kg kg kg	Free		0.3¢/kg + 20 ⁴
1 2 6 6 6 9 215.90 0 215.90.10 0 215.90.30 0	18 20 61 63 65 90	Containing by weight less than 0.25 percent of carbon: With a diameter less than 76 mm	kg kg kg kg kg kg	riee		0.5¢/kg + 20
1 2 6 6 6 9 215.90 0 215.90.10 0 215.90.30 0	18 20 61 63 65 90	With a diameter less than 76 mm	kg kg kg kg kg kg			
2 6 6 6 9 215.90 215.90.10 0 215.90.30	20 61 63 65 90	exceeding 228 mm	kg kg kg kg kg			
6 6 6 9 215.90 215.90.10 0 215.90.30	61 63 65 90	With a diameter exceeding 228 mm Containing by weight 0.25 percent or more but less than 0.6 percent of carbon: With a diameter less than 76 mm With a diameter of 76 mm or more but not exceeding 228 mm With a diameter exceeding 228 mm Containing by weight 0.6 percent or more of carbon Other: Plated or coated with metal: Not cold-formed	kg kg kg kg kg			
6 6 6 9 215.90 215.90.10 0 215.90.30	61 63 65 90	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon: With a diameter less than 76 mm	kg kg kg kg			
215.90 215.90.10 215.90.30	63 65 90 00	than 0.6 percent of carbon: With a diameter less than 76 mm With a diameter of 76 mm or more but not exceeding 228 mm With a diameter exceeding 228 mm Containing by weight 0.6 percent or more of carbon Other: Plated or coated with metal: Not cold-formed	kg kg kg			
215.90 215.90.10 215.90.30	63 65 90 00	With a diameter less than 76 mm	kg kg kg			
215.90 215.90.10 215.90.30	65 90 00	exceeding 228 mm	kg kg			
215.90.10 0 215.90.30 0	90	With a diameter exceeding 228 mm Containing by weight 0.6 percent or more of carbon Other: Plated or coated with metal: Not cold-formed	kg kg			
215.90.10 0 215.90.30 0	90	Containing by weight 0.6 percent or more of carbon Other: Plated or coated with metal: Not cold-formed	kg			
215.90 215.90.10 215.90.30	00	Other: Plated or coated with metal: Not cold-formed				
215.90.10 0 215.90.30 0	00	Plated or coated with metal: Not cold-formed				
215.90.30 0	00		l 1			
			кд	Free		0.4¢/kg + 20
215.90.50 0	00	Cold-formed				0.3¢/kg + 20
		Other	kg	Free		0.3¢/kg + 20
1						

	Χ	١
72	-2	•

Heading/	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7216		Angles, shapes and sections of iron or nonalloy steel:			-,	
7216.10.00		U, I or H sections, not further worked than hot-rolled,				
		hot-drawn or extruded, of a height of less than 80 mm		Free		2%
	10	U sections				
	50	Other	kg			
		L or T sections, not further worked than hot-rolled,				
7216.21.00	00	hot-drawn or extruded, of a height of less than 80 mm: L sections	ka	Free		2%
7216.22.00			_			
216.22.00	00	T sectionsU, I or H sections, not further worked than hot-rolled,	кд	Free		2%
		hot-drawn or extruded, of a height of 80 mm or more:				
7216.31.00	00	U sections	kg	Free		2%
7216.32.00	00	I sections (standard beams)	ka	Free		2%
7216.33.00		H sections	_			2%
210.33.00	30	Weighing not more than 11.3 kg per 30.5 cm, with		riee		2%
	00	a web depth measuring 102 mm to 356 mm				
	60	Weighing more than 11.3 kg but not more than	1.9			
	00	27.2 kg per 30.5 cm, with a web depth measuring				
		203 mm to 457 mm				
	90	Other	ka			
7216.40.00		L or T sections, not further worked than hot-rolled,	i vg			
		hot-drawn or extruded, of a height of 80 mm or more		Free		2%
	10	L sections	kg			
	50	Other	kg			
7216.50.00	00	Other angles, shapes and sections, not further worked				
		than hot-rolled, hot-drawn or extruded	kg	Free		2%
		Angles, shapes and sections, not further worked than				
		cold-formed or cold-finished:				
7216.61.00	00	Obtained from flat-rolled products				20%
7216.69.00	00	Other	kg	Free		20%
7010 01 00		Other:				
7216.91.00		Cold-formed or cold-finished from flat-rolled products		Free		20%
	10	Drilled, notched, punched or cambered		1166		20 /6
	90	Other				
7216.99.00	90	Other		Free		20%
7210.00.00	10	Drilled, notched, punched or cambered		1100		2070
	90	Other	_			
	30	Ottlet	Ng			
						1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Gubrieadirig	fix	Attiole Description	Quantity	General	Special	
'217 '217.10		Wire of iron or nonalloy steel: Not plated or coated, whether or not polished: Containing by weight less than 0.25 percent of carbon:				
217.10.10	00	Flat wire: Of a thickness not exceeding 0.25 mm	kg	Free		25%
217.10.20	00	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg	Free		25%
217.10.30	00	Of a thickness exceeding 1.25 mmRound wire:	_			25%
217.10.40		With a diameter of less than 1.5 mm		Free		25%
	40	Heat treated: In coils weighing not more than 2 kilograms	kg			
	45 90	Other				
217.10.50		With a diameter of 1.5 mm or more		Free		7%
	30 90	Heat treated Other	ľ			
217.10.60		Other wire		Free		25%
217.10.70	00	Other: Flat wire	kg	Free		25%
217.10.80		Round wire		Free		25%
	10	Heat treated	kg			
	2025	Other	kg			
	30	mm With a diameter of 1.0 mm or more but less than 1.5 mm				
	45	With a diameter of 1.5 mm or more	ľ			
	60	Other: With a diameter of less than 1.0 mm	kg			
	75	With a diameter of 1.0 mm or more but less than 1.5 mm	Ğ			
	90	With a diameter of 1.5 mm or more	_			
217.10.90	00	Other wire		Free		25%

	>	(١
72	٠	2	ı

	Stat.	Autilla Dannintian	Unit		Rates of Duty	1 ^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'217 (con.)		Wire of iron or nonalloy steel: (con.)			·	
217.20	00	Plated or coated with zinc:		_		200/
217.20.15	00	Flat wire	kg	Free		26%
217.20.30	00	Round wire: With a diameter of 1.5 mm or more and containing				
217.20.00	00	by weight less than 0.25 percent of carbon		Free		7%
217.20.45		Other				25%
		With a diameter of less than 1.0 mm:				
	10	Containing by weight less than 0.25 percent of carbon	ka			
	20	Containing by weight 0.25 percent or more	•			
	20	but less than 0.6 percent of carbon				
	30	Containing by weight 0.6 percent or more	•			
		of carbon	kg			
		With a diameter of 1.0 mm or more but less				
	40	than 1.5 mm: Containing by weight less than 0.25				
		percent of carbon	kg			
	50	Containing by weight 0.25 percent or more				
		but less than 0.6 percent of carbon	_			
	60	Containing by weight 0.6 percent or more				
		of carbon With a diameter of 1.5 mm or more:	kg			
	70	Containing by weight 0.25 percent or more				
		but less than 0.6 percent of carbon				
	80	Containing by weight 0.6 percent or more				
		of carbonOther:	kg			
217.20.60	00	Containing by weight less than 0.25 percent of				
		carbon	kg	Free		25%
217.20.75	00	Other	kg	Free		26%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Subileading	fix	Atticle Description	Quantity	General	1 Special	
217 (con.) 217.30		Wire of iron or nonalloy steel: (con.) Plated or coated with other base metals:			·	
217.30.15	30	Flat wire		Free		26%
	60	carbon Other	, and the second			
217.30.30		Round wire: With a diameter of 1.5 mm or more and containing				
	00	by weight less than 0.25 percent of carbon				7%
	04	Other Containing by weight less than 0.20 percent of carbon, and suitable for electric arc welding	kg	Free		25%
	11	Other: With a diameter of less than 1.0 mm: Containing by weight less than 0.25 percent of carbon	kg			
	20	Containing by weight 0.25 percent or more but less than 0.6 percent or carbon	kg			
	30	Containing by weight 0.6 percent or more of carbonWith a diameter of 1.0 mm or more but less				
	41	than 1.5 mm: Containing by weight less than 0.25 percent of carbon	kg			
	50	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon				
	60	Containing by weight 0.6 percent or more of carbon				
	90	With a diameter of 1.5 mm or more Other:				
217.30.60	00	Containing by weight less than 0.25 percent of carbon	kg	Free		25%
217.30.75 217.90	00	OtherOther:	kg	Free		26%
217.90.10	00	Coated with plastics	_	Free		2%
217.90.50	30	Other Containing by weight less than 0.25 percent of carbon		Free		35%
	60	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon				
	90	Containing by weight 0.6 percent or more of	kg			

	X	١
72	-2	٠

Heading/	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	_ 2
			-		·	
		III. STAINLESS STEEL				
7218		Stainless steel in ingots or other primary forms; semi-finished				
70.40.40.00		products of stainless steel:		_		2001
7218.10.00	00	Ingots and other primary forms	kg	Free		29%
7218.91.00		Other: Of rectangular (other than square) cross-section		Eroo		29%
/210.91.00		Having a width less than four times the thickness:		riee		29%
	15	Having a cross-sectional area of less than				
		232 cm ²	kg			
	30	Having a cross-sectional area of 232 cm ² or				
		more				
7040 00 00	60	Having a width at least four times the thickness		_		
7218.99.00		Other Of square cross section:		Free		29%
	15	Having a cross-sectional area of less than				
		232 cm ²	kg			
	30	Having a cross-sectional area of 232 cm ² or				
		more	ka			
		Of circular cross section:	3			
	45	Having a cross-sectional area of less than				
		232 cm ²	kg			
	60	Having a cross-sectional area of 232 cm ² or				
		more	0			
7219	90	OtherFlat-rolled products of stainless steel, of a width of 600 mm or	kg			
7213		more:				
		Not further worked than hot-rolled, in coils:				
7219.11.00	20	Of a thickness exceeding 10 mm		Free		29%
	30	Of a width not exceeding 1575 mm	_			
7219.12.00	60	Of a width exceeding 1575 mmOf a thickness of 4.75 mm or more but not exceeding	kg			
1219.12.00		10 mm		Free		29%
	02	Not annealed or not pickled				
		Other:				
	06	Of high-nickel alloy steel	kg			
		Other:				
		Of a width of 1370 mm or more:				
	21	Of a thickness exceeding 6.8 mm: Of a width not exceeding				
	21	1575 mm	kg			
	26	Of a width exceeding 1575 mm	_	1		
		Other:	· · · ·			
	51	Of a width not exceeding		1		
	_	1575 mm	Ŭ	1		
	56	Of a width exceeding 1575 mm	kg	1		
		Other: Containing more than 0.5 percent by		1		
		weight of nickel:		1		
	66	Containing more than 1.5 percent		1		
		but less than 5 percent by weight		1		
	_ ,	of molybdenum	•	1		
	71 81	Other		1		
	01	Ou i e i	Νg	1		
				1		
				1		
				1		
				1		1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
_	fix	·	Quantity	General	Special	1
219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or				
		more: (con.) Not further worked than hot-rolled, in coils: (con.)				
219.13.00		Of a thickness of 3 mm or more but less than				
		4.75 mm		Free		29%
	02	Not annealed or not pickled	kg			
		Other:				
31	31	Of a width of 1370 mm or more	kg			
		Other:				
		Containing more than 0.5 percent but less				
		than 24 percent by weight of nickel:				
	51	Containing more than 1.5 percent but				
		less than 5 percent by weight of molybdenum	ka			
		-	· ·			
	71	Other				
219.14.00	81	OtherOf a thickness of less than 3 mm		Fron		29%
219.14.00	30	Of a width of 1370 mm or more		riee		29%
	00	Other:	ng .			
	65	Other: Of high-nickel alloy steel	ka			
		-	•			
	90	Other	кд			
				Ī	1	

	>	(١
72	٠	2	(

	Stat.	Artiala Deparintian	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	_ 2
219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or				
		more: (con.)				
7040 04 00		Not further worked than hot-rolled, not in coils:		_		000/
7219.21.00	05	Of a thickness exceeding 10 mm Of high-nickel alloy steel		Free		29%
	03	-	ĸy			
	20	Other:	ka			
		Of a width not exceeding 1575 mm	ĸġ			
	40	Of a width exceeding 1575 mm but not exceeding 1880 mm	ka			
			_			
7219.22.00	60	Of a width exceeding 1880 mm Of a thickness of 4.75 mm or more but not exceeding	kg			
219.22.00		10 mm		Free		29%
	05	Of high-nickel alloy steel		1100		25 /0
		Other:	9			
		Containing more than 0.5 percent by weight				
		of nickel:				
		Containing more than 1.5 percent but less				
		than 5 percent by weight of molybdenum:				
	15	Of a width not exceeding 1575 mm	kg			
	20	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm	kg			
	25	Of a width exceeding 1880 mm	kg			
		Other:				
	35	Of a width not exceeding 1575 mm	kg			
	40	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm				
	45	Of a width exceeding 1880 mm	kg			
		Other:				
	70	Of a width not exceeding 1575 mm	kg			
	75	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm	kg			
	80	Of a width exceeding 1880 mm	kg			
7219.23.00		Of a thickness of 3 mm or more but less than				
		4.75 mm		Free		29%
	30	Of a width of 1370 mm or more	kg			
	60		kg			
7219.24.00	00	Of a thickness of less than 3 mm		Free		29%
	30	Of a width of 1370 mm or more	J			
	60	Other	kg			
						1
						1
				I	I	1

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
_	fix	·	Quantity	General	Special	1
219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or				
		more: (con.)				
7219.31.00		Not further worked than cold-rolled (cold-reduced): Of a thickness of 4.75 mm or more		Гиол		200/
219.31.00	10	In coils		Free		29%
			•			
7040 00 00	50	Not in coils	kg			
7219.32.00		Of a thickness of 3 mm or more but less than 4.75 mm		Free		29%
		In coils:		Free		29%
		Of a width of 1370 mm or more:				
	05	Of high-nickel alloy steel	kg			
		Other:	0			
	20	Containing more than 0.5 percent by				
		weight of nickel	ka			
	25	Other	•			
	23	Other:	ĸy			
	35	Of high-nickel alloy steel	ka			
		Other:	- 19			
		Containing more than 0.5 percent by				
		weight of nickel:				
36	36	Containing more than 1.5 percent				
		but less than 5 percent by weight				
		of molybdenum	kg			
	38	Other	kg			
		Other:	_			
	42	Containing less than 15 percent	_			
		by weight of chromium				
	44	Other	kg			
		Not in coils:	_			
	45	Of a width of 1370 mm or more	kg			
	60	Other	kg			
						1

	Х	١
72	-3	1

	Stat.	A PLANT TO STATE OF THE STATE O	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or	,		Sp 551511	
, ,		more: (con.)				
		Not further worked than cold-rolled (cold-reduced): (con.)				
219.33.00		Of a thickness exceeding 1 mm but less than 3 mm		Free		29%
		In coils:				
	05	Of a width of 1370 mm or more: Of high-nickel alloy steel	ka			
	05	· ·	ку			
		Other:				
	20	Containing more than 0.5 percent by				
		weight of nickel	kg			
	25	Other	kg			
		Other:				
	35	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by				
		weight of nickel:				
	36	Containing more than 1.5 percent				
		but less than 5 percent by weight				
		of molybdenum	kg			
	38	Other	kg			
		Other:				
	42	Containing less than 15 percent				
		by weight of chromium	kg			
	44	Other	kg			
		Not in coils:				
	45	Of a width of 1370 mm or more	kg			
		Other:				
	70	Containing more than 0.5 percent but less				
		than 24 percent by weight of nickel				
	80	Other	ka			
219.34.00	00	Of a thickness of 0.5 mm or more but not exceeding	l'\9			
		1 mm		Free		29%
		In coils:				
	05	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by				
		weight of nickel:				
	20	Containing more than 1.5 percent but				
		less than 5 percent by weight of				
		molybdenum	_			
	25	Other	kg			
		Other:				
	30	Containing less than 15 percent by				
		weight of chromium	_			
	35	Other				
	50	Not in coils	kg			
				Ī	Ī	

Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
_	fix		Quantity	General	Special	1
219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or				
		more: (con.)				
7219.35.00		Not further worked than cold-rolled (cold-reduced): (con.)				
		Of a thickness of less than 0.5 mm		Free		29%
		In coils:				
		Containing more than 0.5 percent but less than				
	OΕ	24 percent by weight of nickel:				
	05	Containing more than 1.5 percent but less than 5 percent by weight of				
		molybdenum	ka			
		-	_			
	15	Other	kg			
	30	Other: Containing less than 15 percent by weight				
	30	of chromium	ka			
			_			
	35	Other		_		
	50	Not in coils				
219.90.00	10	Other		Free		29%
	10	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by weight of				
		nickel:				
	20	Containing more than 1.5 percent but less than				
		5 percent by weight of molybdenum	kg			
	25	Other	kg			
		Other:				
	60	Containing less than 15 percent by weight of	l <u>.</u>			
		chromium	кд			
	80	Other	kg			
						Ī

)	<	١
72	_	3	•

Heading/	Stat.	Artiala Depariation	Unit	Rates of Duty		
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
220		Flat-rolled products of stainless steel, of a width of less than			Sp. 22.2	
		600 mm:				
220.11.00	00	Not further worked than hot-rolled: Of a thickness of 4.75 mm or more	ka	Free		29%
220.12		Of a thickness of less than 4.75 mm:				20 70
220.12.10	00	Of a width of 300 mm or more	kg	Free		29%
220.12.50		Of a width of less than 300 mm				34%
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
			1	I	ĺ	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subfleading	fix	Article Description	Quantity	General	Special	
'220 (con.)		Flat-rolled products of stainless steel, of a width of less than			·	
		600 mm: (con.)				
220.20		Not further worked than cold-rolled (cold-reduced):		_		
		Of a width of 300 mm or more		Free		29%
		Containing more than 0.5 percent but less than 24 percent by weight of nickel:				
	10	Containing more than 1.5 percent but less than				
		5 percent by weight of molybdenum				
	15	Other	•			
	10	Other:	Ng			
	60	Containing less than 15 percent by weight of				
		chromium	kg			
	80	Other	ka			
		Of a width of less than 300 mm:	9			
220.20.60		Of a thickness exceeding 1.25 mm		Free		34%
	05	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by				
		weight of nickel:				
	10	Containing more than 1.5 percent but				
		less than 5 percent by weight of	Lon			
		molybdenum	_			
	15	Other	kg			
	00	Other:				
	60	Containing less than 15 percent by	lea.			
		weight of chromium	•			
7000 00 70	80	Other	kg			
220.20.70		Of a thickness exceeding 0.25 mm but not		Free		34%
	05	exceeding 1.25 mmOf high-nickel alloy steel		Free		34%
	03		Ng			
		Other:				
		Containing more than 0.5 percent by weight of nickel:				
	10	Containing more than 1.5 percent but				
		less than 5 percent by weight of				
		molybdenum	kg			
	15	Other	ka			
		Other:	9			
	60	Containing less than 15 percent by				
		weight of chromium	kg			
	80	Other	kg			
		Of a thickness not exceeding 0.25 mm:				
'220.20.80	00	Razor blade steel	kg	. Free		34%
220.20.90		Other		Free		34%
	30	Containing more than 0.5 percent but less				
		than 24 percent by weight of nickel	kg			
	60	Other	kg			
				[I

	>	(١
72	٠	3	ı

Heading/	Stat. Suf-	Article Description	Unit		Rates of Duty	2
Subheading	fix	Article Description	of Quantity	General	1 Special	
220 (con.)		Flat-rolled products of stainless steel, of a width of less than				
000 00 00		600 mm: (con.)		F		400/
220.90.00		OtherContaining more than 0.5 percent but less than 24		Free		46%
		percent by weight of nickel:				
	10	Containing more than 1.5 percent but less than 5				
		percent by weight of molybdenum	· ·			
	15		kg			
	60	Other: Containing less than 15 percent by weight of				
	00	chromium	kg			
	80	Other	•			
221.00.00		Bars and rods, hot-rolled, in irregularly wound coils, of stainless				
		steel		Free		11%
	05	,	kg			
		Other:				
		Of circular cross section: With a diameter of less than 14 mm:				
	17	Containing less than 8 percent by weight of				
		nickel	kg			
	18					
		percent by weight of nickel	kg			
	30	With a diameter of 14 mm or more but less than 19 mm	ka			
	45	With a diameter of 19 mm or more	· ·			
	75	Other				
	. •		9			
		1		I	Ī	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty	2
eading	fix	Atticle Description	Quantity	General	Special	
222		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel: Bars and rods, not further worked than hot-rolled,				
222.11.00		hot-drawn or extruded: Of circular cross-section		Free		29%
222.11.00	01	Electroslag or vacuum arc remelted		11100		25 /6
	06	Of high-nickel alloy steel Other:	kg			
	57	With a maximum cross-sectional dimension of less than 152.4 mm: Containing less than 8 percent by weight of nickel				
	59	Containing 8 percent or more but less than 24 percent by weight of nickelWith a maximum cross-sectional dimension of	kg			
	82	152.4 mm or more: Containing less than 8 percent by weight of nickel				
222.19.00	84	Containing 8 percent or more but less than 24 percent by weight of nickel Other	kg	Free		29%
	01	Electroslag or vacuum arc remelted Other:	kg			
	06	Of high-nickel alloy steel Other:	kg			
	52	Containing less than 8 percent by weight of nickel	kg			
	54	Containing 8 percent or more but less than 24 percent by weight of nickel				
				1		

)	(١
72	_	3	-

Heading/	Stat.	Artiala Depariation	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	_ 2
222 (con.)		Other bars and rods of stainless steel; angles, shapes and	-		·	
2000 00 00		sections of stainless steel: (con.)				
222.20.00		Bars and rods, not further worked than cold-formed or cold-finished		Free		29%
	01	Electroslag or vacuum arc remelted		1166		2370
	06	Of high-nickel alloy steel	_			
		Other:	9			
		Of a circular cross-section:				
		With a maximum circular cross-sectional				
	41	dimension of less than 18 mm: Containing less than 8 percent by weight				
		of nickel	kg			
	43	Containing 8 percent or more but less than				
		24 percent by weight of nickel				
		With a maximum circular cross-sectional dimension of 18 mm or more and less than				
		152.4 mm:				
	62	Containing less than 8 percent by weight				
		of nickel	kg			
	64	Containing 8 percent or more but less than				
		24 percent by weight of nickel With a maximum circular cross-sectional	кд			
		dimension of 152.4 mm or more:				
	67	Containing less than 8 percent by weight				
		of nickel	"			
	69	Containing 8 percent or more but less than				
		24 percent by weight of nickel Other:	kg			
	71	Containing less than 8 percent by weight of				
		nickel	kg			
	73	Containing 8 percent or more but less than 24				
7222.30.00		percent by weight of nickel Other bars and rods		Froo		29%
222.00.00	01	Electroslag or vacuum arc remelted		1166		2576
	12	Of high-nickel alloy steel	_			
		Other:	9			
		With a maximum cross-sectional dimension of less				
	00	than 152.4 mm:				
	22	Containing less than 8 percent by weight of nickel	ka			
	24	Containing 8 percent or more but less than 24	ŭ			
	27	percent by weight of nickel				
		With a maximum cross-sectional dimension of				
	82	152.4 mm or more: Containing less than 8 percent by weight of				
	02	nickel	kg			
	84	Containing 8 percent or more but less than 24				
		percent by weight of nickel				
						1

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
J	fix	·	Quantity	General	Special	1
222 (con.)		Other bars and rods of stainless steel; angles, shapes and				
222.40		sections of stainless steel: (con.) Angles, shapes and sections:				
222.40.30		Hot-rolled, not drilled, not punched and not otherwise				
		advanced		Free		10%
		With a maximum cross-sectional dimension of				
		80 mm or more:				
	25	Angles	_			
	45	Other	kg			
		With a maximum cross-sectional dimension of less				
	65	than 80 mm: Angles	ka			
		Other	•			
222.40.60	85 00	Other		Eroo		28%
223.00		Wire of stainless steel:	ку	1166		20 /0
223.00.10		Round wire		Free		34%
	05	Spring round wire	kg			
		Other:				
	16	With a diameter of less than 0.25 mm	kg			
	31	With a diameter of 0.25 mm or more but less than				
		0.76 mm				
	46	With a diameter of 0.76 mm or more but less than				
		1.52 mm				
	61	With a diameter of 1.52 mm or more but less than	•			
	٠.	5.1 mm				
	76	With a diameter of 5.1 mm or more	•			
223.00.50	00	Flat wire		Free		34%
223.00.90	00	Other	_			34%
		1		I		1

	Χ	()
72		20

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
		IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND				
		RODS, OF ALLOY OR NONALLOY STEEL				
7224		Other alloy steel in ingots or other primary forms; semi-finished				
224.10.00		products of other alloy steel: Ingots and other primary forms		Free		28%
	05	Of high-nickel alloy steel				
		Other:				
	45	Of tool steel	Ŭ			
7004 00 00	75	Other		Free		200/
224.90.00	05	OtherOf high-nickel alloy steel		Free		28%
		Other:				
		Of tool steel: Of rectangular (including square) cross				
		section:				
	15	Having a width less than four times the thickness	kg			
	25	Having a width at least four times the				
	35	thickness Other				
	33	Other:	kg			
		Of rectangular (including square) cross				
	45	section: Having a width less than four times the				
	"	thickness	kg			
	55	Having a width at least four times the	l. a			
	65	thickness Of circular cross section				
	75	Other	"			
			9			
					İ	

	Suf-	Article Description	of		Rates of Duty 1	2
Subheading	fix	7 tt 4010 2000 Fp. 4011	Quantity	General	Special	
'225		Flat-rolled products of other alloy steel, of a width of 600 mm				
		or more:				
7225.11.00	00	Of silicon electrical steel: Grain-oriented	ka	Free		28%
			ľ			
7225.19.00 7225.30	00	OtherOther, not further worked than hot-rolled, in coils:	kg	Free		28%
223.30		Of a thickness of 4.75 mm or more:				
7225.30.11		Of tool steel		Free		29%
	10	Of high-speed steel	kg			
	80	Other	ka			
7225.30.30		Other		Free		28%
	05	Of high-nickel alloy steel	kg			
	50	Other	kg			
		Of a thickness of less than 4.75 mm:				
7225.30.51		Of tool steel		Free		29%
	10	Of high-speed steel	_			
	80	Other		<u> </u> _		
7225.30.70 7225.40	00	Other not further worked than het relied, not in coile:	kg	Free		28%
ZZ3.4U		Other, not further worked than hot-rolled, not in coils: Of a thickness of 4.75 mm or more:				
7225.40.11		Of a trickness of 4.75 min of more.		Free		29%
	10	Of high-speed steel				
	80	Other	ka			
7225.40.30		Other	~	Free		28%
	05	Of high-nickel alloy steel	kg			
	50	Other	kg			
		Of a thickness of less than 4.75 mm:				
7225.40.51		Of tool steel		Free		29%
	10	Of high-speed steel	kg			
	30	Of ball-bearing steel	kg			
	60	Other	kg			
	00	Other	kg	. Free		28%
7225.50		Other, not further worked than cold-rolled (cold-reduced):		_		
7225.50.11	10	Of tool steel		Free		29%
	10	Of high-speed steel	_			
	30	Of ball-bearing steel	_			
	60		kg			
700E E0 00	00	Other:				000/
7225.50.60	UU	Of a thickness of 4.75 mm or more	кд	ree		28%
7005 50 50		Of a thickness of less than 4.75 mm:		_		0051
7225.50.70	UU	Heat-resisting steel	_			29%
7225.50.80		Other		Free		28%
	10	Of high-nickel alloy steel	, and the second			
	80	Other	kg			
	ı		Ī			Ī

	Χ	V
72	-4	1

Heading/	Stat.		Unit		Rates of Duty	
	Suf-	Article Description	of	0 1	1	2
225 (con.)	fix	Flat-rolled products of other alloy steel, of a width of 600 mm	Quantity	General	Special	
223 (COH.)		or more: (con.)				
		Other:				
225.91.00	00	Electrolytically plated or coated with zinc	kg	Free		28%
225.92.00	00	Otherwise plated or coated with zinc	ka	Free		28%
225.99.00		Other	_			28%
	10	Of high-nickel alloy steel		riee		20%
	90		•			
226		OtherFlat-rolled products of other alloy steel, of a width of less than				
220		600 mm:				
		Of silicon electrical steel:				
226.11		Grain-oriented:				
226.11.10	00	Of a width of 300 mm or more	kg	Free		28%
226.11.90		Of a width of less than 300 mm		Free		33%
	30	Of thickness not exceeding 0.25 mm	kg			
	60	Other	kg			
226.19		Other:				
226.19.10	00	Of a width of 300 mm or more	kg	Free		28%
226.19.90	00	Of a width of less than 300 mm	kg	Free		33%
226.20.00	00	Of high-speed steel				37%
						1

Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Cubricading	fix	7.4.400 2000.p.a.	Quantity	General	Special	_
7226 (con.)		Flat-rolled products of other alloy steel, of a width of less than				
		600 mm: (con.)				
7226.91		Other: Not further worked than hot-rolled:				
7220.91		Of tool steel (other than high-speed steel):				
7226.91.05	00	Of chipper knife steel	ka	Free		34%
7 220.01.00	00		, vg			0 1 70
7226.91.15		Other: Of a width of 300 mm or more		Eroo		29%
1220.91.13	30	Of ball-bearing steel		riee		29%
7000 01 05	60	OtherOf a width of less than 300 mm				0.40/
7226.91.25	30	Of a width of less than 300 mm		Free		34%
	60	Other	kg			
7000 01 50	00	Other:	1	F		000/
7226.91.50	00	Of a thickness of 4.75 mm or more	кд	Free		28%
		Of a thickness of less than 4.75 mm:				
7226.91.70	00	Of a width of 300 mm or more				28%
7226.91.80	00	Of a width of less than 300 mm	kg	Free		33%
7226.92		Not further worked than cold-rolled (cold-reduced):				
		Of tool steel (other than high-speed steel):				
7226.92.10	00	Of a width of 300 mm or more		Free		0.4¢/kg + 29%
	30	Of ball-bearing steel	kg			
	60	Other				
7226.92.30		Of a width of less than 300 mm		Free		34%
	30	Of ball-bearing steel	kg			
	60	Other	kg			
		Other:				
7226.92.50	00	Of a width of 300 mm or more	kg	. Free		0.4¢/kg + 28%
		Of a width of less than 300 mm:				
7226.92.70		Of a thickness not exceeding 0.25 mm		Free		33%
	05	Of high-nickel alloy steel	kg			
	50	Other	kg			
7226.92.80		Of a thickness exceeding 0.25 mm		Free		33%
	05	Of high-nickel alloy steel	kg			
	50	Other	kg			
7226.99.01		Other		Free		33%
	10	Electrolytically plated or coated with zinc	kg			
	30	Otherwise plated or coated with zinc	ka			
	80	Other	кд			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
			I	i l		1

	Χ	V
72	-4	3

	Stat.	Australia Decembration	Unit		Rates of Duty	1 ^
ubheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
227		Bars and rods, hot-rolled, in irregularly wound coils, of other	Gauntity	Jeneral	Оресіаі	†
		alloy steel:				
27.10.00	00	Of high-speed steel	•			14%
27.20.00		Of silico-manganese steel		Free		10%
	30	Of welding quality wire rods as defined in statistical note 6 to this chapter	ka			
	00	•	ŭ			
227.90	80	Other:Other:	kg			
227.50		Of tool steel (other than high-speed steel):				
227.90.10		Not tempered, not treated, and not partly				
	00	manufactured		Free		12%
	30	Of ball-bearing steel	_			
	60	Other		_		440/
227.90.20	30	OtherOf ball-bearing steel		Free		11%
			ŭ			
227.90.60	60	Other	0	Free		10%
	05	Of high-nickel alloy steel		1 100		10%
	10	Of Cold Heading Quality (CHQ) steel, as defined				
	10	in statistical note 5 to this chapter				
	20	Of welding quality wire rods as defined in statistical	ŭ			
	20	note 6 to this chapter				
		Of a circular cross section:	3			
	30	With a diameter of less than 14 mm	ka			
	35	With a diameter of 14 mm or more but less	9			
	55	than 19 mm	ka			
	40	With a diameter of 19 mm or more	· ·			
	90	Other				
			9			

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subfleading	fix	Article Description	Quantity	General	Special	
228		Other bars and rods of other alloy steel; angles, shapes and				
		sections, of other alloy steel; hollow drill bars and rods, of alloy				
228.10.00		or non-alloy steel: Bars and rods, of high-speed steel		Free		32%
220.10.00	10	Not cold-formed	ka	1166		JZ /6
		Cold-formed:	3			
	30	With a maximum cross-sectional dimension of less				
			kg			
	60	With a maximum cross-sectional dimension of				
			kg			
7228.20	00	Bars and rods, of silico-manganese steel: Not cold-formed	l			000/
228.20.10			•			28%
228.20.50	00	Cold-formed	kg	Free		28%
		Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:				
228.30		Of tool steel (other than high-speed steel):				
228.30.20	00	Of ball-bearing steel	kg	Free		29%
228.30.40	00	Of chipper knife steel, not cold-formed	kg	Free		28%
228.30.60	00	Other				29%
7228.30.80	33	Other				28%
	05	Of high-nickel alloy steel	kg			
	10	Concrete reinforcing bars and rods	kg			
		Other:				
	15	With a diameter of less than 76 mm	kg			
	41	With a diameter of 76 mm or more but not				
		exceeding 152 mm	kg			
	45	With a diameter of 152 mm or more but not				
		exceeding 228 mm	kg			
	70	With a diameter exceeding 228 mm	kg			
7228.40.00	00	Other bars and rods, not further worked than forged		Free		28%
						I

X	١
72-4	c

Heading/	Stat. Suf-	Article Description	Unit			ates of Duty	2
Subheading	fix	Article Description	of Quantity	General	1	Special	
7228 (con.)		Other bars and rods of other alloy steel; angles, shapes and				•	
		sections, of other alloy steel; hollow drill bars and rods, of alloy					
7228.50		or non-alloy steel: (con.) Other bars and rods, not further worked than cold-formed					
220.50		or cold-finished:					
7228.50.10		Of tool steel (other than high-speed steel)		Free			29%
	10	Of ball-bearing steel	kg				
		Other:					
		With a maximum cross-sectional dimension of					
	20	less than 18 mm: Of round or rectangular cross section with					
	20	surfaces ground, milled or polished					
	40	Other	_				
	40	With a maximum cross-sectional dimension of					
		18 mm or more:					
	60	Of round or rectangular cross section with					
		surfaces ground, milled or polished	Ŭ				
	80	Other	U				
7228.50.50	٥٦	Other		Free			28%
	05	Of high-nickel alloy steel	кд				
	4-	Other:	Lea				
	15	With a diameter of less than 76 mm	кg				
	40	With a diameter of 76 mm or more but not	Lea				
		exceeding 228 mm	•				
7000 00	70	With a diameter exceeding 228 mm	kg				
7228.60 7228.60.10		Other bars and rods: Of tool steel (other than high-speed steel)		Free			29%
220.00.10	30	Of ball-bearing steel		1166			2576
	60	Other	_				
		Other:	Ng				
7228.60.60	00	Not cold-formed	kg	Free			28%
7228.60.80	00	Cold-formed	kg	Free			28%
7228.70		Angles, shapes and sections:	3				
7228.70.30		Hot-rolled, not drilled, not punched and not otherwise		_			
	10	advancedU, I, H and T sections		Free			10%
	10		kg				
		Other: With a maximum cross-sectional dimension of					
		76 mm or more:					
	20	Angles	kg				
	41	Other	· ·				
	`	With a maximum cross-sectional dimension of	3				
		less than 76 mm:].				
	60	Angles					
7000 70 05	81	Other	U	F			000/
7228.70.60 7228.80.00	00	Other Hollow drill bars and rods	3	Free Free			28% 30%
220.00.00	00	Hollow drill bars and rods	ку	riee			30%
				Ī	1		

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	<u> </u>	Quantity	General	Special	<u> </u>
229		Wire of other alloy steel:		_		2051
229.20.00		Of silico-manganese steel		Free		33%
		Round, with a diameter of less than or equal to 1.6 mm, containing by weight less than 0.20 percent of carbon,				
		more than 0.9 percent of manganese, and more than				
		0.6 percent of silicon, and suitable for electric arc				
		welding:				
	10	Plated or coated with copper	kg			
	15	Other	ka			
	90	Other	0			
229.90		Other:				
229.90.05	00	Of high-speed steel	kg	Free		37%
		Other:				
229.90.10	00	Flat wire	kg	Free		33%
229.90.50		Round wire	J	Free		33%
223.30.30		With a diameter of less than or equal to		1166		33 /8
		1.6 mm, containing by weight less than 0.20				
		percent of carbon and more than 0.3 percent				
		of nickel or more than 0.08 percent of				
		molybdenum, and suitable for electric arc				
		welding:				
	06	Plated or coated with copper	_			
	80	Other	kg			
		Other:				
	16	With a diameter of less than 1.0 mm	kg			
	31	With a diameter of 1.0 mm or more but less				
		than 1.5 mm	kg			
	51	With a diameter of 1.5 mm or more	kg			
229.90.90	00	Other wire	0	Free		33%