Annotated for Statistical Reporting Purposes

SECTION XV

BASE METALS AND ARTICLES OF BASE METAL

XV-1

Notes

- This section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 3207 to 3210, 3212, 3213 or 3215);
 - (b) Ferrocerium or other pyrophoric alloys (heading 3606);
 - (c) Headgear or parts thereof of heading 6506 or 6507;
 - (d) Umbrella frames or other articles of heading 6603;
 - (e) Goods of chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewelry);
 - (f) Articles of section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 8608) or other articles of section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of section XVIII, including clock or watch springs;
 - (ii) Lead shot prepared for ammunition (heading 9306) or other articles of section XIX (arms and ammunition);
 - (k) Articles of chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (I) Articles of chapter 95 (for example, toys, games, sports equipment);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs, monopods, bipods, tripods and similar articles or other articles of chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of chapter 97 (for example, works of art).
- 2. Throughout the tariff schedule, the expression "parts of general use" means:
 - (a) Articles of heading 7307, 7312, 7315, 7317 or 7318 and similar articles of other base metals;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 9114); and
 - (c) Articles of heading 8301, 8302, 8308 or 8310 and frames and mirrors, of base metal, of heading 8306.

In chapters 73 to 76 and 78 to 82 (but not in heading 7315) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to note 1 to chapter 83, the articles of chapter 82 or 83 are excluded from chapters 72 to 76 and 78 to 81.

- 3. Throughout the schedule, the expression "base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- 4. Throughout the schedule, the term "<u>cermets</u>" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "<u>cermets</u>" includes sintered metal carbides (metal carbides sintered with a metal).
- 5. Classification of alloys (other than ferroalloys and master alloys as defined in chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals.

Annotated for Statistical Reporting Purposes

XV-2

Notes (con.)

- (b) An alloy composed of base metals of this section and of elements not falling within this section is to be treated as an alloy of base metals of this section if the total weight of such metals equals or exceeds the total weight of the other elements present.
- (c) In this section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- Unless the context otherwise requires, any reference in the tariff schedule to a base metal includes a reference to alloys which, by virtue of note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the General Rules of Interpretation) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of note 5, it is classified; and
- (c) A cermet of heading 8113 is regarded as a single base metal.
- 8. In this section, the following expressions have the meanings hereby assigned to them:
 - (a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90 percent or more by weight passes through a sieve having a mesh aperture of 1 mm.

Additional U.S. Note

1. For the purposes of this section, the term "unwrought" refers to metal, whether or not refined, in the form of ingots, blocks, lumps, billets, cakes, slabs, pigs, cathodes, anodes, briquettes, cubes, sticks, grains, sponge, pellets, flattened pellets, rounds, rondelles, shot and similar manufactured primary forms, but does not cover rolled, forged, drawn or extruded products, tubular products or cast or sintered forms which have been machined or processed otherwise than by simple trimming, scalping or descaling.

Annotated for Statistical Reporting Purposes

CHAPTER 72

IRON AND STEEL

XV 72-1

Notes

 In this chapter and, in the case of notes (d), (e) and (f) below throughout the tariff schedule, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 percent by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 percent of chromium
- not more than 6 percent of manganese
- not more than 3 percent of phosphorus
- not more than 8 percent of silicon
- a total of not more than 10 percent of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 percent but not more than 30 percent of manganese and otherwise conforming to the specification at (a) above.

(c) Ferroalloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 percent or more of the element iron and one or more of the following:

- more than 10 percent of chromium
- more than 30 percent of manganese
- more than 3 percent of phosphorus
- more than 8 percent of silicon
- a total of more than 10 percent of other elements, excluding carbon, subject to a maximum content of 10 percent in the case of copper.

(d) Steel

Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 percent or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements.

Annotated for Statistical Reporting Purposes

XV 72-2 <u>Notes</u> (con.)

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3 percent or more of aluminum
- 0.0008 percent or more of boron
- 0.3 percent or more of chromium
- 0.3 percent or more of cobalt
- 0.4 percent or more of copper
- 0.4 percent or more of lead
- 1.65 percent or more of manganese
- 0.08 percent or more of molybdenum
- 0.3 percent or more of nickel
- 0.06 percent or more of niobium
- 0.6 percent or more of silicon.
- 0.05 percent or more of titanium
- 0.3 percent or more of tungsten (wolfram)
- 0.1 percent or more of vanadium
- 0.05 percent or more of zirconium
- 0.1 percent or more of other elements (except sulfur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferroalloys.

(h) Granules

Products of which less than 90 percent by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 percent or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semifinished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

Notes (con.)

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least 10 times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, checkers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 7301 or 7302.

(o) Wire

Cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross section, suitable for drills, of which the greatest external dimension of the cross section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified according to their form, their composition and their appearance, in the headings of this chapter appropriate to similar hot-rolled products.

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

Annotated for Statistical Reporting Purposes

XV 72-4

Subheading Notes (con.)

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 percent of chromium
- more than 0.3 percent of copper
- more than 0.3 percent of nickel
- more than 0.1 percent of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Nonalloy free-cutting steel

Nonalloy steel containing by weight one or more of the following elements in the specified proportions:

- 0.08 percent or more of sulfur
- 0.1 percent or more of lead
- more than 0.05 percent of selenium
- more than 0.01 percent of tellurium
- more than 0.05 percent of bismuth.

(c) Silicon electrical steel

Alloy steels containing by weight at least 0.6 percent but not more than 6 percent of silicon and not more than 0.08 percent of carbon. They may also contain by weight not more than 1 percent of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High-speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 percent or more, 0.6 percent or more of carbon and 3 to 6 percent of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7 percent of carbon,
- 0.5 percent or more but not more than 1.9 percent of manganese, and
- 0.6 percent or more but not more than 2.3 percent of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferroalloys in the subheadings of heading 7202 the following rule should be observed:

A ferroalloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in chapter note 1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule, the unspecified "other elements" referred to in chapter note 1(c) must each exceed 10 percent by weight.

Additional U.S. Notes

- 1. For the purposes of the tariff schedule the following expressions have the meanings hereby assigned to them:
 - (a) High-strength steel

Flat-rolled products of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa.

Additional U.S. Notes (con.)

(b) Universal mill plate

Flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1,250 mm and of thickness of not less than 4 mm, not in coils and without patterns in relief.

(c) Concrete reinforcing bars and rods

Hot-rolled bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling.

(d) Razor blade steel

Flat-rolled products of stainless steel not over 0.25 mm in thickness and not over 23 mm in width, and containing by weight not over 14.7 percent of chromium, certified at the time of entry to be used in the manufacture of razor blades.

(e) Tool steel

Alloy steels which contain the following combinations of elements in the quantity by weight respectively indicated:

- (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or
- (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or
- (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or
- (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or
- (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or
- (vi) not less than 0.5 percent carbon and not less than 5.5 percent tungsten.

(f) Chipper knife steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.48 nor more than 0.55 percent of carbon;
- (ii) not less than 0.2 nor more than 0.5 percent of manganese;
- (iii) not less than 0.75 nor more than 1.05 percent of silicon;
- (iv) not less than 7.25 nor more than 8.75 percent of chromium;
- (v) not less than 1.25 nor more than 1.75 percent of molybdenum;
- (vi) none, or not more than 1.75 percent of tungsten; and
- (vii) not less than 0.2 nor more than 0.55 percent of vanadium.

(g) Heat-resisting steel

Alloy steels containing by weight less than 0.3 percent of carbon and 4 percent or more but less than 10.5 percent of chromium.

(h) Ball-bearing steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.95 nor more than 1.13 percent of carbon;
- (ii) not less than 0.22 nor more than 0.48 percent of manganese;
- (iii) none, or not more than 0.03 percent of sulfur;
- (iv) none, or not more than 0.03 percent of phosphorus;

Annotated for Statistical Reporting Purposes

XV 72-6

Additional U.S. Notes (con.)

- (v) not less than 0.18 nor more than 0.37 percent of silicon;
- (vi) not less than 1.25 nor more than 1.65 percent of chromium;
- (vii) none, or not more than 0.28 percent of nickel;
- (viii) none, or not more than 0.38 percent of copper; and
- (ix) none, or not more than 0.09 percent of molybdenum.
- 2. For the purposes of this chapter, unless the context provides otherwise, the term "further worked" refers to products subjected to any of the following surface treatments: polishing and burnishing; artificial oxidation; chemical surface treatments such as phosphatizing, oxalating and borating; coating with metal; coating with nonmetallic substances (e.g., enameling, varnishing, lacquering, painting, coating with plastics materials); or cladding.
- 3. No allowance or reduction of duties for partial damage or loss in consequence of discoloration or rust occurring before entry shall be made upon iron or steel or upon any article of iron or steel.

Statistical Notes

- 1. For the purposes of the tariff schedule, the expression <u>high-nickel alloy steel</u> refers to alloy steel containing by weight 24 percent or more of nickel, with or without other elements.
- 2. For the purposes of subheading 7204.10, waste and scrap of cast iron includes but is not necessarily limited to: cupola cast (ISRI number 252); charging box cast (ISRI number 253); heavy breakable cast (ISRI number 254); hammer blocks or bases (ISRI number 255); burnt iron (ISRI number 256); mixed cast (ISRI number 257); stove plate, clean cast iron stove (ISRI number 258); clean auto cast (ISRI numbers 259, 262 and 263); motor blocks (ISRI number 260); drop broken machinery cast (ISRI number 261); malleable (ISRI number 264); ingot molds and stools (ISRI numbers 265 and 266); and railroad ferrous scrap consisting of cast iron No. 1, No. 2, No. 3 and No. 4, cast iron brake shoes and No. 1 wheels.
- 3. For the purposes of subheading 7204.41 or 7204.49 the expression:
 - (a) No. 1 heavy melting includes, but is not necessarily limited to:
 - No. 1 heavy melting steel (ISRI numbers 200, 201 and 202); bundled No. 1 steel (ISRI number 217); cast steel (ISRI number 233); springs and crankshafts (ISRI number 244); ship scrap; and railroad ferrous scrap consisting of cast steel No. 1 and No. 2, railroad No. 1 melting steel, spring steel, destroyed steel cars, destroyed steel car sides and box car roofs (note: other types of railroad ferrous scrap are included in some of the grades listed below);
 - (b) No. 2 heavy melting includes, but is not necessarily limited to:
 - No. 2 heavy melting steel (ISRI numbers 203, 204, 205 and 206); bundled No. 2 steel (ISRI number 218); foundry steel (ISRI numbers 242 and 243); and hard steel cut 76 cm and under (ISRI number 248);
 - (c) No. 1 bundles includes, but is not necessarily limited to:
 - No. 1 busheling (ISRI number 207); new black sheet clippings (ISRI number 207A); No. 1 bundles (ISRI number 208); electric furnace bundles (ISRI number 235); silicon-bearing steel busheling, clippings, and bundles (ISRI numbers 239, 240 and 250); No. 1 railroad ferrous sheet scrap; and car clips;
 - (d) $\underline{\text{No. 2 bundles}}$ includes, but is not necessarily limited to:
 - No. 2 bundles (ISRI number 209); No. 3 bundles (ISRI number 214); incinerator bundles (ISRI number 215); terne plate bundles (ISRI number 216); and auto slabs (ISRI numbers 224 and 225);
 - (e) Borings, shovelings and turnings includes, but it not necessarily limited to:
 - Machine shop turnings, shoveling turnings and iron borings (ISRI numbers 219, 220, 221, 222 and 223); briquetted iron borings (ISRI number 226); briquetted steel turnings (ISRI number 227); alloy free turnings (ISRI numbers 245, 246 and 247); heavy turnings (ISRI number 251); chemical borings, No. 1 and No. 2 (ISRI numbers 267 and 271); malleable borings (ISRI number 270); steel shavings; and railroad ferrous scrap consisting of No. 1 turnings and No. 2 turnings, drillings and/or borings;
 - (f) Shredded scrap includes, but is not necessarily limited to:

Shredded clippings (ISRI number 212); and shredded automobile scrap (ISRI numbers 210 and 211);

Annotated for Statistical Reporting Purposes

XV 72-7

Statistical Notes (con.)

(g) Cut plate and structural includes but is not necessarily limited to:

Billet, bloom and forge crops (ISRI number 229); bar crops, punchings and plate scrap (ISRI numbers 230 and 234); plate and structural (ISRI numbers 231, 232, 236, 237 and 238); chargeable ingots and ingot butts (ISRI number 241); and chargeable slab crops (ISRI number 249).

4. Tire cord-quality steel wire rod

Rod measuring 5.0 mm or more but not more than 6.0 mm in cross-sectional diameter, with an average partial decarburization of no more than 70 micrometers in depth (maximum 200 micrometers); having no non-deformable inclusions with a thickness (measured perpendicular to the rolling direction) greater than 20 micrometers; and, containing by weight the following elements in proportions:

- 0.68 percent or more carbon,
- less than 0.01 percent of aluminum,
- 0.040 percent or less, in aggregate, of phosphorus and sulfur,
- 0.008 percent or less of nitrogen, and
- not more than 0.55 percent, in the aggregate, of copper, nickel and chromium.

5. Cold Heading Quality (CHQ)

Rod suitable for cold heading, forging, or thread rolling, and meeting standard ASTM F2282.

6. Welding quality wire rod

Rod measuring less than 10 mm in diameter having less than 0.2 percent carbon, less than 0.04 percent sulfur, and less than 0.04 percent phosphorus, suitable for drawing or rolling to final size for use as:

- (i) an uncoated or plated or copper coated solid welding wire or rod;
- (ii) the core wire or core rod for covered shielded metal arc ("SMAW") welding electrode, or
- (iii) the formed jacket of a flux cored welding electrode

that is suitable for consumption in the electric arc welding process.

7. Spring round wire

For the purposes of statistical reporting number 7223.00.1005, the term "spring round wire" means wire suitable for the manufacture of springs and meeting ASTM standard A313.

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Jubilicading	fix	Attiolo Boochpilott	Quantity	General	Special	
		I. PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM				
201 201.10.00		Pig iron and spiegeleisen in pigs, blocks or other primary forms: Nonalloy pig iron containing by weight 0.5 percent or less of phosphorus		Free ^{1/}		\$1.11/t
201.20.00	00	Nonalloy pig iron containing by weight more than 0.5 percent of phosphorus				\$1.11/t
201.50 201.50.30	00	Alloy pig iron; spiegeleisen: Alloy pig iron	t	Free ^{1/}		\$1.11/t
201.50.60	00	Spiegeleisen	t	Free ^{1/}		0.5%
202 202.11 202.11.10	00	Ferroalloys: Ferromanganese: Containing by weight more than 2 percent of carbon: Containing by weight more than 2 percent but not	l	1/	Francisco (A* ALL DIL	0.50/
		more than 4 percent of carbon	Mn kg	1.4% ^{1/}	Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6.5%
202.11.50	00	Containing by weight more than 4 percent of			1 L, 30)	
		carbon	kg Mn kg	1.5% ^{1/}	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	10.5%
202.19 202.19.10	00	Other: Containing by weight not more than 1 percent of carbon	ka	2.20/1/	PE, SG) Free (A, AU, BH,	22%
			Mn kg	2.070	CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
202.19.50	00	Containing by weight more than 1 percent but not more than 2 percent of carbon	kg Mn kg	1.4%11	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6.5%

	ΧV	
7	2-9	

Heading/	Stat.	Artiala Deparintian	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'202 (con.)		Ferroalloys: (con.)	,		эрээлэг	
		Ferrosilicon:				
7202.21		Containing by weight more than 55 percent of silicon:				
		Containing by weight more than 55 percent but not				
7000 01 10		more than 80 percent of silicon:				
7202.21.10	00	Containing by weight more than 3 percent of calcium	kg	4 40/1/	Free (A*, AU, BH,	11.5%
		Calcium	Si kg	1.1% ^{1/}	CA, CL, CO, D, E,	11.5%
			Orng		IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
7202.21.50	00	Other	kg	1.5% ^{1/}	Free (A*, AU, BH,	11.5%
			Si kg		CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
7000 01 75					PE, SG)	
202.21.75	00	Containing by weight more than 80 percent but not more than 90 percent of silicon	ka	4 00/1/	Free (A+, AU, BH,	9%
		more than 90 percent of silicon	Si kg	1.9%	CA, CL, CO, D, E,	3 /6
			orkg		IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
202.21.90	00	Containing by weight more than 90 percent of				
		silicon	kg	5.8% ^{1/}	Free (A+, AU, BH,	40%
			Si kg	0.0 / 0	CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
7202.29.00		Other		– 1/	PE, SG)	4.4¢/kg on
202.29.00		Otilei		Free ^{1/}		silicon
						content
	10	Containing by weight over 2 percent of				000
		magnesium	kg			
			Si kg			
	50	Other	kg			
			Si kg			
7202.30.00	00	Ferrosilicon manganese	kg	3.9% ^{1/}	Free (A*, AU, BH,	23%
			Mn kg		CA, CL, CO, D, E,	
					IL, JO, KR, MA, MX, OM, P, PA,	
					PE, SG)	
					1 L, 30)	
					1	
					1	
					1	
					1	
					1	
				Ī		1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix		Quantity	General	Special	1
'202 (con.)		Ferroalloys: (con.)				
202.41.00	00	Ferrochromium: Containing by weight more than 4 percent of carbon	kg Cr kg	1.9% ^{1/}	Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	7.5%
7202.49 7202.49.10	00	Other: Containing by weight more than 3 percent of carbon	kg Cr kg	1.9% ^{1/}	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	7.5%
202.49.50		Other		3.1% ^{1/}	PE, SG) Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	30%
	10	Containing by weight more than 0.5 percent of carbon	kg Cr kg			
	90	Other	kg			
2000 50 55			Cr kg	41		055
202.50.00	00	Ferrosilicon chromium	kg Cr kg	10% ^{1/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
202.60.00	00		kg Ni kg	Free		6.6¢/kg
'202.70.00	00	Ferromolybdenum	kg Mo kg	4.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	31.5%
7202.80.00	00	Ferrotungsten and ferrosilicon tungsten	kg W kg	5.6% ^{1/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	35%

)	<	V
72	_	1	1

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	
202 (con.)		Ferroalloys: (con.)				
202.91.00	00	Other: Ferrotitanium and ferrosilicon titanium	kg	3.7% ^{1/}	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
'202.92.00	00	Ferrovanadium	kg V kg	4.2%1/	Free (A+, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
7202.93 7202.93.40	00	Ferroniobium: Containing by weight less than 0.02 percent of phosphorus or sulfur or less than 0.4 percent of		504	5 (A ALL BU	0504
		silicon	кg	5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
7202.93.80	00	Other	kg	5%	Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
7202.99 7202.99.10	00	Other: Ferrozirconium	kg	4.2% ^{1/}	Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	25%
7202.99.20	00	Calcium silicon	kg	5% ^{1/}	PE, SG) Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
7202.99.80		Other		5% ^{2/}	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	25%
	20	Ferrophosphorus	ka		PE, SG)	
	40	Other	Ŭ			
7203 7203.10.00	00	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 percent, in lumps, pellets or similar forms: Ferrous products obtained by direct reduction of iron	9			
/203.10.00	00	ore	t	Free ^{1/}		\$2.21/t
7203.90.00	00	Other				\$2.21/t
203.90.00		Other	τ	Free*		\$2.21/t

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix		Quantity	General	Special	1
204		Ferrous waste and scrap; remelting scrap ingots of iron or steel:				
204.10.00	00	Waste and scrap of cast iron	t	Free ^{1/}		74¢/t
		Waste and scrap of alloy steel:				
204.21.00	00	Of stainless steel	t	Free ^{1/}		74¢/t
204.29.00	00	Other	t	Free ^{1/}		74¢/t
204.30.00		Waste and scrap of tinned iron or steel				Free
204.41.00		Other waste and scrap: Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles		Free ^{1/}		74¢/t
	20	No. 1 bundles				
	40	No. 2 bundles				
	60	Borings, shovelings and turnings				
204 40 22	80	Other		_ 1/		74 + /+
204.49.00	20	Other No. 1 heavy melting		Free"		74¢/t
	40	No. 2 heavy melting				
	40		ı.			
	60	Other: Cut plate and structural	t			
	70	Shredded				
	80	Other	l -			
204.50.00	00	Remelting scrap ingots		Free ^{1/}		74¢/t
205		Granules and powders, of pig iron, spiegeleisen, iron or steel:				
205.10.00	00	Granules	kg	Free ^{1/}		3%
005 04 00	00	Powders:	l			450/
205.21.00		Of alloy steel				45%
205.29.00	00	Other	t	Free ^{1/}		\$2.21/t
	1		Ī	i		ī

	Χ	V
72	-1	3

	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
	IIX		Quantity	General	Оресіаі	
		II. IRON AND NONALLOY STEEL				
206		Iron and nonalloy steel in ingots or other primary forms				
206.10.00	00	(excluding iron of heading 7203): Ingots	ka	3 /		20%
206.90.00 207	00	OtherSemifinished products of iron or nonalloy steel:	kg	Free ³		20%
207		Containing by weight less than 0.25 percent of carbon:				
7207.11.00	00	Of rectangular (including square) cross section, the	Lan	_ 3/		000/
		width measuring less than twice the thickness	кд	Free		20%
207.12.00		Other, of rectangular (other than square) cross section		3 /		20%
	10	Having a width measuring less than four times the		Free-		20 /0
	. 0	thickness				
	50	Having a width measuring at least four times the				
207.19.00		thickness		– 3/		20%
207.19.00	30	Other Of circular cross section		Free=		20%
	90	Other	•			
207.20.00	55	Containing by weight 0.25 percent or more of carbon		Free ^{3/}		20%
		Of rectangular (including square) cross section:				
	25	Having a width measuring less than four times the thickness				
	45	Having a width measuring at least four times the	Ng			
	45	thickness				
	75	Of circular cross section	_			
	90	Other	kg			

Ouantity or nonalloy steel, of a width of I, not clad, plated or coated: ked than hot-rolled, with patterns kg		Stat. Suf-	Article Description	Unit of		Rates of Duty	2
In tot clad, plated or coated: ked than hot-rolled, with patterns kg	Gubileadilly	fix	Attible Description		General		
ked than hot-rolled, with patterns kg Free ³² 0.4e/kg + 20' of 4.75 mm or more	'208		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:				
of 4.75 mm or more	7208.10		In coils, not further worked than hot-rolled, with patterns in relief:				
of less than 4.75 mm kg Free* 20% ler worked than hot-rolled, pickled: 7.5 mm or more: kg Free* 20% mm or more but less than kg Free* 0.4¢/kg + 20 mm or more but less than Free* 0.4¢/kg + 20 steel kg kg less than 3 mm Free* 20% less than 3 mm kg kg less than 3 mm kg kg less than 4.75 mm kg kg less than 3 mm kg kg	7208.10.15	00	Pickled	kg	· Free ^{3/}		0.4¢/kg + 20
rer worked than hot-rolled, pickled: .75 mm or more:	7208.10.30	00	Other: Of a thickness of 4.75 mm or more	kg	· Free ^{3/}		20%
A	7208.10.60	00	Of a thickness of less than 4.75 mm	kg	· Free ^{3/}		20%
Reg	7208.25	00	Other, in coils, not further worked than hot-rolled, pickled: Of a thickness of 4.75 mm or more:		2/		2004
### ### ##############################							
Steel	7208.25.60	00		kg	· Free ^{3/}		$0.4 \pm kg + 20$
kg	7208.26.00		Of a thickness of 3 mm or more but less than 4.75 mm		Free ^{3/}		0.4¢/kg + 20°
Sess than 3 mm		30	High-strength steel	kg			
kg kg kg kg kg kg kg kg		60	Other				
kg	7208.27.00				Free ^{3/}		0.4¢/kg + 20°
Pree		30		_			
Pree		60	Other	kg			
kg kg kg kg kg kg kg kg	7208.36.00		Other, in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm		□		20%
kg	7 200.00.00	30			riee		2070
20% steel		60		_			
kg kg kg kg kg kg kg kg	7208.37.00	00	Of a thickness of 4.75 mm or more but not exceeding		Eroo <u>^{3/}</u>		20%
Mg		30	High-strength steel		1166		2070
mm or more but less than		60		_			
kg kg kg kg kg kg kg kg	7208.38.00	00	Of a thickness of 3 mm or more but less than		Eroo <u>^{3/}</u>		20%
kg kg		15	High-strength steel		1166		1070
kg			Other:	1.5			
20% Steel		30	With untrimmed edges	kg			
20% 20%		90	Other	ka			
kg kg worked than hot-rolled, with patterns	7208.39.00		Of a thickness of less than 3 mm		Free ^{3/}		20%
kg worked than hot-rolled, with patterns75 mm or more		15	High-strength steel	kg			
kg worked than hot-rolled, with patterns75 mm or more			Other:				
vorked than hot-rolled, with patterns .75 mm or more		30	With untrimmed edges	kg			
.75 mm or more		90	Other				
exceeding 10 mm	7208.40		Not in coils, not further worked than hot-rolled, with patterns in relief:				
kg	7208.40.30	00			Free ^{3/}		20%
ess than 4.75 mmkg Free ^{3√} 20%							
less than 3 mmkg	7000 40 60	60		J	_ 3/		200/
l ~	/208.40.60	20			Free		20%
kg				J			
		60	Other	kg			
		30 60 30 60	Of a t Other Of a thick Of a t	hickness exceeding 10 mm ness of less than 4.75 mmhickness less than 3 mm	hickness exceeding 10 mm	hickness exceeding 10 mm	hickness exceeding 10 mm

	Х		/
72	_1	ľ	5

	Stat.		Unit		Rates of Duty	-
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
208 (con.)		Flat-rolled products of iron or nonalloy steel, of a width of		Scholal	Орсска	
_ = = (0011.)		600 mm or more, hot-rolled, not clad, plated or coated: (con.)				
		Other, not in coils, not further worked than hot-rolled:				
208.51.00		Of a thickness exceeding 10 mm		Free ^{3/}		20%
	30	Universal mill plate	kg			
		Other:				
	45	Of high-strength steel	kg			
	60	Other				
208.52.00		Of a thickness of 4.75 mm or more but not exceeding 10 mm		Free ^{3/}		20%
208.53.00	00	Of a thickness of 3 mm or more but less than				
		4.75 mm	kg	Free ^{3/}		20%
208.54.00	00	Of a thickness of less than 3 mm	ka	Free 3/		20%
208.90.00		Other				20%
				1166		2070
						1
						1
						1
						1
						1
			Ī	I	1	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty 1	2
Subfleading	fix	Atticle Description	Quantity	General	Special	
7209		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:				
7209.15.00	00	In coils, not further worked than cold-rolled (cold-reduced): Of a thickness of 3 mm or more		Free ^{3/}		0.4¢/kg + 20°
7209.16.00		Of a thickness exceeding 1 mm but less than 3 mm Of high-strength steel:		Free ^{3/}		0.4¢/kg + 20°
	30	Annealed	Ŭ			
	60	Other: Other:				
	70	Annealed	_			
7209.17.00	91	Other Of a thickness of 0.5 mm or more but not exceeding 1 mm	kg 	Free ^{3/}		0.4¢/kg + 20°
	30	Of high-strength steel: Annealed	ka			
	60	Other				
	70	Other: Annealed	ka			
	70 91	Other	, and the second			
7209.18 7209.18.15	31	Of a thickness of less than 0.5 mm: Of high-strength steel		 Free ^{3/}		0.4¢/kg + 20°
	30	Annealed				
	60	Other Other:	kg			
7209.18.25		Of a thickness of less than 0.361 mm (blackplate)		Free ^{3/}		20%
	20	Annealed	kg			
7209.18.60	85	OtherOther	•	_ 3/		0.44//
7209.16.60	20	Annealed		Free ^{3/}		0.4¢/kg + 20°
	90	Other Not in coils, not further worked than cold-rolled	ŭ			
7209.25.00	00	(cold-reduced): Of a thickness of 3 mm or more	kg	Free ^{3/}		0.4¢/kg + 20°
7209.26.00	00	Of a thickness exceeding 1 mm but less than 3 mm	kg	Free ^{3/}		0.4¢/kg + 20°
7209.27.00	00	Of a thickness of 0.5 mm or more but not exceeding 1 mm	ka	Eroo <u>^{3/}</u>		0.4¢/kg + 20°
7209.28.00	00	Of a thickness of less than 0.5 mm				$0.4 \text{¢/kg} + 20^{\circ}$
7209.90.00		Other				0.4¢/kg + 20°
					I	

	Χ	V
72	-1	7

	Stat.	Autiala Desembles	Unit		Rates of Duty	1 0
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
210		Flat-rolled products of iron or nonalloy steel, of a width of	,		Sp 5518	
		600 mm or more, clad, plated or coated:				
		Plated or coated with tin:				
210.11.00	00	Of a thickness of 0.5 mm or more	_			6%
210.12.00	00	Of a thickness of less than 0.5 mm	kg	Free ^{3/}		6%
210.20.00	00	Plated or coated with lead, including terne-plate	kg	Free ^{3/}		6%
210.30.00		Electrolytically plated or coated with zinc		Eroo <u>^{3/}</u>		21.5%
	30	Of high-strength steel		11166		
	60	Other	ŭ			
	00	Otherwise plated or coated with zinc:	ky			
210.41.00	00	Corrugated	kg	Free ^{3/}		21.5%
210.49.00		Other				21.5%
	30	Of high-strength steel		Free ==		21.5%
	30		kg			
	01	Other:	1			
	91	Of a thickness of 0.4 mm or more	_			
	95	Other	kg			
210.50.00	00	Plated or coated with chromium oxides or with chromium	ka	3/		AE0/
		and chromium oxides	кд	Free st		45%
		Plated or coated with aluminum:				
210.61.00	00	Plated or coated with aluminum-zinc alloys	kg	Free ^{3/}		21.5%
210.69.00	00	Other	kg	Free ^{3/}		21.5%
210.70		Painted, varnished or coated with plastics:				
210.70.30	00	Not coated or plated with metal and not clad	kg	Free ^{3/}		0.4¢/kg + 20
210.70.60		Other		Fra 3/		21.5%
210.70.00		Zinc coated or plated:		Free-		21.576
	30	Electrolytically coated or plated	ka			
	60	Other				
	90	Other				
210.90	00	Other:				
210.90.10	00	Clad	kg	Free ^{3/}		30%
		Other:				
210.90.60	00	Electrolytically coated or plated with base metal	ka	Free ^{3/}		45%
210.90.90	00	Other	кд	Free		21.5%
						1
J						

Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix		Quantity	General	Special	1
211		Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, not clad, plated or coated:				
211.13.00	00	Not further worked than hot-rolled: Universal mill plate	ka	Eroo <u>3/</u>		20%
211.14.00	00	Other, of a thickness of 4.75 mm or more				
211.14.00	30	Of high-strength steel		Free ³		20%
	50	Other:	Ng			
	45	Not in coils	kg			
	90	Other	kg			
211.19		Other:	9			
211.19.15	00	Of a width of less than 300 mm: Of high-strength steel	ka	3 /		25%
211.19.13	00		Kg	Free-		2570
211.19.20	00	Other: Of a thickness exceeding 1.25 mm	ka	Froo ^{3/}		25%
			_			
211.19.30	00	Other Other:	kg	Free ³		25%
211.19.45	00	Of high-strength steel	kg	Free ^{3/}		20%
		Other:	J	1100		
211.19.60	00	Pickled	kg	Free ^{3/}		0.4¢/kg + 20°
211.19.75		Other				20%
		In coils:		Fiee		20,0
	30	With untrimmed edges	kg			
	60	Other				
	90	Other	kg			

)	K	٧	
72	_	1	a	

	Stat.		Unit		Rates of Duty	1 -
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7211 (oon)	IIX	Elat rolled products of iran or papalloy stool, of a width of loss	Quantity	General	Special	
7211 (con.)		Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, not clad, plated or coated: (con.)				
		Not further worked than cold-rolled (cold-reduced):				
'211.23		Containing by weight less than 0.25 percent of carbon:				
211.25		Of a width of less than 300 mm:				
		Of a thickness exceeding 1.25 mm:				
7211.23.15	00	Of high-strength steel	ka	- 3/		25%
211.23.13	00					25 /6
7211.23.20	00	Other	kg	Free ^{3/}		25%
7211.23.30	00	Of a thickness exceeding 0.25 mm but not				
		exceeding 1.25 mm	ka	Free ^{3/}		25%
7211.23.45	00	Of a thickness not exceeding 0.25 mm				25%
7211.23.60		Other		Free ^{3/}		0.4¢/kg + 20%
	30	Of a thickness exceeding 1.25 mm	kg			
	60	Of a thickness exceeding 0.25 mm but not	_			
	00	exceeding 1.25 mm	ka			
	90	Of a thickness not exceeding 0.25 mm:	kg			
7211.29		Other:				
		Of a width of less than 300 mm:				
7211.29.20		Of a thickness exceeding 0.25 mm		Free ^{3/}		25%
	30	Of a width less than 51 mm, in coils	kg			
	90	Other	ka			
7211.29.45		Other	ka	- 3/		25%
	00					
7211.29.60		Other		Free		0.4¢/kg + 20%
	30	Of a thickness exceeding 1.25 mm	kg			
	80	Other	ka			
7211.90.00		Other		Froo ^{3/}		20%
7212		Flat-rolled products of iron or nonalloy steel, of a width of less		11166		2070
1212		than 600 mm, clad, plated or coated:				
7212.10.00	00	Plated or coated with tin	ka	- 3/		6%
7212.10.00	00					0 70
7212.20.00	00	Electrolytically plated or coated with zinc	kg	Free ^{3/}		21.5%
7040.00		Other color and a tender of a color to the color				
7212.30		Otherwise plated or coated with zinc:				
7010 00 10		Of a width of less than 300 mm:		_ 3/		050/
7212.30.10		Of a thickness exceeding 0.25 mm or more		Free -		25%
	30	Of a width less than 51 mm, in coils	kg			
	90	Other	kg			
7212.30.30	00	Other	ka	Free ^{3/}		25%
7212.30.50	იი	Other				21.5%
7212.40	00	Painted, varnished or coated with plastics:	ку	riee		21.070
-	00	Of a width of less than 300 mm	l. a	- 3/		050/
7212.40.10	00	Of a width of less than 500 min	ку	- Free -		25%
7212.40.50	00	Other	kg	Free ^{3/}		0.4¢/kg + 20%
7212.50.00	00	Otherwise plated or coated				21.5%
7212.60.00	00	Clad	kg	Free ^{3/}		30%
]		
]		
]		
]		
				1		
]		
]		

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
<u> </u>	fix		Quantity	General	Special	
213		Bars and rods, hot-rolled, in irregularly wound coils, of iron or nonalloy steel:				
213.10.00	00	Concrete reinforcing bars and rods	kg	· Free ^{3/}		20%
213.20.00		Other, of free-cutting steel		Free ^{3/}		5.5%
	10	Containing by weight 0.1 percent or more of lead		1.00		
	80	Other	kg			
213.91		Other: Of circular cross section measuring less than 14 mm				
		in diameter:				
213.91.30		Not tempered, not treated and not partly manufactured		3 /		5.5%
	11	Tire cord-quality steel wire rod as defined in		Free=		5.5%
		statistical note 4 of this chapter	kg			
	15	Of Cold Heading Quality (CHQ) steel, as				
		defined in statistical note 5 to this chapter	kg			
	20	Of welding quality wire rods as defined in statistical note 6 to this chapter	ka			
	93	·	kg			
		Other:	9			
213.91.45	00	Containing by weight 0.6 percent or more of carbon	ka	F3/		5.5%
213.91.60	00	Other				6%
213.91.00	00	Other				5.5%
		Of circular cross section:		1166		0.070
	30	With a diameter of 14 mm or more but less than 19 mm	ka			
	60	With a diameter of 19 mm or more	_			
	90	Other				
			J			

	ΧV
72	21

Article Description s and rods of iron or nonalloy steel, not further worked d, hot-rolled, hot-drawn or hot-extruded, but including sted after rolling:		General	1 Special	2
d, hot-rolled, hot-drawn or hot-extruded, but including sted after rolling:				
sted after rolling:				
	ka	Free ^{3/}		20%
rete reinforcing bars and rods	_			20%
, of free-cutting steel				20%
ontaining by weight 0.1 percent or more of lead		Free-		2070
ther				
		_ 3/		000/
Containing by weight less than 0.25 percent of carbon:		Free		20%
	kg			
With a maximum cross section of 152 mm or more	kg			
Containing by weight 0.25 percent or more but less				
Containing by weight 0.6 percent or more of				
		Free ^{3/}		20%
Rounds: Containing by weight less than 0.25 percent of carbon:		. 100		
With a diameter exceeding 152 mm Containing by weight 0.25 percent or more but	kg			
With a diameter less than 76 mm	Ŭ			
	kg			
carbon	kg			
Containing by weight less than 0.25 percent	kg			
Containing by weight 0.6 percent or more of				
541.551	9			
)†	Containing by weight less than 0.25 percent of carbon: With a maximum cross section less than 152 mm	of rectangular (other than square) cross-section	of rectangular (other than square) cross-section	If rectangular (other than square) cross-section

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Аписе резсприоп	of Quantity	General	1 Special	
215		Other bars and rods of iron or nonalloy steel:				
215.10.00		Of free-cutting steel, not further worked than cold-formed or cold-finished		Free ^{3/}		0.3¢/kg + 20
	10	Containing by weight 0.1 percent or more of lead		1100		l se training is a s
	80	Other	kg			
'215.50.00		Other, not further worked than cold-formed or cold-finished		3/		0.24/kg . 20
		Containing by weight less than 0.25 percent of carbon:		Free ^{3/}		0.3¢/kg + 20
	16	With a diameter less than 76 mm				
	18	With a diameter of 76 mm or more but not				
		exceeding 228 mm	_			
	20	With a diameter exceeding 228 mm Containing by weight 0.25 percent or more but less	kg			
		than 0.6 percent of carbon:				
	61	With a diameter less than 76 mm	kg			
	63	With a diameter of 76 mm or more but not exceeding 228 mm	ka			
	65	With a diameter exceeding 228 mm	_			
	90	Containing by weight 0.6 percent or more of carbon	kg			
215.90		Other: Plated or coated with metal:				
215.90.10	00	Not cold-formed	kg	Free ^{3/}		0.4¢/kg + 20
215.90.30	00	Cold-formed				0.3¢/kg + 20
215.90.50		Other	kg	Free ^{3/}		0.3¢/kg + 20
						1

	Χ	١
72	-2	,

	Stat.	Astiolo December	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7216		Angles, shapes and sections of iron or nonalloy steel:	,		5 p 5 5 1 5 1	
7216.10.00		U, I or H sections, not further worked than hot-rolled,				
		hot-drawn or extruded, of a height of less than 80 mm		Free ^{3/}		2%
	10	U sections	kg			
	50	Other	kg			
		L or T sections, not further worked than hot-rolled,				
7010 01 00	00	hot-drawn or extruded, of a height of less than 80 mm:	L	_ 3/		00/
7216.21.00	00	L sections				2%
7216.22.00	00	T sections	kg	Free ^{3/}		2%
		U, I or H sections, not further worked than hot-rolled,				
7040 04 00	00	hot-drawn or extruded, of a height of 80 mm or more:	Lon	2/		201
7216.31.00	00	U sections				2%
7216.32.00	00	I sections (standard beams)	kg	Free ^{3/}		2%
7216.33.00		H sections		Eroo <u>^{3/}</u>		2%
	30	Weighing not more than 11.3 kg per 30.5 cm, with		1166		
		a web depth measuring 102 mm to 356 mm				
	60	Weighing more than 11.3 kg but not more than	J			
	00	27.2 kg per 30.5 cm, with a web depth measuring				
		203 mm to 457 mm				
	90	Other	ka			
7216.40.00		L or T sections, not further worked than hot-rolled,	9			
		hot-drawn or extruded, of a height of 80 mm or more		Free ^{3/}		2%
	10	L sections	kg			
	50	Other	kg			
7216.50.00	00	Other angles, shapes and sections, not further worked	Ü			
		than hot-rolled, hot-drawn or extruded	kg	Free ^{3/}		2%
		Angles, shapes and sections, not further worked than				
		cold-formed or cold-finished:				
7216.61.00	00	Obtained from flat-rolled products	kg	Free ^{1/}		20%
7216.69.00	00	Other	ka	Eroo <u>1/</u>		20%
		Other:		1166		
7216.91.00		Cold-formed or cold-finished from flat-rolled				
		products		Free ^{1/}		20%
	10	Drilled, notched, punched or cambered	kg			
	90	Other	kg			
7216.99.00		Other		Free ^{3/}		20%
	10	Drilled, notched, punched or cambered	kg			
	90	Other	kg			
			3			
						1

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
- abricading	fix	Attiolo Docomption	Quantity	General	Special	
217 217.10		Wire of iron or nonalloy steel: Not plated or coated, whether or not polished: Containing by weight less than 0.25 percent of carbon: Flat wire:				
217.10.10	00	Of a thickness not exceeding 0.25 mm	kg	Free ^{3/}		25%
217.10.20	00	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg	Free ^{3/}		25%
217.10.30	00	Of a thickness exceeding 1.25 mm				25%
217.10.40		Round wire: With a diameter of less than 1.5 mm		Free ^{3/}		25%
	40	Heat treated: In coils weighing not more than 2 kilograms	kg			
	45	Other	kg			
	90	Other	kg			
217.10.50		With a diameter of 1.5 mm or more		Free ^{3/}		7%
	30	Heat treated	kg			
	90	Other	kg			
	00	Other wire Other:				25%
217.10.70	00	Flat wire	kg	Free ^{3/}		25%
217.10.80		Round wire		Free ^{3/}		25%
		Containing by weight 0.25 percent or more but less than 0.6 percent of carbon:				
	10	Heat treated	kg			
	20	OtherContaining by weight 0.6 percent or more of carbon: Heat treated:	kg			
	25	With a diameter of less than 1.0 mm	ľ			
	30	With a diameter of 1.0 mm or more but less than 1.5 mm				
	45	With a diameter of 1.5 mm or more	kg			
	60	Other: With a diameter of less than 1.0 mm	ka			
	75	With a diameter of 1.0 mm or more but less than 1.5 mm				
	00		"			
217.10.90	90	With a diameter of 1.5 mm or more Other wire		Free ^{3/}		25%
				ī		

)	(V
72	٠	2	5

	Stat.	Australia Decembration	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
217 (con.)		Wire of iron or nonalloy steel: (con.)	,			
217.20		Plated or coated with zinc:				
217.20.15	00	Flat wire	kg	Free ^{3/}		26%
		Round wire:				
217.20.30	00	With a diameter of 1.5 mm or more and containing				
		by weight less than 0.25 percent of carbon	kg	Free ^{3/}		7%
217.20.45		Other		Free ^{3/}		25%
		With a diameter of less than 1.0 mm:				
	10	Containing by weight less than 0.25 percent of carbon	l.a			
	00	•	•			
	20	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon				
	00		_			
	30	Containing by weight 0.6 percent or more of carbon				
		With a diameter of 1.0 mm or more but less	Ng			
		than 1.5 mm:				
	40	Containing by weight less than 0.25				
		percent of carbon	_			
	50	Containing by weight 0.25 percent or more				
		but less than 0.6 percent of carbon	•			
	60	Containing by weight 0.6 percent or more of carbon	ka			
		With a diameter of 1.5 mm or more:	kg			
	70	Containing by weight 0.25 percent or more				
		but less than 0.6 percent of carbon				
	80	Containing by weight 0.6 percent or more				
		of carbon				
7017.00.00	00	Other:				
217.20.60	00	Containing by weight less than 0.25 percent of carbon	ka	⊑roo <u>3/</u>		25%
7047 00 75	00					
217.20.75	00	Other	кд	Free		26%
						-

Heading/	Stat.	A 11 1 5 1 1 1	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7217 (con.) 7217.30 7217.30.15		Wire of iron or nonalloy steel: (con.) Plated or coated with other base metals: Flat wire		Free ^{3/}		26%
	30	Containing by weight 0.6 percent or more of carbon		1100		
7217.30.30	60	OtherRound wire: With a diameter of 1.5 mm or more and containing	J			
7017 00 45		by weight less than 0.25 percent of carbon				7%
7217.30.45	04	Other		Free ^{3/}		25%
	11	With a diameter of less than 1.0 mm: Containing by weight less than 0.25 percent of carbon	kg			
	20	Containing by weight 0.25 percent or more but less than 0.6 percent or carbon	kg			
	30	Containing by weight 0.6 percent or more of carbon	kg			
	41	Containing by weight less than 0.25 percent of carbon	kg			
	50	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon	kg			
	60 90	Containing by weight 0.6 percent or more of carbonWith a diameter of 1.5 mm or more				
7217.30.60		Other: Containing by weight less than 0.25 percent of carbon		Eroo ^{3/}		25%
7217.30.75	00	Other				26%
7217.90 7217.90.10	00	Other: Coated with plastics				2%
7217.90.50	30	Other Containing by weight less than 0.25 percent of carbon		Free ^{3/}		35%
	60	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon				
	90	Containing by weight 0.6 percent or more of	kg			

	Χ	V
72	-2	7

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subneading	fix	Article Description	Quantity	General	Special	
		III. STAINLESS STEEL				
7218		Stainless steel in ingots or other primary forms; semi-finished products of stainless steel:				
7218.10.00	00	Ingots and other primary forms	kg	· Free ^{3/}		29%
		Other:	J			
7218.91.00		Of rectangular (other than square) cross-section		Free ^{3/}		29%
		Having a width less than four times the thickness:				
	15	Having a cross-sectional area of less than 232 cm²	Lan			
	20		kg			
	30	Having a cross-sectional area of 232 cm ² or more	ka			
	60	Having a width at least four times the thickness				
7218.99.00		Other		Free ^{3/}		29%
	15	Of square cross section:				
	15	Having a cross-sectional area of less than 232 cm²	ka			
	30	Having a cross-sectional area of 232 cm ² or	'\9			
	00	more	kg			
		Of circular cross section:	J			
	45	Having a cross-sectional area of less than 232 cm ²	Lon			
	00		кg			
	60	Having a cross-sectional area of 232 cm ² or more	ka			
	90	Other	J			
7219		Flat-rolled products of stainless steel, of a width of 600 mm or	J			
		more: Not further worked than hot-rolled, in coils:				
7219.11.00		Of a thickness exceeding 10 mm		Free ^{3/}		29%
	30	Of a width not exceeding 1575 mm	kg			
	60	Of a width exceeding 1575 mm	kg			
7219.12.00		Of a thickness of 4.75 mm or more but not exceeding 10 mm		F., 3/		29%
	02	Not annealed or not pickled		Free-		23 /6
		Other:	9			
	06	Of high-nickel alloy steel	kg			
		Other:				
		Of a width of 1370 mm or more:				
	21	Of a thickness exceeding 6.8 mm: Of a width not exceeding				
		1575 mm	kg			
	26	Of a width exceeding 1575 mm	kg			
	51	Other: Of a width not exceeding				
	51	1575 mm	kg			
	56	Of a width exceeding 1575 mm	•			
		Other:	-			
		Containing more than 0.5 percent by weight of nickel:				
	66	Containing more than 1.5 percent				
		but less than 5 percent by weight of molybdenum				
	74	Other	•			
	71 81	Other				
	`	5	ਾ ਚ			
	ı	I	l	I	I	I

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix		Quantity	General	Special	1
219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or				
		more: (con.)				
219.13.00		Not further worked than hot-rolled, in coils: (con.) Of a thickness of 3 mm or more but less than				
213.13.00		4.75 mm		Free ^{3/}		29%
	02	Not annealed or not pickled		riee		2070
	02	Other:	Ng .			
	31	Of a width of 1370 mm or more	ka			
	31		ĸy			
		Other: Containing more than 0.5 percent but less				
		than 24 percent by weight of nickel:				
	51	Containing more than 1.5 percent but				
		less than 5 percent by weight of				
		molybdenum	kg			
	71	Other	kg			
	81	Other	kg			
219.14.00		Of a thickness of less than 3 mm		Free ^{3/}		29%
	30	Of a width of 1370 mm or more	kg			
		Other:				
	65	Of high-nickel alloy steel	kg			
	90	Other	kg			

	Χ	٧
72	-2	c

Heading/	Stat.	Audula Danadadina	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7219 (con.)	IIX	Flat-rolled products of stainless steel, of a width of 600 mm or	Quantity	General	Оресіаі	+
210 (0011.)		more: (con.)				
		Not further worked than hot-rolled, not in coils:				
7219.21.00		Of a thickness exceeding 10 mm		Free ^{3/}		29%
	05	Of high-nickel alloy steel	kg			
		Other:				
	20	Of a width not exceeding 1575 mm	kg			
	40	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm	kg			
	60	Of a width exceeding 1880 mm	ka			
7219.22.00		Of a thickness of 4.75 mm or more but not exceeding				
		10 mm		Free ^{3/}		29%
	05	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by weight				
		of nickel:				
		Containing more than 1.5 percent but less				
	15	than 5 percent by weight of molybdenum: Of a width not exceeding 1575 mm				
	15	_	_			
	20	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm	_			
	25	Of a width exceeding 1880 mm	kg			
	O.E.	Other:	lea.			
	35	Of a width not exceeding 1575 mm	_			
	40	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm	_			
	45	Of a width exceeding 1880 mm	kg			
	70	Other: Of a width not exceeding 1575 mm	ka			
		_	ky			
	75	Of a width exceeding 1575 mm but not exceeding 1880 mm	ka			
		_	_			
7219.23.00	80	Of a width exceeding 1880 mm Of a thickness of 3 mm or more but less than	kg			
7219.23.00		4.75 mm		Eroo <u>3/</u>		29%
	30	Of a width of 1370 mm or more	kg	riee		2070
	•		Ŭ			
7219.24.00	60	Other Of a thickness of less than 3 mm		F 3/		29%
1213.24.00	30	Of a width of 1370 mm or more		Free ^{3/}		29%
			Ŭ			
	60	Other	kg			
				1		
				1		
				1		
				1		
				1		
				1		

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	7 tt 4010 2000 Fp. 4011	Quantity	General	Special	_
9 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or				
		more: (con.)				
		Not further worked than cold-rolled (cold-reduced):				
9.31.00		Of a thickness of 4.75 mm or more		Free ^{3/}		29%
1	10	In coils	kg			
-	50	Not in coils	ka			
9.32.00	00	Of a thickness of 3 mm or more but less than	Ng			
0.02.00		4.75 mm		Eroo <u>3/</u>		29%
		In coils:		1166		
		Of a width of 1370 mm or more:				
	05	Of high-nickel alloy steel	ka			
			3			
	20	Other: Containing more than 0.5 percent by				
4	20	weight of nickel	ka			
2	25	Other	kg			
_		Other:				
3	35	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by				
		weight of nickel:				
3	36	Containing more than 1.5 percent				
		but less than 5 percent by weight				
		of molybdenum	kg			
3	38	Other	kg			
		Other:	J			
4	42	Containing less than 15 percent				
		by weight of chromium	kg			
4	44	Other	ka			
	• •	Not in coils:	Ng			
4	45	Of a width of 1370 mm or more	ka			
			•			
16	60	Other	kg			

XV	
72-31	

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or				
, ,		more: (con.)				
		Not further worked than cold-rolled (cold-reduced): (con.)				
219.33.00		Of a thickness exceeding 1 mm but less than 3 mm		Free ^{3/}		29%
		In coils:				
		Of a width of 1370 mm or more:				
	05	Of high-nickel alloy steel	kg			
		Other:				
	20	Containing more than 0.5 percent by				
		weight of nickel	kg			
	25	Other	ka			
		Other:	Ng			
	35	Of high-nickel alloy steel	ka			
			9			
		Other: Containing more than 0.5 percent by				
		weight of nickel:				
	36	Containing more than 1.5 percent				
	00	but less than 5 percent by weight				
		of molybdenum	ka			
	00	-	_			
	38	Other	кд			
	42	Other: Containing less than 15 percent				
	42	by weight of chromium	ka			
		, ,	Ü			
	44	Other	kg			
	4.5	Not in coils:				
	45	Of a width of 1370 mm or more	kg			
		Other:				
	70	Containing more than 0.5 percent but less				
		than 24 percent by weight of nickel	kg			
	80	Other	ka			
219.34.00		Of a thickness of 0.5 mm or more but not exceeding	9			
		1 mm		Free ^{3/}		29%
		In coils:		1100		
	05	Of high-nickel alloy steel	ka			
		Other:	9			
		Containing more than 0.5 percent by				
		weight of nickel:				
	20	Containing more than 1.5 percent but				
		less than 5 percent by weight of				
		molybdenum	kg			
	25	Other	_			
	25	Other:	kg			
	30	Containing less than 15 percent by				
	55	weight of chromium	ka			
	0.5		· ·			
	35	Other				
	50	Not in coils	kg			
				I	I	I

	Stat. Suf-				Rates of Duty 1	2	
	fix	·	of Quantity	General	Special		
'219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or					
		more: (con.) Not further worked than cold-rolled (cold-reduced): (con.)					
219.35.00		Of a thickness of less than 0.5 mm		Free ^{3/}		29%	
		In coils:					
		Containing more than 0.5 percent but less than 24 percent by weight of nickel:					
	05	Containing more than 1.5 percent but less					
		than 5 percent by weight of					
		molybdenum	•				
	15	Other	kg				
	30	Other: Containing less than 15 percent by weight					
	00	of chromium	kg				
	35	Other	_				
	50	Not in coils					
7219.90.00		Other		Free ^{3/}		29%	
	10	Of high-nickel alloy steel	kg				
		Other:					
		Containing more than 0.5 percent by weight of nickel:					
	20	Containing more than 1.5 percent but less than					
		5 percent by weight of molybdenum					
	25	Other	kg				
		Other:					
	60	Containing less than 15 percent by weight of chromium	ka				
	80		_				
	80	Other	kg				
					[

	>	(V	
72	٠	3	3	

Heading/	Stat. Suf Article Description		Unit Rates of Duty				
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2	
220		Flat-rolled products of stainless steel, of a width of less than	,	o o no can	opeo.a.		
		600 mm:					
000 11 00	00	Not further worked than hot-rolled:	l.	2/		200/	
220.11.00	00	Of a thickness of 4.75 mm or more	кд	Free		29%	
220.12		Of a thickness of less than 4.75 mm:					
220.12.10	00	Of a width of 300 mm or more				29%	
220.12.50	00	Of a width of less than 300 mm	kg	Free ^{3/}		34%	
				İ	ĺ		

Heading/ Sta Subheading Su					2	
oublieauliig	fix	Attible Description	of Quantity	General	1 Special	
220 (con.)		Flat-rolled products of stainless steel, of a width of less than			·	
		600 mm: (con.)				
		Not further worked than cold-rolled (cold-reduced):		_ 3/		000/
		Of a width of 300 mm or more		Free ³⁷		29%
		Containing more than 0.5 percent but less than 24 percent by weight of nickel:				
	10	Containing more than 1.5 percent but less than				
		5 percent by weight of molybdenum				
	15	Other	ka			
		Other:	· · · ·			
	60	Containing less than 15 percent by weight of				
		chromium	kg			
	80	Other	kg			
		Of a width of less than 300 mm:	J			
220.20.60		Of a thickness exceeding 1.25 mm		Free ^{3/}	34%	34%
	05	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by				
		weight of nickel:				
	10	Containing more than 1.5 percent but				
		less than 5 percent by weight of	lem.			
		molybdenum	_			
	15	Other	kg			
	60	Other:				
	60	Containing less than 15 percent by weight of chromium	ka			
		_	•			
20 20 70	80	Other	kg			
220.20.70		Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm		Fran ³ /		34%
	05	Of high-nickel alloy steel		Free-		0 7 70
	03		ĸy			
		Other:				
		Containing more than 0.5 percent by weight of nickel:				
	10	Containing more than 1.5 percent but				
		less than 5 percent by weight of				
		molybdenum	kg			
	15	Other	kg			
		Other:				
	60	Containing less than 15 percent by				
		weight of chromium	Ŭ			
	80	Other	kg			
200 00 00		Of a thickness not exceeding 0.25 mm:		21		0.45
20.20.80	00	Razor blade steel	кд	Free ^{3/}		34%
20.20.90		Other		Free ^{3/}		34%
	30	Containing more than 0.5 percent but less				
		than 24 percent by weight of nickel	kg			
	60	Other	kg			
			=			
	1			Ī	1	

	Stat.		Unit		Rates of Duty	Ī
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
220 (con.)	_	Flat-rolled products of stainless steel, of a width of less than		Johna	Оросіаі	1
(******)		600 mm: (con.)				
220.90.00		Other		Free ^{3/}		46%
		Containing more than 0.5 percent but less than 24				
		percent by weight of nickel:				
	10	Containing more than 1.5 percent but less than 5	Lea			
		percent by weight of molybdenum	_			
	15	Other	kg			
	60	Other:				
	60	Containing less than 15 percent by weight of chromium	ka			
			•			
221.00.00	80	Other				
221.00.00		Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel		Free ^{3/}		11%
	05			Free-		1170
	03	I	Ng			
		Other: Of circular cross section:				
		With a diameter of less than 14 mm:				
	17	Containing less than 8 percent by weight of				
		nickel	kg			
	18	Containing 8 percent or more but less than 24	_			
		percent by weight of nickel				
	30	With a diameter of 14 mm or more but less than	J			
		19 mm	kg			
	45	With a diameter of 19 mm or more	kg			
	75	Other				
					1	Ī

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subneading	fix	Article Description	Quantity	General	1 Special	
'222		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel: Bars and rods, not further worked than hot-rolled,				
⁷ 222.11.00		hot-drawn or extruded: Of circular cross-section		3/		29%
222.11.00	01	Electroslag or vacuum arc remelted		Free ^{3/}		29 /0
	06	Of high-nickel alloy steel				
	57	Other: With a maximum cross-sectional dimension of less than 152.4 mm: Containing less than 8 percent by weight				
	59	of nickel Containing 8 percent or more but less than	kg			
		24 percent by weight of nickel With a maximum cross-sectional dimension of 152.4 mm or more:				
	82	Containing less than 8 percent by weight of nickel	kg			
'222.19.00	84	Containing 8 percent or more but less than 24 percent by weight of nickel Other	kg	Free ^{3/}		29%
222.13.00	01	Electroslag or vacuum arc remelted Other:		Free-		23 /6
	06	Of high-nickel alloy steel Other:	kg			
	52	Containing less than 8 percent by weight of nickel	kg			
	54	Containing 8 percent or more but less than 24 percent by weight of nickel				

	ΧV
70	27

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subneading	fix	Article Description	Quantity	General	Special	
'222 (con.)		Other bars and rods of stainless steel; angles, shapes and			·	
7222.20.00		sections of stainless steel: (con.)				
/222.20.00		Bars and rods, not further worked than cold-formed or cold-finished		Fran ³ /		29%
	01	Electroslag or vacuum arc remelted		Free-		23 /6
	06	Of high-nickel alloy steel	_			
	00		ĸġ			
		Other: Of a circular cross-section:				
		With a maximum circular cross-sectional				
		dimension of less than 18 mm:				
	41	Containing less than 8 percent by weight of nickel	ka			
	40		Ü			
	43	Containing 8 percent or more but less than 24 percent by weight of nickel				
		With a maximum circular cross-sectional	1.9			
		dimension of 18 mm or more and less than				
	62	152.4 mm: Containing less than 8 percent by weight				
	02	of nickel				
	64	Containing 8 percent or more but less than				
	٠.	24 percent by weight of nickel				
		With a maximum circular cross-sectional				
	67	dimension of 152.4 mm or more:				
	67	Containing less than 8 percent by weight of nickel				
	69	Containing 8 percent or more but less than	•			
	03	24 percent by weight of nickel				
		Other:	J			
	71	Containing less than 8 percent by weight of	Lan			
	70	nickel	0			
	73	Containing 8 percent or more but less than 24 percent by weight of nickel	ka			
7222.30.00		Other bars and rods		Free ^{3/}		29%
	01	Electroslag or vacuum arc remelted		1100		
	12	Of high-nickel alloy steel	kg			
		Other:	J			
		With a maximum cross-sectional dimension of less				
		than 152.4 mm:				
	22	Containing less than 8 percent by weight of nickel	ka			
	24	Containing 8 percent or more but less than 24	Ü			
	24	percent by weight of nickel				
		With a maximum cross-sectional dimension of	9			
	00	152.4 mm or more:				
	82	Containing less than 8 percent by weight of nickel	ka			
	84	Containing 8 percent or more but less than 24	ŭ			
	04	percent by weight of nickel				
		, , , , , , , , , , , , , , , , , , , ,	9			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
						1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty 1	2
Subneading	fix	Atticle Description	Quantity	General	Special	
222 (con.)		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel: (con.)				
222.40		Angles, shapes and sections:				
222.40.30		Hot-rolled, not drilled, not punched and not otherwise		_ 3/		100/
		advanced With a maximum cross-sectional dimension of		Free ^{3/}		10%
		80 mm or more:				
	25	Angles	kg			
	45	Other	kg			
		With a maximum cross-sectional dimension of less	J			
	٥.	than 80 mm:	Lan			
	65	Angles	_			
222.40.60	85 00	OtherOther	kg	- 3/		28%
223.00	00	Wire of stainless steel:	ку	-ree-		20 /0
223.00.10		Round wire		Free ^{3/}		34%
	05	Spring round wire				
		Other:				
	16	With a diameter of less than 0.25 mm	kg			
	31	With a diameter of 0.25 mm or more but less than				
		0.76 mm	kg			
	46	With a diameter of 0.76 mm or more but less than				
		1.52 mm	ū			
	61	With a diameter of 1.52 mm or more but less than				
		5.1 mm	_			
	76	With a diameter of 5.1 mm or more	kg	0/		
	00	Flat wire				34%
223.00.90	00	Other	kg	Free ^{3/}		34%
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1	1	

	ΧV
70	30

	Stat.	Anti-la D	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
			,			
		IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND				
		RODS, OF ALLOY OR NONALLOY STEEL				
224		Other alloy steel in ingots or other primary forms; semi-finished				
		products of other alloy steel:				
224.10.00		Ingots and other primary forms		Free ^{3/}		28%
	05	Of high-nickel alloy steel	kg			
		Other:				
	45	Of tool steel	kg			
	75	Other	ka			
224.90.00		Other	_	Free ^{3/}		28%
	05	Of high-nickel alloy steel				
		Other:	0			
		Of tool steel:				
		Of rectangular (including square) cross				
		section:				
	15	Having a width less than four times the				
		thickness	kg			
	25	Having a width at least four times the				
		thickness				
	35	Other	kg			
		Other:				
		Of rectangular (including square) cross section:				
	45	Having a width less than four times the				
		thickness	kg			
	55	Having a width at least four times the	-			
	55	thickness	kg			
	65	Of circular cross section				
	75	Other	ka			
			- 19			
				1		1

3	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	of Quantity	General	1 Special	<u></u>
7225		Flat-rolled products of other alloy steel, of a width of 600 mm				
		or more:				
7225.11.00	00	Of silicon electrical steel: Grain-oriented	ka	Free ^{3/}		28%
7225.19.00		Other	_			28%
7225.19.00	00	Other, not further worked than hot-rolled, in coils:	ку	Free <u>*</u>		20%
7225.50		Of a thickness of 4.75 mm or more:				
7225.30.11		Of tool steel		Free ^{3/}		29%
	10	Of high-speed steel	kg			
	80	Other	3			
7225.30.30	٥.	Other		Free ^{3/}		28%
	05	Of high-nickel alloy steel				
	50	Other Of a thickness of less than 4.75 mm:	kg			
7225.30.51		Of a trickness of less than 4.75 min. Of tool steel		Free ^{3/}		29%
	10	Of high-speed steel		1100		
	80	Other	_			
7225.30.70	00	Other		Free ^{3/}		28%
7225.40		Other, not further worked than hot-rolled, not in coils:				
700E 40 11		Of a thickness of 4.75 mm or more:		_ 3/		200/
7225.40.11	10	Of tool steel Of high-speed steel		Free ^{3/}		29%
7225.40.30	80	Other	U	Free ^{3/}		28%
7220.10.00	05	Of high-nickel alloy steel		riee		2070
	50	Other	•			
	00	Of a thickness of less than 4.75 mm:	'\g			
7225.40.51		Of tool steel		Free ^{3/}		29%
	10	Of high-speed steel	· ·			
	30	Of ball-bearing steel	kg			
	60	Other				
7225.40.70	00	Other		Free ^{3/}		28%
7225.50 7225.50.11		Other, not further worked than cold-rolled (cold-reduced): Of tool steel		– 3/		29%
7223.30.11	10	Of high-speed steel		Free=		29%
	30	Of ball-bearing steel	•			
		-	_			
	60	Other:Other:	кд			
7225.50.60	00	Of a thickness of 4.75 mm or more	kg	Free ^{3/}		28%
		Of a thickness of less than 4.75 mm:				
7225.50.70	00	Heat-resisting steel	kg	Free ^{3/}		29%
7225.50.80		Other		Free ^{3/}		28%
	10	Of high-nickel alloy steel		1100		
	80	Other	ŭ			
			9			

	X	V
70	1	1

Heading/	Stat.		Unit		Rates of Duty	-
	Suf-	Article Description	of		1	2
7225 (con.)	fix	Flat-rolled products of other alloy steel, of a width of 600 mm	Quantity	General	Special	
223 (COII.)		or more: (con.)				
		Other:				
225.91.00	00	Electrolytically plated or coated with zinc				28%
225.92.00	00	Otherwise plated or coated with zinc	kg	Free ^{3/}		28%
225.99.00		Other		Free ^{3/}		28%
	10	Of high-nickel alloy steel	kg			
	90	Other				
'226		Flat-rolled products of other alloy steel, of a width of less than 600 mm:				
		Of silicon electrical steel:				
'226.11		Grain-oriented:				
'226.11.10	00	Of a width of 300 mm or more	kg	Free ^{3/}		28%
'226.11.90		Of a width of less than 300 mm		Free ^{3/}		33%
	30	Of thickness not exceeding 0.25 mm	kg			
	60	Other	kg			
7226.19 7226.19.10	00	Other: Of a width of 300 mm or more	ka	– 3/		28%
226.19.90		Of a width of less than 300 mm				33%
226.20.00	00	Of high-speed steel	кд	Free ³⁷		37%
				1		1
				1		1
				1		1
				1		1
				1		1
				1		1
				1		1
				1		1
			Ī	I	I	- 1

Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Cubilodding	fix	7.4.400 2000 Page	Quantity	General	Special	_
'226 (con.)		Flat-rolled products of other alloy steel, of a width of less than 600 mm: (con.)				
		Other:				
226.91		Not further worked than hot-rolled:				
		Of tool steel (other than high-speed steel):				
'226.91.05	00	Of chipper knife steel	kg	Free ^{3/}		34%
		Other:				
226.91.15		Of a width of 300 mm or more		Free ^{3/}		29%
	30	Of ball-bearing steel				
	60	Other	_			
226.91.25	00	Of a width of less than 300 mm		Froo ^{3/}		34%
	30	Of ball-bearing steel		1100		
	60	Other	_			
	00	Other:	kg			
226.91.50	00	Of a thickness of 4.75 mm or more	ka	Free ^{3/}		28%
				11100		
226.91.70	00	Of a thickness of less than 4.75 mm: Of a width of 300 mm or more	ka	_ 3/		28%
'226.91.80	00	Of a width of less than 300 mm	kg	Free ^{3/}		33%
'226.92		Not further worked than cold-rolled (cold-reduced):				
2000 00 40		Of tool steel (other than high-speed steel):		2/		
'226.92.10	00	Of a width of 300 mm or more		Free ³		0.4¢/kg + 29%
	30	Of ball-bearing steel	_			
	60	Other				
226.92.30		Of a width of less than 300 mm		Free ^{3/}		34%
	30	Of ball-bearing steel	kg			
	60	Other	kg			
		Other:				
'226.92.50	00	Of a width of 300 mm or more	kg	Free ^{3/}		0.4¢/kg + 28%
		Of a width of less than 300 mm:				
226.92.70		Of a thickness not exceeding 0.25 mm		Free ^{3/}		33%
	05	Of high-nickel alloy steel	kg			
	50	Other	ka			
'226.92.80		Of a thickness exceeding 0.25 mm		Free ^{3/}		33%
	05	Of high-nickel alloy steel	kg			
	50	Other	kg			
226.99.01		Other	J	Free ^{3/}		33%
	10	Electrolytically plated or coated with zinc				
	30	Otherwise plated or coated with zinc				
		·	_			
	80	Other	кд			

	Χ	V
72	-4	3

	Stat.				Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'227		Bars and rods, hot-rolled, in irregularly wound coils, of other				
227.10.00	00	alloy steel: Of high-speed steel	le a	- 3/		14%
	00					
227.20.00	30	Of silico-manganese steel		Free ^{3/}		10%
		Of welding quality wire rods as defined in statistical note 6 to this chapter	•			
227.90	80	Other:	kg			
227.90.10		Off tool steel (other than high-speed steel): Not tempered, not treated, and not partly manufactured		Frag ^{3/}		12%
	30	Of ball-bearing steel		riee		1270
	60	Other				
227.90.20		Other		Free ^{3/}		11%
	30	Of ball-bearing steel				
	60	Other				
227.90.60	05	Other Of high-nickel alloy steel		Free ^{3/}		10%
	10	Of Cold Heading Quality (CHQ) steel, as defined	Ng			
		in statistical note 5 to this chapter	•			
	20	Of welding quality wire rods as defined in statistical note 6 to this chapter				
	30	Of a circular cross section: With a diameter of less than 14 mm	kg			
	35	With a diameter of 14 mm or more but less than 19 mm	kg			
	40	With a diameter of 19 mm or more	kg			
	90	Other	•			
					1	1

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subneading	fix	Article Description	Quantity	General	Special	
228		Other bars and rods of other alloy steel; angles, shapes and				
		sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:				
228.10.00		Bars and rods, of high-speed steel		Free ^{3/}		32%
	10	Not cold-formed		1100		
		Cold-formed:				
	30	With a maximum cross-sectional dimension of less				
		than 18 mm	kg			
	60	With a maximum cross-sectional dimension of				
7000 00		18 mm or more	kg			
'228.20 '228.20.10	00	Bars and rods, of silico-manganese steel: Not cold-formed	ka	Eroo ^{3/}		28%
228.20.50	00	Cold-formed	kg	Free ^{3/}		28%
		Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:				
228.30		Of tool steel (other than high-speed steel):				
228.30.20	00	Of ball-bearing steel	kg	Free ^{3/}		29%
228.30.40	00	Of chipper knife steel, not cold-formed	ka	Free ^{3/}		28%
228.30.60	00	Other	_			
228.30.80	00	Other				29% 28%
220.50.00	05	Of high-nickel alloy steel		Free-		20 /6
	10	Concrete reinforcing bars and rods	_			
	10		kg			
	15	Other: With a diameter of less than 76 mm	ka			
	41	With a diameter of 76 mm or more but not	Kg			
	41	exceeding 152 mm	ka			
	45	With a diameter of 152 mm or more but not	9			
	43	exceeding 228 mm	kg			
	70	With a diameter exceeding 228 mm	_			
7228.40.00	00	Other bars and rods, not further worked than forged		Free ^{3/}		28%
					1	1

	Χ	V
72	-4	5

Heading/	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'228 (con.)		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy			·	
228.50		or non-alloy steel: (con.) Other bars and rods, not further worked than cold-formed				
228.50.10		or cold-finished: Of tool steel (other than high-speed steel)		Eroo <u>3/</u>		29%
220.30.10	10	Of ball-bearing steel		Free-		2376
	20	Other: With a maximum cross-sectional dimension of less than 18 mm: Of round or rectangular cross section with				
	20	surfaces ground, milled or polished	kg			
	40	Other With a maximum cross-sectional dimension of 18 mm or more:	J			
	60	Of round or rectangular cross section with surfaces ground, milled or polished				
7228.50.50	80	Other		Eroo <u>3/</u>		28%
220.00.00	05	Of high-nickel alloy steelOther:		Free		2070
	15	With a diameter of less than 76 mm	kg			
	40	With a diameter of 76 mm or more but not exceeding 228 mm	kg			
7228.60	70	With a diameter exceeding 228 mm Other bars and rods:	kg			
7228.60.10	30	Of tool steel (other than high-speed steel) Of ball-bearing steel		Free ^{3/}		29%
	60	Other	J			
7228.60.60	00	Other: Not cold-formed	kg	Free ^{3/}		28%
7228.60.80	00	Cold-formed				28%
7228.70 7228.70.30		Angles, shapes and sections: Hot-rolled, not drilled, not punched and not otherwise advanced		Free ^{3/}		10%
	10	U, I, H and T sections				
		Other: With a maximum cross-sectional dimension of 76 mm or more:				
	20	Angles	_			
	41	OtherWith a maximum cross-sectional dimension of less than 76 mm:				
	60	Angles	· ·			
228.70.60	81 00	Other	kg kg	Free ^{3/}		28%
228.80.00	00	Hollow drill bars and rods	kg	Free ^{3/}		30%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
cabilodding	fix		Quantity	General	Special	
229		Wire of other alloy steel:				
229.20.00		Of silico-manganese steel		Free ^{3/}		33%
		Round, with a diameter of less than or equal to 1.6 mm,				
		containing by weight less than 0.20 percent of carbon,				
		more than 0.9 percent of manganese, and more than 0.6 percent of silicon, and suitable for electric arc				
		welding:				
	10	Plated or coated with copper	ka			
	15	Other	_			
	90	Other				
229.90	30	Other:	Ng			
229.90.05	00	Of high-speed steel	ka	Free ^{3/}		37%
			3	1100		
229.90.10	00	Other: Flat wire	ka	- 3/		33%
229.90.10	00					33%
229.90.50		Round wire		Free ^{3/}		33%
		With a diameter of less than or equal to				
		1.6 mm, containing by weight less than 0.20				
		percent of carbon and more than 0.3 percent				
		of nickel or more than 0.08 percent of				
		molybdenum, and suitable for electric arc welding:				
	06	Plated or coated with copper	ka			
		Other	Ü			
	80	Other:	kg			
	16	With a diameter of less than 1.0 mm	ka			
	-	With a diameter of 1.0 mm or more but less	•			
	31	than 1.5 mm				
			•			
000 00 00	51	With a diameter of 1.5 mm or more	kg	_ 2/		000/
229.90.90	00	Other wire	kg	Free ³		33%

Endnotes--page 72 - 47

- $\begin{array}{l} \underline{1/} \ \text{See } 9903.88.03. \\ \underline{2/} \ \text{See } 9902.14.93. \\ \underline{3/} \ \text{See } \text{note } 16 \ \text{to subchapter III, chapter } 99 \ \text{and related tariff provisions for this duty treatment.} \end{array}$