Harmonized Tariff Schedule of the United States (2018) Revision 5

Annotated for Statistical Reporting Purposes

CHAPTER 73

ARTICLES OF IRON OR STEEL

XV 73-1

Notes

- 1. In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
- 2. In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

- 1. For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
- 2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

[Compiler's note: Steel products classifiable in headings of this chapter may be subject to additional duty. See note 16 to subchapter III, chapter 99 and related tariff provisions for this duty treatment.]

Heading/	Stat.	Australia Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'301		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and	,		-,	
301.10.00	00	sections, of iron or steel: Sheet piling	kg	Free		2%
'301.20 '301.20.10	00	Angles, shapes and sections: Of iron or nonalloy steel	kg	Free		20%
301.20.50	00	Of alloy steel	kg	Free		28%
7302 7302.10 7302.10.10		Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails: Rails: Of iron or nonalloy steel				1%
	10	New: Not heat treated: Standard tee rails over 30 kg per meter	kg			
	15	Other: Over 30 kg per meter	kg			
	25	Other Heat treated:	J			
	35	Standard tee rails over 30 kg per meter Other:				
	45 55	Over 30 kg per meter Other	_			
	65	Used: Railway rails for rerolling	kg			
7302.10.50	75	Other Of alloy steel		Free		9%
	20	New Used:	kg			
	40 60	Railway rails for rerolling Other	_			
7302.30.00	00	Switch blades, crossing frogs, point rods and other crossing pieces	J	Free		45%
302.40.00	00	Fish-plates and sole plates	kg	Free		2%
'302.90 '302.90.10	00	Other: Sleepers (cross-ties)	kg	Free		2%
302.90.90	00	Other	kg	Free		45%
303.00.00		Tubes, pipes and hollow profiles, of cast iron		Free		33%
	30 60	Soil pipe Pressure pipe with an inside diameter of less than	kg			
	90	356 mm Other	Ŭ			

)	(٧
7	3	_	3

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subneading	fix	Article Description	Quantity	General	Special	
'304		Tubes, pipes and hollow profiles, seamless, of iron (other than				
		cast iron) or steel: Line pipe of a kind used for oil or gas pipelines:				
'304.11.00	00	Of stainless steel		Free		35%
	20	Having an outside diameter not exceeding 114.3 mm	ka			
	50	Having an outside diameter exceeding 114.3 mm	•			
		but not exceeding 406.4 mm				
	80	Having an outside diameter exceeding				
304.19		406.4 mm Other:	kg			
304.19.10		Of iron or nonalloy steel		Free		25%
	20	Having an outside diameter not exceeding 114.3 mm	ka			
	30	Having an outside diameter exceeding	Ng			
	00	•	kg			
		Having an outside diameter of 215.9 mm or				
	45	more but not exceeding 406.4 mm: Having a wall thickness less than				
	43		kg			
	60	Having a wall thickness of 12.7 mm or				
	80	more Having an outside diameter exceeding	kg			
	00	406.4 mm	kg			
	00	Of other alloy steel		Free		35%
	20	Having an outside diameter not exceeding 114.3 mm	ka			
	50	Having an outside diameter exceeding	9			
		114.3 mm but not exceeding 406.4 mm	kg			
	80	Having an outside diameter exceeding				
		406.4 mm	kg			
					I	Ī

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
<u> </u>	fix	·	Quantity	General	Special	1
'304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for				
'304.22.00		oil or gas: Drill pipe of stainless steel Having an outside diameter not exceeding 168.3 mm:		Free		35%
	30	Having a wall thickness not exceeding 9.5 mm	kg			
	45 60	Having a wall thickness exceeding 9.5 mm Having an outside diameter exceeding				
7304.23 7304.23.30	00	168.3 mm Other drill pipe: Of iron or nonalloy steel		Free		25%
7304.23.60		Of alloy steelHaving an outside diameter not exceeding		Free		35%
	30	168.3 mm: Having a wall thickness not exceeding 9.5 mm	kg			
	45	Having a wall thickness exceeding 9.5 mm	kg			
7304.24	60	Having an outside diameter exceeding 168.3 mm Other, of stainless steel:	kg			
7304.24.30		Casing: Threaded or coupledHaving an outside diameter less than		Free		28%
	10	215.9 mm: Having a wall thickness less than 12.7 mm	ka			
	20	Having a wall thickness of 12.7 mm or more	· ·			
	30	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm	ka			
	40	Having a wall thickness of 12.7 mm or more	· ·			
	45	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm	J			
	80	Having an outside diameter exceeding 406.4 mm	kg			

)	(٧
7	3	_	E

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	 	Rates of Duty 1	2
Subfleading	fix	Article Description	Quantity	General	Special	
'304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: (con.)				
7304.24 con.)		Other, of stainless steel: (con.)				
'304.24.40		Casing: (con.) Other		Free		8.5%
		Having an outside diameter less than 215.9 mm:				
	10	Having a wall thickness less than 12.7 mm	kg			
	20	Having a wall thickness of 12.7 mm or more				
	30	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm	ka			
	40	Having a wall thickness of 12.7 mm or				
	50	moreHaving an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than	kg			
	60	12.7 mmHaving a wall thickness of 12.7 mm or	ŭ			
	80	more Having an outside diameter exceeding				
7304.24.60	00	406.4 mm	kg	Free		35%
		Having an outside diameter not exceeding 114.3 mm:				
	15	Having a wall thickness not exceeding 9.5 mm	kg			
	30	Having a wall thickness exceeding 9.5 mm	kg			
	45	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg			
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm				
			9			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
oublieadilig	fix	Article Description	Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
, ,		cast iron) or steel: (con.)				
		Casing, tubing and drill pipe, of a kind used in drilling for				
		oil or gas: (con.)				
304.29		Other:				
		Casing:				
0040040		Of iron or nonalloy steel:		_		
304.29.10		Threaded or coupled		Free		20%
		Having an outside diameter less than				
	10	215.9 mm: Having a wall thickness less than				
	10	12.7 mm				
			'\9			
	20	Having a wall thickness of	Lon			
		12.7 mm or more	кg			
		Having an outside diameter of 215.9 mm or more but not exceeding				
		285.8 mm:				
	30	Having a wall thickness less than				
	00	12.7 mm				
	40		9			
	40	Having a wall thickness of	ka			
		12.7 mm or more Having an outside diameter exceeding	ĸy			
		285.8 mm but not exceeding				
		406.4 mm:				
	50	Having a wall thickness less than				
		12.7 mm				
	60	Having a wall thickness of	3			
	00	12.7 mm or more	ka			
	80	Having an outside diameter exceeding				
		406.4 mm				
304.29.20		Other		Free		1%
		Having an outside diameter less than				
		215.9 mm:				
	10	Having a wall thickness less than				
		12.7 mm	kg			
	20	Having a wall thickness of				
		12.7 mm or more	kg			
		Having an outside diameter of	J			
		215.9 mm or more but not exceeding				
		285.8 mm:				
	30	Having a wall thickness less than				
		12.7 mm	kg			
	40	Having a wall thickness of				
		12.7 mm or more	kg			
		Having an outside diameter exceeding				
		285.8 mm but not exceeding				
		406.4 mm:				
	50	Having a wall thickness less than	1			
		12.7 mm	кg			
	60	Having a wall thickness of				
		12.7 mm or more				
	80	Having an outside diameter exceeding				
		406.4 mm	кд			
						ĺ

)	۲V
73	-7

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for	j	2 5 7 7 5 7	- Special	
304.29 con.)		oil or gas: (con.) Other: (con.)				
JOH.)		Casing: (con.) Of other alloy steel:				
304.29.31		Threaded or coupledHaving an outside diameter less than 215.9 mm:		Free		28%
	10	Having a wall thickness less than 12.7 mm				
	20	Having a wall thickness of 12.7 mm or moreHaving an outside diameter of 215.9 mm or more but not exceeding	kg			
	30	285.8 mm: Having a wall thickness less than 12.7 mm				
	40	Having a wall thickness of 12.7 mm or moreHaving an outside diameter exceeding				
	50	285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm				
	60	Having a wall thickness of 12.7 mm or more	ka			
	80	Having an outside diameter exceeding 406.4 mm	kg			
304.29.41	10	OtherHaving an outside diameter less than 215.9 mm: Having a wall thickness less than		Free		8.5%
	20	12.7 mm Having a wall thickness of				
	20	12.7 mm or more Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm:	kg			
	30	Having a wall thickness less than 12.7 mm				
	40	Having a wall thickness of 12.7 mm or more Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm:	kg			
	50	Having a wall thickness less than 12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or more				
	80	Having an outside diameter exceeding 406.4 mm				
				1		

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix		Quantity	General	Special	
'304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: (con.)				
'304.29 con.)		Other: (con.)				
304.29.50		Tubing: Of iron or nonalloy steel		Free		25%
	15	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding				
		9.5 mm				
	30 45	Having a wall thickness exceeding 9.5 mm	kg			
		Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg			
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm				
'304.29.61		Of other alloy steel		Free		35%
	15	114.3 mm: Having a wall thickness not exceeding 9.5 mm	kg			
	30	Having a wall thickness exceeding 9.5 mm	_			
	45	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	_			
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm	_			
		100.	i.g			

)	<	٧
7	4	١_	c

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than	•			
, ,		cast iron) or steel: (con.)				
		Other, of circular cross section, of iron or nonalloy steel:				
304.31		Cold-drawn or cold-rolled (cold-reduced):		_		000/
304.31.30	00	Hollow bars	•			22%
304.31.60		Other		Free		25%
	10	Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces	Line			
		and feedwater heaters	•			
	50	Other				
304.39.00		Other		Free		25%
		Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces and feedwater heaters:				
	02	Having an outside diameter less than				
	02	38.1 mm	ka			
			Ng			
	04	Having an outside diameter of 38.1 mm or	l.a.			
		more but less than 190.5 mm	кд			
	06	Having an outside diameter of 190.5 mm or				
		more but not exceeding 285.8 mm	kg			
	80	Having an outside diameter exceeding				
		285.8 mm	kg			
						1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Cubileadilly	fix	Attible Description	Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
		cast iron) or steel: (con.)				
		Other, of circular cross section, of iron or nonalloy steel: (con.)				
304.39.00		Other (con.)				
con.)						
	16	Other:				
	10	Galvanized, having an outside diameter not exceeding 114.3 mm	ka			
		Other:	3			
	20	Having an outside diameter less than				
		38.1 mm	kg			
		Having an outside diameter of 38.1 mm or				
	24	more but not exceeding 114.3 mm:				
	24	Having a wall thickness less than 6.4 mm	ka			
	28	Having a wall thickness of 6.4 mm or	Ng			
	20	more but not exceeding 12.7 mm	kg			
	32	Having a wall thickness exceeding	J			
	-	12.7 mm	kg			
		Having an outside diameter exceeding				
	36	114.3 mm but less than 190.5 mm: Having a wall thickness less than				
	00	12.7 mm	kg			
	40	Having a wall thickness of 12.7 mm or	J			
		more but less than 19 mm				
	44	Having a wall thickness of 19 mm or				
		more	kg			
		Having an outside diameter of 190.5 mm				
	48	or more but not exceeding 285.8 mm: Having a wall thickness less than				
		12.7 mm	kg			
	52	Having a wall thickness of 12.7 mm or				
		more but less than 19 mm	kg			
	56	Having a wall thickness of 19 mm or				
		more	kg			
		Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm:				
	62	Having a wall thickness less than				
		12.7 mm	kg			
	68	Having a wall thickness of 12.7 mm or				
		more but less than 19 mm	kg			
	72	Having a wall thickness of 19 mm or	Lan			
		more Having an outside diameter exceeding	кд			
		406.4 mm:				
	76	Having a wall thickness less than				
		19 mm	kg			
	80	Having a wall thickness of 19 mm or	ka			
		more	кg			

	Χ	V
73	-1	1

	Stat.	A C L D C	Unit		Rates of Duty	1 -
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than			Sp 5515	
		cast iron) or steel: (con.)				
		Other, of circular cross section, of stainless steel:				
304.41		Cold-drawn or cold-rolled (cold-reduced):		F		000/
304.41.30	ΛE	Of an external diameter of less than 19 mm		Free		36%
	05	Of high-nickel alloy steel	кд			
		Other:				
	15	Suitable for use in boilers, superheaters,				
		heat exchangers, condensers, refining furnaces and feedwater heaters	1			
			_			
	45	Other		_		
304.41.60	٥.	Other		Free		36%
	05	Of high-nickel alloy steel	kg			
		Other:				
	15	Suitable for use in boilers, superheaters,				
		heat exchangers, condensers, refining				
		furnaces and feedwater heaters	_			
	45	Other	kg			
304.49.00		Other		Free		36%
	05	Of high-nickel alloy steel	kg			
		Other:				
	15	Hollow bars	kg			
		Other:				
	45	Suitable for use in boilers, superheaters,				
	75	heat exchangers, condensers, refining				
		furnaces and feedwater heaters	ka			
	60	Other	_			
	60	Otrier	кд			
			Ī	1		Ī

Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	· ·	Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
		cast iron) or steel: (con.)				
2004.54		Other, of circular cross section, of other alloy steel:				
304.51	00	Cold-drawn or cold-rolled (cold-reduced): Suitable for use in the manufacture of ball or roller				
304.51.10	00	bearings	ka	Eroo		34%
304.51.50		Other		Free		35%
	05	Of high-nickel alloy steel	kg			
		Other:				
		Suitable for use in boilers, superheaters,				
		heat exchangers, condensers, refining				
		furnaces and feedwater heaters:				
	15	Of heat-resisting steel	kg			
	45	Other				
	60	Other	kg			
304.59		Other:				
'304.59.10	00	Suitable for use in the manufacture of ball or roller				
		bearings	kg	Free		34%
		Other:				
304.59.20		Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces				
		and feedwater heaters		Free		35%
	30	Of heat-resisting steel	kg			
		Other:				
	40	Having an outside diameter less than				
		38.1 mm	kg			
	45	Having an outside diameter of				
		38.1 mm or more but not exceeding				
		114.3 mm	kg			
	55	Having an outside diameter exceeding				
	00	114.3 mm but less than 190.5 mm	ka			
	60	Having an outside diameter of	3			
	00	190.5 mm or more but not exceeding				
		285.8 mm	ka			
	70		9			
	70	Having an outside diameter exceeding 285.8 mm but not exceeding				
		406.4 mm	ka			
			Ng			
	80	Having an outside diameter exceeding	Lin			
		406.4 mm	кд			

	Х	V
73	-1	3

Heading/	Stat.	Anti-la D	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than		Conordi	Ороска	
		cast iron) or steel: (con.)				
304.59		Other, of circular cross section, of other alloy steel: (con.) Other: (con.)				
con.)		Other. (con.)				
,		Other: (con.)				
		Other:				
304.59.60	00	Of heat-resisting steel	_			36%
304.59.80		Other		Free		35%
	10	Having an outside diameter less than 38.1 mm				
		Having an outside diameter of				
		38.1 mm or more but not exceeding				
	4.5	114.3 mm:				
	15	Having a wall thickness less than 6.4 mm				
			_			
	20	Having a wall thickness of 6.4 mm or more but not exceeding				
		12.7 mm	ka			
	25	Having a wall thickness exceeding	_			
	25	12.7 mm				
		Having an outside diameter exceeding				
		114.3 mm but less than 190.5 mm:				
	30	Having a wall thickness less than				
		12.7 mm	kg			
	35	Having a wall thickness of				
		12.7 mm or more but less than	ka			
		19 mm	_			
	40	Having a wall thickness of 19 mm				
		or more Having an outside diameter of	kg			
		190.5 mm or more but not exceeding				
		285.8 mm:				
	45	Having a wall thickness less than				
		12.7 mm	kg			
	50	Having a wall thickness of				
		12.7 mm or more but less than 19 mm	ka			
			_			
	55	Having a wall thickness of 19 mm or more				
		Having an outside diameter exceeding				
		285.8 mm but not exceeding		1		
		406.4 mm:		1		
	60	Having a wall thickness less than				
	0.5	12.7 mm	Λy	1		
	65	Having a wall thickness of 12.7 mm or more but less than		1		
		19 mm	ka	1		
	70	Having a wall thickness of 19 mm	_	1		
	, 0	or more				
	80	Having an outside diameter exceeding	-	1		
		406.4 mm		1		
				1		
				1		
				1		
				1		
				1		
			1	I		I

Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
uuiiig	fix	·	Quantity	General	Special	Ţ
'304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
304.90		cast iron) or steel: (con.) Other:				
001.00		Having a wall thickness of 4 mm or more:				
304.90.10	00	Of iron or nonalloy steel	_			1%
304.90.30	00	Of alloy steel	kg	Free		8.5%
304.90.50	00	Having a wall thickness of less than 4 mm: Of iron or nonalloy steel	ka	Free		25%
304.90.70		Of alloy steel	_			35%
305	00	Other tubes and pipes (for example, welded, riveted or similarly		1166		33 /6
303		closed), having circular cross sections, the external diameter				
		of which exceeds 406.4 mm, of iron or steel:				
305.11		Line pipe of a kind used for oil or gas pipelines: Longitudinally submerged arc welded:				
305.11.10		Of iron or nonalloy steel		Free		5.5%
	30	With an external diameter exceeding 406.4 mm				
		but not exceeding 609.6 mm	kg			
	60	With an external diameter exceeding 609.6 mm	ka			
305.11.50	00	Of alloy steel	kg	Free		10%
305.12		Other, longitudinally welded:				
305.12.10	30	Of iron or nonalloy steel		Free		5.5%
	30	but not exceeding 609.6 mm				
	60	With an external diameter exceeding				
		609.6 mm				
305.12.50 305.19	00	Of alloy steel Other:	kg	Free		10%
305.19.10		Of iron or nonalloy steel		Free		5.5%
	30	With an external diameter exceeding 406.4 mm				
		but not exceeding 609.6 mm	kg			
	60	With an external diameter exceeding	ka			
305.19.50	00	609.6 mm Of alloy steel		Free		10%
305.20		Casing of a kind used in drilling for oil or gas:				
305.20.20	00	Of iron or nonalloy steel: Threaded or coupled	ka	Eroo		20%
305.20.20		·				
305.20.40	00	Other Of alloy steel:	ку	Free		1%
305.20.60	00	Threaded or coupled	kg	Free		28%
305.20.80	00	Other	kg	Free		8.5%
2005.04		Other, welded:				
'305.31 '305.31.20	00	Longitudinally welded: Tapered pipes and tubes of steel principally used				
		as parts of illuminating articles		Free		45%
		Other:				
305.31.40	00	Of iron or nonalloy steel		Free		5.5%
305.31.60	10	Of alloy steel		Free		10%
	10	Of stainless steel	ľ			
305.39	90	OtherOther:	kg			
	00	Of iron or nonalloy steel	kg	Free		5.5%
305.39.50	00	Of alloy steel	kg	Free		10%
305.90	0.0	Other:				5 56'
305.90.10		Of iron or nonalloy steel				5.5%
305.90.50	00	Of alloy steel	kg	Free		10%
						1

Х	٧
73-1	E

3	Stat.	Australia Decembration	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'306		Other tubes, pipes and hollow profiles (for example, open	,	C onstan	Operation	
		seamed or welded, riveted or similarly closed), of iron or steel:				
		Line pipe of a kind used for oil or gas pipelines:				
7306.11.00		Welded, of stainless steel		Free		10%
	10	With an outside diameter not exceeding				
		114.3 mm	kg			
	50	With an outside diameter exceeding 114.3 mm	ka			
7306.19		Other:	9			
7306.19.10		Of iron or nonalloy steel		Free		5.5%
	10	With an outside diameter not exceeding				
		114.3 mm	kg			
	50	With an outside diameter exceeding	_			
	50	114.3 mm	ka			
7306.19.51		Of alloy steel		Free		10%
000.10.01	10	With an outside diameter not exceeding		1.00		1.070
	. •	114.3 mm	ka			
	50	With an outside diameter exceeding	3			
	50		ka			
		114.3 mmCasing and tubing of a kind used in drilling for oil or gas:	kg			
7306.21		Welded of stainless steel:				
7000.21		Casing:				
7306.21.30	00	Threaded or coupled	ka	Free		28%
7306.21.40	00	Other				8.5%
7306.21.80	10	Tubing		Free		10%
	10	Imported with coupling	•			
	50	Other	kg			
7306.29		Other:				
		Casing:				
7000 00 10		Of iron or nonalloy steel:		_		200/
7306.29.10	20	Threaded or coupled		Free		20%
	30	Imported with coupling	•			
	90	Other				
7306.29.20	00	Other	kg	Free		1%
		Other:				
7306.29.31	00	Threaded or coupled	-			28%
7306.29.41	00	Other	kg	Free		8.5%
		Tubing:				
7306.29.60		Of iron or nonalloy steel		Free		5.5%
	10	Imported with coupling	kg			
	50	Other	ka			
7306.29.81		Other		Free		10%
	10	Imported with coupling				
	50	Other	Ŭ			
	30	Otilei	kg			
						1
						1
						1
						1
				1		•

	Stat. Suf-	Article Description	Unit		Rates of Duty	2
Subheading	Sut- fix	Article Description	of Quantity	General	1 Special	
306 (con.)		Other tubes, pipes and hollow profiles (for example, open				
		seamed or welded, riveted or similarly closed), of iron or steel: (con.)				
306.30		Other, welded, of circular cross section, of iron or nonalloy steel:				
306.30.10	00	Having a wall thickness of less than 1.65 mm	kg	Free		25%
306.30.30	00	Having a wall thickness of 1.65 mm or more: Tapered steel pipes and tubes principally used as				
		parts of illuminating articles	kg	Free		45%
306.30.50		Other		Free		5.5%
	10	Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold				
		drawn	kg			
	15	Other, cold-drawn	kg			
	20	Other, cold-rolled (cold-reduced) with a wall				
		thickness not exceeding 2.54 mm Other:	kg			
		With an outside diameter not exceeding				
		114.3 mm:				
		Galvanized:				
	25	Imported with coupling	kg			
	28	Internally coated or lined with a				
		non-electrically insulating material,				
		suitable for use as electrical conduit	ka			
	00					
	32	Other Other:	кд			
	35	Tube and pipe hollows for				
		redrawing	kg			
	40	Other, imported with coupling	ka			
	55	Other				
	00	With an outside diameter exceeding	l vg			
		114.3 mm but not exceeding 406.4 mm:				
	85	Galvanized	kg			
	90	Other	kg			
						1

	Х	V
73	-1	7

	Stat.	Autolo Documentos	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	_ 2
306 (con.)		Other tubes, pipes and hollow profiles (for example, open	-			
		seamed or welded, riveted or similarly closed), of iron or steel:				
7000 40		(con.)				
'306.40 '306.40.10		Other, welded, of circular cross section, of stainless steel: Having a wall thickness of less than 1.65 mm		Free		36%
300.40.10		Containing more than 0.5 percent by weight of		1166		30 /8
		nickel:				
	10	Containing more than 1.5 percent but less than				
		5 percent by weight of molybdenum	kg			
	15	Other				
	90	Other				
7306.40.50	ΟE	Having a wall thickness of 1.65 mm or more		Free		11%
	05	Of high-nickel alloy steel	кд			
		Other:				
	15	Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces and feedwater heaters, whether or not				
		cold-drawn	ka			
			9			
		Other, cold-drawn or cold-rolled (cold- reduced):			1	
	40	Containing more than 0.5 percent but less				
		than 24 percent by weight of nickel				
		Other:	J			
	42	Containing less than 15 percent by				
		weight of chromium	kg			
	44	Other	ka			
	•	Other:	9			
		With an outside diameter not exceeding				
		114.3 mm:				
		Containing more than 0.5 percent but				
		less than 24 percent by weight of				
	62	nickel: Containing more than 1.5 percent				
	02	but less than 5 percent by weight				
		of molybdenum	ka			
	64	Other	_			
	80	Other				
		With an outside diameter exceeding	9			
		114.3 mm but not exceeding 406.4 mm:				
	85	Containing more than 0.5 percent but				
		less than 24 percent by weight of	l.a.			
		nickel	_			
	90	Other	kg			
					1	
					1	
					1	
					1	
					1	
					1	
					1	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Capricadilly	fix	Attible Description	Quantity	General	Special	
'306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.)				
'306.50 '306.50.10	00	Other, welded, of circular cross section, of other alloy steel: Having a wall thickness of less than 1.65 mm		Free		35%
'306.50.30	00	Having a wall thickness of 1.65 mm or more: Tapered pipes and tubes of steel principally used as parts of illuminating articles		Free		45%
'306.50.50	10	OtherSuitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn				10%
	30	Other, cold-drawn or cold-rolled (cold-reduced)	kg			
	50	Other: With an outside diameter not exceeding 114.3 mm	kg			
'306.61	70	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm Other, welded, of noncircular cross section: Of square or rectangular cross section:	kg			
306.61.10	00	Having a wall thickness of 4 mm or more: Of iron or nonalloy steel	kg	Free		1%
'306.61.30	00	Of alloy steel				28%
306.61.50 306.61.70	00	Of iron or nonalloy steel Of alloy steel				25% 35%
000.01.70	30 60	Of stainless steel Other	kg	1100		00 70
306.69		Of other noncircular cross section: Having a wall thickness of 4 mm or more:				
'306.69.10 '306.69.30		Of iron or nonalloy steel Of alloy steel	_			1% 28%
306.69.50	00	Having a wall thickness of less than 4 mm: Of iron or nonalloy steel	kg	Free		25%
306.69.70	30	Of alloy steelOf stainless steel		Free		35%
306.90	60	OtherOther:				
306.90.10 306.90.50		Of iron or nonalloy steel Of alloy steel	_			5.5% 10%

	Χ	V
73	-1	a

	Stat.	Artiala Dagarintian	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
307		Tube or pipe fittings (for example, couplings, elbows, sleeves),				
		of iron or steel:				
307.11.00		Cast fittings: Of nonmalleable cast iron		4.8%	Free (A, AU, BH,	25%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA, PE, SG)	
	30	For threaded pipe	kg		1 2, 00)	
		Other:				
	45	For cast-iron soil pipe	kg			
	60	Other	kg			
'307.19		Other:				
307.19.30		Ductile fittings		5.6%	Free (A, AU, BH, CA, CL, CO, D, E,	45%
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
	40	Out and and full and finding and			PE, SG)	
	40	Grooved-end fittings (including grooved couplings)	ka			
		Other:	Ng			
	60	Threaded	kg	1		
	70	With mechanical, push-on (rubber	3			
		compression) or flanged joints attached	kg			
	85	Other	kg			
'307.19.90		Other	-	6.2%	Free (A+, AU, BH,	45%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA, MX, OM, P, PA,	
					PE, SG)	
	30	Unions	kg			
		Other:				
	40	Grooved-end fittings (including grooved couplings)	ka			
		Other:	ĸy			
	60	Threaded	ka			
	80	Other	_			
	00		Ng			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
					1	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: (con.) Other, of stainless steel:				
307.21 307.21.10	00	Flanges: Not machined, not tooled and not otherwise processed after forging	ka	3.3%	Free (A*, AU, BH,	34%
		p. s. s. s. s. g. · g.			CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
307.21.50	00	Other	kg	5.6%	Free (A*, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
307.22	00	Threaded elbows, bends and sleeves:	I	F		450/
307.22.10		Sleeves (couplings)	_			45%
307.22.50	00	Other	kg	6.2%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
307.23.00	00	Butt welding fittings	kg	5%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	45%
307.29.00		Other		5%	PE, SG) Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	45%
	30 90	Nipples Other	_		PE, SG)	
					1	I

	X١
73	-2

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1 2		
Subneading	fix	Article Description	Quantity	General	Special		
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: (con.)	·		7, 22.2		
307.91		Other: Flanges: Not machined, not tooled and not otherwise					
007.04.40		processed after forging:		0.00/	- /A ALL DIL	050/	
307.91.10	00	Of iron or nonalloy steel	kg	3.3%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 0.9% (KR)	25%	
307.91.30	00	Of alloy steel (except stainless steel)	kg	3.2%	Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 0.9% (KR)	33%	
307.91.50		Other		5.5%	Free (A*, AU, B, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 1.6% (KR)	45%	
	10	With an inside diameter of less than 360 mm: Of iron or nonalloy steel			1.0 /0 (1111)		
	30	Of alloy steel (except stainless steel) With an inside diameter of 360 mm or more:	kg				
	50	Of iron or nonalloy steel	kg				
	70	Of alloy steel (except stainless steel)	kg				
307.92 307.92.30	10	Threaded elbows, bends and sleeves: Sleeves (couplings)		Free		45%	
	10	Of iron or nonalloy steel	ŭ				
307.92.90	30	Of alloy steel (except stainless steel) Other	-	6.2%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
'307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: (con.) Other: (con.)				
7307.93		Butt welding fittings: With an inside diameter of less than 360 mm:				
7307.93.30		Of iron or nonalloy steel		6.2%	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 3% (KR)	45%
	10	Not machined, not tooled and not otherwise processed after forging	kg			
	40	Other	ka			
7307.93.60	00	Of alloy steel (except stainless steel)		. 5.5%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG)	45%
7307.93.90		With an inside diameter of 360 mm or more		4.3%	2.6% (KR) Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 2.1% (KR)	45%
	10	Of iron or nonalloy steel: Not machined, not tooled and not			21170 (1111)	
	10	otherwise processed after forging	ka			
	40	Other	_			
	60	Of alloy steel (except stainless steel)				
7307.99	00	Other: Not machined, not tooled and not otherwise processed after forging:	i.i.g			
7307.99.10	00	Of iron or nonalloy steel	kg	. 3.7%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
7307.99.30	00	Of alloy steel (except stainless steel)	kg	. 3.2%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	33%
7307.99.50		Other		4.3%	CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	45%
		Of iron or nonalloy steel:			PE, SG)	
	15	Nipples	kg			
	45	Other	kg			
	60	Of alloy steel (except stainless steel)	kg			

	X۱	
73	-21	

Heading/	Stat.	Artiala Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	- 2
7308		Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns) of iron or steel; plates, rods, angles, shapes, sections, tubes				
7308.10.00	00	and the like, prepared for use in structures, of iron or steel: Bridges and bridge sections	ka	Free		45%
7308.10.00	00	Towers and lattice masts	•	Free		45%
306.20.00	20	Tubular, whether or not tapered, and sectional components thereof		Fiee		45 /6
	90	Other	kg			
7308.30 7308.30.10	00	Doors, windows and their frames and thresholds for doors: Of stainless steel	kg	Free		35%
7308.30.50	4-	Other		Free		25%
	15	Windows and their frames	J			
	25	Thresholds for doors	J			
7308.40.00	50 00	Other Equipment for scaffolding, shuttering, propping or pit- propping		Free		45%
7308.90		Other: Columns, pillars, posts, beams, girders and similar		1100		1070
7308.90.30	00	structural units: Not in part of alloy steel	ka	Froo		20%
7308.90.60		Other	•			
300.90.00	00	Other:	ку	Free		30%
7308.90.70	00	Steel grating	kg	Free		45%
7308.90.95		Other		Free		45%
	30	Sheet-metal roofing, siding, flooring and roof drainage equipment	kg			
	60	Other:	l.a.			
	60 90	Architectural and ornamental work Other	Ŭ			
7309.00.00	90	Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment	3	Free		45%
	30	Tanks	No.			
			kg			
	90	Other	No.			
			kg			

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Subficading	fix	7 ti dolo 2 doctripatori	Quantity	General	Special	
310		Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal				
310.10.00	10	equipment: Of a capacity of 50 liters or more Empty steel drums and barrels	NI-	Free		25%
			kg			
310.21.00	50	Other Of a capacity of less than 50 liters: Cans which are to be closed by soldering or crimping		Free		25%
	25	Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods				
310.29.00	50	OtherOther		Free		25%
	25	Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods				
	50	Other				
311.00.00		Containers for compressed or liquefied gas, of iron or steel Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific exemption to those requirements:		Free		25%
	30	Seamless steel containers not overwrapped, marked DOT 3A, 3AX, 3AA, 3AAX, 3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number	No. kg			
	60	Other	No.			
	90	Other	kg No. kg			
			J			

	X۱
73	-25

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	Quantity	General	Special	
'312		Stranded wire, ropes, cables, plaited bands, slings and the				
		like, of iron or steel, not electrically insulated:				
7312.10		Stranded wire, ropes and cables:				
		Stranded wire: Of stainless steel:				
312.10.05	00	Fitted with fittings or made up into articles	ka	Free		45%
	00	-	-			
'312.10.10	30	OtherTire cord		Free		45%
			_			
	50	Other, stranded wire having a lay or twist				
		of not more than 1 revolution for a length equal to the strand diameter multiplied by				
		8.5				
	70		ŭ			
	70	Other	kg			
312.10.20	٥٥	Other: Fitted with fittings or made up into articles	ka	Eroo		45%
	00		•			
'312.10.30	ΩE	Other Tire cord		Free		35%
	05		kg			
		For prestressing concrete:				
	10	Covered with textile or other non- metallic material	l			
			Ŭ			
	12	Other				
	20	Other, stranded wire having a lay or twist				
		of not more than 1 revolution for a length equal to the strand diameter multiplied by				
		8.5				
			Ng			
	45	Other:	le m			
	45	Of brass plated wire	kg			
		Other:				
	65	Galvanized:	le m			
	65	ACSR core strand	кд			
		Other:				
	70	Covered with textile or				
		other nonmetallic material	ka			
			J			
	74	Other				
	80	OtherRopes, cables and cordage other than stranded wire:	кд			
		Of stainless steel:				
312.10.50	00	Fitted with fittings or made up into articles	kg	Free		45%
312.10.60	-	Other	_			45%
012.10.00	30	With a diameter not exceeding 9.5 mm		1166		45%
		_	_			
	60	Other	кд			
'312.10.70	٥٥	Other: Fitted with fittings or made up into articles	ka	Free		45%
012.10.70	00		.vg	1166		75/0
312.10.80	00	Other: Of brass plated wire	ka	Eroo		350/
	UU	·	•			35%
312.10.90		Other		Free		35%
	20	Galvanized: With a diameter not exceeding				
	30	With a diameter not exceeding 9.5 mm	ka			
			'\9			
	60	With a diameter exceeding	ka			
	90	9.5 mm Other				
312.90.00	00	Other	ka	Free		45%
5.2.00.00	55		··\8	100		10 /0

Heading/	Stat. Suf-	Article Description	Unit of	-	Rates of Duty	2
Subheading	fix	Article Description	or Quantity	General	1 Special	┥ ′
313.00.00	00	Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used	•		ороссии	
'314		Cloth (including endless bands), grill, netting and fencing, of	kg	Free		Free
'314.12		iron or steel wire; expanded metal of iron or steel: Woven cloth: Endless bands for machinery, of stainless steel:				
314.12.10	00	With meshes not finer than 12 wires to the lineal centimeter in warp or filling	m²	Free		35%
'314.12.20	00	With meshes finer than 12 but not finer than	kg m ²	Free		50%
		, ,	kg	Tiee		30 76
		centimeter in warp or filling: Fourdrinier wires, seamed or not seamed,				
'314.12.30	00	suitable for use in papermaking machines: With 94 or more wires to the lineal centimeter	m²	Free		75%
314.12.60	00	Other	kg m²	Free		75%
314.12.90	00		kg m² kg	Free		60%
'314.14 '314.14.10	00	Other woven cloth, of stainless steel: With meshes not finer than 12 wires to the lineal centimeter in warp or filling	m²	Free		35%
'314.14.20	00	With meshes finer than 12 but not finer than 36 wires to the lineal centimeter in warp or filling	kg m ²	Free		50%
70.4.4.4.00		With meshes finer than 36 wires to the lineal centimeter in warp or maximum: Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines:	kg			
7314.14.30	00		m² ka	Free		75%
314.14.60	00		m² kg	Free		75%
314.14.90	00		m² kg	Free		60%
	00		m² kg	Free		60%
'314.20.00	00	Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm ² or more	kg	Free		45%
		-				

	X۱
73	-27

	Stat.		Unit		Rates of Duty	-
ubheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
314 (con.)		Cloth (including endless bands), grill, netting and fencing, of	,	Conorai	Opena.	
(55)		iron or steel wire; expanded metal of iron or steel: (con.)				
		Other grill, netting and fencing, welded at the intersection:				
314.31		Plated or coated with zinc:				
314.31.10	00	Wire fencing plated or coated with zinc, whether				
014.01.10	00	or not covered with plastic material	ka	Free		1.1¢/kg
						_
314.31.50		Other:		Free		45%
	10	Welded wire stucco netting, furred, not				
		reinforced with supplemental horizontal				
		wire	kg			
	80	Other	ka			
314.39.00		Other		Free		45%
		Other grill, netting and fencing:				.0,0
314.41.00		Plated or coated with zinc		Free		1.1¢/kg
01111100	30	Chain link fencing		1100		πτφπια
	50					
		Woven wire stucco netting, furred, not reinforced				
		with supplemental horizontal wire:				
	40	Of wire with maximum cross- sectional				
		dimension of 1 mm	kg			1
	45	Other	ka			
	80	Other				
314.42.00	00	Coated with plastics	0	Free		1.1¢/kg
314.42.00	30			1166		1.1ψ/κg
		Chain link fencing	kg			
	60	Other	kg			
314.49		Other:				
314.49.30	00	Not cut to shape	kg	Free		45%
314.49.60	00	Cut to shape	ka	Froo		35%
314.50.00		Expanded metal	m ²	Free		45%
314.30.00	00	Expanded metal	kg			10,70
			Ng			
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
			Ī	i l		1

	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty	2
Capheading	fix	Attitute Description	Quantity	General	Special	1
'315		Chain and parts thereof, of iron or steel: Articulated link chain and parts thereof:				
'315.11.00		Roller chain		Free		40%
	05	For motor vehicles	kg			
		Other:				
		Of not over 50 mm pitch and containing more				
	10	than 3 parts per pitch: Bicycle chains	ka			
		-	_			
	45 60	OtherOther	0			
315.12.00	00	Other chain	J	Free		40%
0.02.00	20	Of not over 50 mm pitch and containing more than				
		3 parts per pitch	kg			
		Other:				
	40	Welded steel chain	kg			
	60	Cast and combination chain	kg			
	80	Other	Ŭ	1	1	
315.19.00	00	Parts		Free	1	40%
'315.20		Skid chain:			1	
'315.20.10	00	Not over 8 mm in diameter	kg	. Free	1	10%
7315.20.50	00	Over 8 mm in diameter	kg	Free	1	2.5¢/kg
		Other chain:	l.	Í_	1	l
'315.81.00	00	Stud link	kg	Free	1	4.4¢/kg
7315.82		Other, welded link:				
7215 02 10	00	Of alloy steel:	ka	Eroo	1	100/
7315.82.10		Not over 10 mm in diameter	•		1	10%
7315.82.30	00	Over 10 mm in diameter	kg	Free	1	10%
7315.82.50	00	Of iron or nonalloy steel: Not over 10 mm in diameter	ka	Free	1	10%
7315.82.70		Over 10 mm in diameter	Ŭ		1	
7315.82.70 7315.89	00	Over 10 mm in diameter Other:	кд	Free		10%
010.00		With links of essentially round cross sections:				
7315.89.10	00	Not over 8 mm in diameter	kg	1.5%	Free (A, AU, B, BH,	10%
				1	CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
				1	MX, OM, P, PA, PE, SG)	
7315.89.30	00	Over 8 mm in diameter	ka	Eroo	1. 2, 33,	4.7¢/kg
7315.89.30		Over 8 mm in diameter Other			Free (A, AU, B, BH,	4.7¢/kg 45%
510.00.00	50	0.1101	··\9	. 5.5 /5	CA, CL, CO, D, E,	10 /0
				1	IL, JO, KR, MA,	
				1	MX, OM, P, PA,	
7315 00 00	00	Other parts	ka	2.9%	PE, SG) Free (A*, AU, B, BH,	150/
7315.90.00	UU	One parts	~y	2.370	CA, CL, CO, D, E,	40%
				1	IL, JO, KR, MA,	
				1	MX, OM, P, PA,	
				1	PE, SG)	
′316.00.00	00	Anchors, grapnels and parts thereof, of iron or steel	X	. Free		25%
				1	1	
				1	1	
				1	1	
				1	1	
				1	1	
				1	1	
				1	1	
				1		
						1

	>	C	١
73		2	c

	Stat.	Austria Decembria	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
317.00		Nails, tacks, drawing pins, corrugated nails, staples (other		Gerrera	Ороска:	
		than those of heading 8305) and similar articles, of iron or				
		steel, whether or not with heads of other material, but excluding				
		such articles with heads of copper:				
317.00.10	00	Thumb tacks	kg	. Free		4%
		Other, suitable for use in powder-actuated handtools:				
7317.00.20	00	Not threaded	kg	. Free		1.5¢/kg
317.00.30	00	Threaded	kg	. Free		45%
		Other:				
		Of one piece construction:				
'317.00.55		Made of round wire		Free		3.5%
		Collated nails:				
	01	Collated roofing nails with a length of				
		20.6 mm to 46.1 mm, a head diameter of				
		8.3 mm to 10.6 mm, a shank diameter of 2.5 mm to 3.2 mm, whether or not				
		galvanized, whether or not	ka			
			I'vg			
		Other:				
	02	Assembled in a wire coil: Galvanized	ka			
			_			
	03	Other	kg			
	٥.	Assembled in a plastic strip:	ļ.			
	05	Galvanized	_			
	07	Other	kg			
	80	Assembled in a paper strip	kg			
	11	Assembled in a wire strip	ka			
	18	Other	ľ			
	10	Other:	ky			
	19	With a length of less than 25.4 mm and				
			kg			
		Other:	9			
		Smooth shank:				
	20	Not coated, plated or painted	ka			
		•	ING			
	00	Coated, plated or painted:	1			
	30	Galvanized	кд			
	40	Vinyl, resin or cement				
		coated	kg			
	50	Other	kg			
		Other:				
	60	Not coated, plated or painted	kg			
		Coated, plated or painted:				
	70		kg			
	80	Vinyl, resin or cement				
	55	coated	kg			
	90	Other	_			
317.00.65	90	Other	~	Free		5.5%
5 . 7 .00.00	30	Cut		1. 100		0.076
		Other	_			
317.00.75	60 00	Of two or more pieces		Free		8%
017.00.73	UU	Or two or more pieces	^y	. 1 166		0 70
I						

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix		Quantity	General	Special	
318		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: Threaded articles:				
318.11.00	00	Coach screws	kg	12.5%	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
318.12.00	00	Other wood screws	kg	12.5%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
318.13.00		Screw hooks and screw rings		5.7%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
	30 60	Having shanks or threads with a diameter of less than 6 mm Having shanks or threads with a diameter of 6 mm	ŭ			
318.14 318.14.10	60	or moreSelf-tapping screws: Having shanks or threads with a diameter of less				
		than 6 mm		6.2%	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
	30	Of stainless steel	•		, ,	
318.14.50	60	Other Having shanks or threads with a diameter of 6 mm or more	Ü	8.6%	Free (A+, AU, B, BH,	45%
				0.070	CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	.6,0
	20	Of stainless steel	kg		PE, SG)	
	80	Other	_			

	ΧV
73	-31

	Stat.	A 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Unit		Rates of Duty	_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters,	,			
		cotter pins, washers (including spring washers) and similar				
		articles, of iron or steel: (con.)				
318.15		Threaded articles: (con.) Other screws and bolts, whether or not with their nuts				
010.10		or washers:				
318.15.20		Bolts and bolts and their nuts or washers entered				
		or exported in the same shipment		Free		3.5%
	10	Having shanks or threads with a diameter of less than 6 mm	ادما			
			kg			
		Having shanks or threads with a diameter of 6 mm or more:				
	20	Track bolts	ka			
	30	Structural bolts	•			
	30		ĸġ			
	41	Bent bolts: Right-angle anchor bolts	ka			
	46	Other:	кд			
		With round heads:				
	51	Of stainless steel	kg			
	55	Other	ka			
		With hexagonal heads:	· ·			
	61	Of stainless steel	kg			
	65	Other	kg			
		Other:				
	91	Of stainless steel	•			
	95	Other	kg			
'318.15.40	00	Machine screws 9.5 mm or more in length and 3.2 mm or more in diameter (not including cap				
		screws)	ka	Free		2.2¢/kg
318.15.50		Studs	_	Free		45%
310.13.30	30	Of stainless steel		riee		45%
	00	Other:	Ng			
		Continuously threaded rod:				
	51	Of alloy steel	kg			
	56	Other	kg			
	90		kg			
				1		
				1		
				1		
				1		
				1		1
				1		1
				1		1
				1		1
				1		1
	1			I	Ī	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Caphoduling	fix	ratio Doorpaon	Quantity	General	Special	
318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.) Threaded articles: (con.)				
318.15 con.)		Other screws and bolts, whether or not with their nuts or washers: (con.) Other:				
318.15.60		Having shanks or threads with a diameter of less than 6 mm		6.2%	Free (A, AU, B, BH, CA, CL, CO, D, E,	45%
		Socket screws:			IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
	10	Of stainless steel	kg			
	40	Other	kg			
		Other:				
	70	Of stainless steel	_			
318.15.80	80	Othertleving charles or threads with a diameter of				
318.15.80		Having shanks or threads with a diameter of 6 mm or more		8.5%	Free (A, AU, B, BH,	45%
					CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	,
	20	Set screws	kg			
		Other:				
	30	Socket screws: Of stainless steel	ka			
	45	Other	•			
	.0	Other:	iva			
		With hexagonal heads:				
	55	Of stainless steel	kg			
	66	Other: Cap screws	ka			
	69	Other	Ŭ			
	00	Other:	Ng			
	82	Of stainless steel	kg			
	85	Other	3			
318.16.00		Nuts Lugnuts:		Free		0.5%
	15	Non-locking chrome-plated	kg			
	30	Locking	_			
	45	Other	ū			
		Other:				
	60	Of stainless steel	kg			
040 40 00	85	Other	-	F 70/	- /A ALL D DIL	450/
318.19.00	00	Other	kg	. 5.7%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%

	Χ	V
73	-3	3

	Stat.	Australia Decembration	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters,	,		op consti	
		cotter pins, washers (including spring washers) and similar				
		articles, of iron or steel: (con.) Non-threaded articles:				
318.21.00		Spring washers and other lock washers		5.8%	Free (A, AU, B, BH,	35%
010.21.00		Opining Washers and Surer look Washers		0.070	CA, CL, CO, D, E,	0070
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
	30	Helical spring lock washers	ka		PE, SG)	
		· -	•			
318.22.00	90	Other Other washers		Free		1.3¢/kg
			Ü			
318.23.00		Rivets	Ü			2.2¢/kg
318.24.00	00	Cotters and cotter pins	kg	3.8%	Free (A, AU, B, BH,	45%
					CA, CL, CO, D, E, IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
318.29.00	00	Other	kg	2.8%	Free (A, AU, B, BH,	45%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA, PE, SG)	
7010		Couring popular (mitting popular lead) to a could be t			re, 30)	
'319		Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles for use in the hand, of				
		iron or steel; safety pins and other pins of iron or steel, not				
		elsewhere specified or included:				
319.40		Safety pins and other pins:				
'319.40.20		Safety pins		4.5%	Free (A, AU, BH,	35%
					CA, CL, CO, D, E, IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
	10	On cards	Gross			
	50	Other				
'319.40.30	00	Dressmakers' or common pins	kg	4.1%	Free (A, AU, BH,	35%
					CA, CL, CO, D, E, IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
319.40.50		Other		Free		35%
	10	Push pins				
	50	Other	kg			
'319.90		Other:				
319.90.10	00		Thousand			Free
'319.90.90	00	Other	X	2.9%	Free (A, AU, BH,	45%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA, MX, OM, P, PA,	
					PE, SG)	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix	, a doi- 2000, page 1	Quantity	General	Special	
'320 '320.10		Springs and leaves for springs, of iron or steel: Leaf springs and leaves therefor: Suitable for motor vehicle suspension:				
320.10.30	00	To be used in motor vehicles having a G.V.W. not exceeding 4 metric tons		. 3.2%	Free (A, AU, B, BH, CA, CL, CO, D, E,	25%
					IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
320.10.60		Other		3.2%	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
	15	Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor	kg			
	60	Other	kg			
320.10.90		Other		3.2%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
	15	Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor	J			
7000 00	60	Other	kg			
7320.20 7320.20.10	00	Helical springs: Suitable for motor-vehicle suspension	kg	. 3.2%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
320.20.50		Other		3.9%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
	10	Helical springs, of wire having a cross-sectional dimension of less than 5.1 mm: Suitable for use in mattress supports and mattresses of heading 9404	ka		. 2,00,	
	20	Other	Ŭ			
	45	Helical springs, of wire having a cross-sectional dimension of 5.1 mm or more but less than 12.7 mm				
	60	Other	kg			
320.90 320.90.10	00	Other:	ka	Eroo		GEO/
	UU	Hairsprings	"		Fire (A. All B. Bill	65%
'320.90.50		Other		2.9%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
	10	Of wire: Suitable for use in mattress supports and mattresses of heading 9404	_		. 2, 33,	
	20 60	OtherOther				

	X١	
73	-31	

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	Quantity	General	1 Special	
321		Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel: Cooking appliances and plate warmers:				
321.11 321.11.10		For gas fuel or for both gas and other fuels: Portable		5.7%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 1.7% (KR)	45%
	30	Stoves or ranges	No.		, (,	
	60	Other	No.			
		Other:				
7321.11.30	10	Stoves or ranges: Of a maximum width not exceeding 70 centimeters		Free		45%
	20	Of a maximum width exceeding 70 but not exceeding 80 centimeters				
	50	Of a maximum width exceeding 80 centimeters	No.			
7321.11.60	00	Other		Free		45%
7321.12.00	00	For liquid fuel				45%
7321.19.00		Other, including appliances for solid fuel Portable:		Free		45%
	20	Hibachis	No.			
	40	Other:Other:	No.			
	60	Of cast iron	No.			
	80	Other appliances:	No.			
7321.81 7321.81.10	00	For gas fuel or for both gas and other fuels: Portable	No	2.9%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7321.81.50	00	Other	No	Free		45%
7321.82		For liquid fuel:				
7321.82.10	00	Portable	No	2.9%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7321.82.50	00	Other		Free		45%
7321.89.00		Other, including appliances for solid fuel		Free		45%
	10	Fireplace grates of cast iron				
	50	Other	No.			

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	<u> </u>	Quantity	General	Special	
321 (con.)		Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel: (con.)				
7321.90 7321.90.10	00	Parts: Of articles in subheading 7321.11.30:	V	Free		450/
7321.90.10		Cooking chambers, whether or not assembled Top surface panels with or without burners or				45%
7321.90.40	00	controls Door assemblies, incorporating more than one of the following: inner panel, outer panel, window, insulation				45% 45%
7321.90.50 7321.90.60	00	Other	X	Free		45% 45% 45%
321.30.00	40	Of cooking appliances and plate warmers: Shelving and racks for cooking ovens		1166		45 /6
	60 90	OtherOther				
7322		Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel: Radiators and parts thereof:				
7322.11.00	00	Of cast iron	X	Free		45%
7322.19.00	00	Other				45%
7322.90.00	15	Other, including partsAir heaters, not electrically heated, incorporating a motor-driven fan or blower	No.	Free		45%
	30	Hot air distributors, not electrically heated, incorporating a motor-driven fan or blower	kg No. kg			
	45	Parts of air heaters and hot air distributors	X			

	Х	.\
73	_?	2

3.	Stat.	Australia Decembration	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
323		Table, kitchen or other household articles and parts thereof,	-		· ·	
		of iron or steel; iron or steel wool; pot scourers and scouring				
		or polishing pads, gloves and the like, of iron or steel:				
23.10.00	00	Iron or steel wool; pot scourers and scouring or polishing				
		pads, gloves and the like	kg	. Free		22¢/kg + 30
		Other:				
23.91		Of cast iron, not enameled:				
23.91.10	00	Coated or plated with precious metal	X	Free		20%
23.91.50		Other			Free (A, AU, BH,	40%
23.91.50		Otilei		5.5%	CA, CL, CO, D, E,	40%
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
	20	Bakeware (cookware not suitable for stove top			, ,	
		use)				
	40	Other				
23.92.00	40	Of cast iron, enameled		Fron		35.5%
20.32.00	20	Bakeware (cookware not suitable for stove top		1166		JJ.J /0
		USe)	X	1		
	40	,				
00 00 00	40	Other		20/	Free / A * A ! D ! !	400/
23.93.00		Of stainless steel		2%	Free (A*, AU, BH,	40%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
		Cooking and kitchen ware:			PE, SG)	
	15	Teakettles	No			
	13	Tounctilos	kg			
		0.1	'\9			
		Other:				
	O.E.	Cooking ware:				
	35	Bakeware (cookware not suitable for	No.			
		stove top use)	kg			
			_			
	45		No.			
			kg			
	60		No.			
	00		kg			
	80	Other	No.			
			kg			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1	i	1

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Cubileaulily	fix	Attible Description	Quantity	General	Special	
'323 (con.)		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: (con.) Other: (con.)	-			
323.94.00		Of iron (other than cast iron) or steel, enameled		2.7%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	35.5%
		Cooking and kitchen ware: Of steel:			1 L, 50)	
	10	Teakettles Other:	No. kg			
	21	Cooking ware: Bakeware (cookware not suitable				
		· ·	No. kg			
	26	Other	No. kg			
	30	Kitchen ware	No. kg			
	40		No. kg			
200 00	80	Other	No. kg			
323.99 323.99.10	00	Other: Coated or plated with precious metal: Coated or plated with silver	v	Eroo		50%
323.99.30		Other			Free (A, AU, BH,	65%
					CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
'323.99.50	30	Not coated or plated with precious metal: Of tinplate Kitchen or tableware suitable for food or drink contact		Free		40%
	60	Other:				
7323.99.70	00	Cookingware	Nokg	. 5.3%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	40%
323.99.90		Other		3.4%	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	40%
	30	Kitchen or tableware suitable for food or drink contact			1 L, 50)	
	40	Gates for confining children or pets				
	80	Other	X			

	X۱
73	-30

	Stat.				Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	Conoral	1 Special	2
'324	IIX	Sanitary ware and parts thereof, of iron or steel:	Quantity	General	Special	
324.10.00		Sanitary wate and parts triefeor, or not of steel. Sinks and wash basins, of stainless steel		3.4%	Free (A, AU, BH, C, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	40%
	10	Stainless steel sinks with one or more drawn bowls (basins)	No.		, ,	
	50	OtherBaths:	No.			
324.21 324.21.10	00	Of cast iron, whether or not enamelled: Coated or plated with precious metal	No	Free		20%
324.21.50	00	Other				40%
324.29.00	00	Other				40%
324.90.00	00	Other, including parts	X	Free		40%
'325		Other cast articles of iron or steel:				
325.10.00		Of nonmalleable cast iron		Free		10%
	10	Manhole covers, rings and frames	kg			
	20	Catch basins, grates and frames	kg			
	25	Cleanout covers and frames				
	30	Valve and service boxes	Ŭ			
			~			
	35	Meter boxes	"			
	80	Other	kg			
325.91.00	00	Other: Grinding balls and similar articles for mills	l	0.00/	Free (A*, AU, BH,	45%
722E 00					CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
'325.99 '325.99.10	00	Other: Of cast iron	ka	Free		20%
		Other	Ü		Francia All D. Dill	
7325.99.50	00	Other	kg	2.9%	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%

Suf- fix	Article Description	of Quantity	Canaral	T	2
		Quantity	General	Special	
	Other articles of iron or steel:				
00	Forged or stamped, but not further worked: Grinding balls and similar articles for mills	. kg	. Free		27.5%
		_		Free (A. AU. B. BH.	45%
			1.0 70	CA, CL, CO, D, E,	,
				PE, SG)	
10	Forged	. kg			
80					4==/
	Articles of Iron or Steel Wire	•	3.9%		45%
				E, IL, JO, KR, MA,	
10	Belts and belting	. kg		FE, 3G)	
20	_	_			
30	Sod staples, U staples, irrigation staples, ground				
	staples, and ground pins				
40					
55					
90	Other	. X			
	10 80 10 20 30 40 55	Other	Other	Other	Other

	Χ	V
73	-4	1

	Stat.	Australia Decembration	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'326 (con.)		Other articles of iron or steel: (con.)	,	o o nora.	Opera	
326.90		Other:				
326.90.10	00	Of tinplate	X	Free		45%
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Other:				
7326.90.25	00	Cable or inner wire for caliper and cantilever brakes and casing therefor, whether or not cut to				
		length	kg	Free		45%
7326.90.35	00	Containers of a kind normally carried on the				
		person, in the pocket or in the handbag	doz	7.8%	Free (AU, BH, CA,	110%
					CL, CO, D, E, IL, JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7326.90.45	00	Horse and mule shoes	kg	Free		10%
		Other:				
7326.90.60	00	Coated or plated with precious metal	X	8.6%	Free (A, AU, BH,	65%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA, MX, OM, P, PA,	
					PE, SG)	
7326.90.86		Other		2.9%	Free (A, AU, B, BH,	45%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA, MX, OM, P, PA,	
					PE, SG)	
	05	Rods for electrical grounding	kg		, ~ .,	
	10	Laminated goods consisting of two or more				
		flat-rolled sheets of iron or steel held				
		together with an adhesive or having a core of non-metallic material	ka			
	30		ĸġ			
	30	Hangers and similar supports for tubes and pipes	kg			
	35	Fence posts, studded with corrugations,	9			
		knobs, studs, notches or similar				
		protrusions, with or without anchor				
		plates	_			
	45	Barbed tape				
	60	Ladders	No.			
	75	Paint roller frames (other than of iron or	NI-			
			No.			
	76	Metal handles for brooms, mops, paint applicators and similar products	No			
	77		No.			
	88	Other	kg			