Harmonized Tariff Schedule of the United States (2020) Revision 4

Annotated for Statistical Reporting Purposes

CHAPTER 73

ARTICLES OF IRON OR STEEL

XV 73-1

Notes

- 1. In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
- 2. In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

- 1. For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
- 2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

Heading/	Stat.	A 21 1 5 1 2 2	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7301		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel:				
7301.10.00 7301.20	00	Sheet piling Angles, shapes and sections:	kg	Free ^{1/2/}		2%
7301.20.10	00	Of iron or nonalloy steel				20%
7301.20.50	00	Of alloy steel	kg	Free ^{3/}		28%
7302 7302.10 7302.10.10		Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails: Rails: Of iron or nonalloy steel		Free ^{1/2/}		1%
	10	Not heat treated: Standard tee rails over 30 kg per meter	kg			
	15	Other: Over 30 kg per meter	ka			
	25	Other	•			
	35	Heat treated: Standard tee rails over 30 kg per meter	J			
	45	Other: Over 30 kg per meter	ka			
	55	Other	· ·			
	65	Used: Railway rails for rerolling	ka			
	75	Other	_			
7302.10.50		Of alloy steel		Free ^{1/2/}		9%
	20	New Used:	kg			
	40	Railway rails for rerolling	_			
7302.30.00	60 00	OtherSwitch blades, crossing frogs, point rods and other crossing pieces		Free ^{3/}		45%
7302.40.00	00	Fish-plates and sole plates				2%
7302.90 7302.90.10		Other: Sleepers (cross-ties)	_			2%
7302.90.90	00	Other	-			45%
7303.00.00		Tubes, pipes and hollow profiles, of cast iron		Free ^{3/}		33%
	30	Soil pipe	kg			
	60	Pressure pipe with an inside diameter of less than 356 mm	kg			
	90	Other	kg			

)	(٧
7	3	_	3

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subneading	fix	Article Description	Quantity	General	Special	
304		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:				
304.11.00		Line pipe of a kind used for oil or gas pipelines: Of stainless steel		Free ^{1/2/}		35%
2	20	Having an outside diameter not exceeding 114.3 mm				
	50	Having an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm				
	80	Having an outside diameter exceeding 406.4 mm	kg			
304.19		Other:		1/2/		050/
304.19.10	20	Of iron or nonalloy steel		Free 1/2/		25%
		Having an outside diameter not exceeding 114.3 mm	kg			
	30	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg			
45	45	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm	ka			
	60	Having a wall thickness of 12.7 mm or	· ·			
	80	more Having an outside diameter exceeding 406.4 mm				
304.19.50		Of other alloy steel		Free 1/2/		35%
	20	Having an outside diameter not exceeding 114.3 mm	kg			
	50	Having an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg			
	80	Having an outside diameter exceeding 406.4 mm	kg			

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	· ·	Quantity	General	Special	1
7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for				
7304.22.00		oil or gas: Drill pipe of stainless steel Having an outside diameter not exceeding		Free ^{1/2/}		35%
	30	168.3 mm: Having a wall thickness not exceeding 9.5 mm	ka			
	45 60	Having a wall thickness exceeding 9.5 mm Having an outside diameter exceeding	· ·			
7304.23		168.3 mm Other drill pipe:	_			
7304.23.30 7304.23.60	00	Of iron or nonalloy steel Of alloy steel				25% 35%
7304.23.00		Having an outside diameter not exceeding 168.3 mm:		Free—		33 %
	30	Having a wall thickness not exceeding 9.5 mm	kg			
	45	Having a wall thickness exceeding 9.5 mm	kg			
7304.24	60	Having an outside diameter exceeding 168.3 mm Other, of stainless steel:	kg			
7304.24.30		Casing: Threaded or coupledHaving an outside diameter less than		Free ^{1/2/}		28%
	10	215.9 mm: Having a wall thickness less than 12.7 mm	ka			
	20	Having a wall thickness of 12.7 mm or more				
	30	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than				
	40	12.7 mm Having a wall thickness of 12.7 mm or	J			
	45	more Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm	kg			
	80	Having an outside diameter exceeding 406.4 mm				
		400.4 111111	ng			

)	<	٧
7	7	١_	E

Heading/	Stat. Suf-	Article Description	Unit of	-	Rates of Duty	2
Subheading	Sut- fix	Article Description	of Quantity	General	1 Special	┪ ′
'304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: (con.)	-		·	
'304.24 con.)		Other, of stainless steel: (con.)				
304.24.40		Casing: (con.) Other		Free ^{1/2/}		8.5%
	10	Having an outside diameter less than 215.9 mm: Having a wall thickness less than	Loc			
	20	12.7 mm Having a wall thickness of 12.7 mm or				
	30	moreHaving an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than	-			
	40	12.7 mm Having a wall thickness of 12.7 mm or more	· ·			
	50	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm	Č			
	60	Having a wall thickness of 12.7 mm or more				
	80	Having an outside diameter exceeding 406.4 mm	_			
7304.24.60		Tubing Having an outside diameter not exceeding 114.3 mm:		Free ^{1/2/}		35%
	15	Having a wall thickness not exceeding 9.5 mm	kg			
	30	Having a wall thickness exceeding 9.5 mm	kg			
	45	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg			
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm	kg			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
oubrieading	fix	Article Description	Quantity	General	1 Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
,		cast iron) or steel: (con.)				
		Casing, tubing and drill pipe, of a kind used in drilling for				
		oil or gas: (con.)				
304.29		Other:				
		Casing:				
		Of iron or nonalloy steel:				
04.29.10		Threaded or coupled		Free ^{1/2/}		20%
		Having an outside diameter less than				
		215.9 mm:				
	10	Having a wall thickness less than				
		12.7 mm	kg			
	20	Having a wall thickness of				
		12.7 mm or more	kg			
		Having an outside diameter of	3			
		215.9 mm or more but not exceeding				
		285.8 mm:				
	30	Having a wall thickness less than				
		12.7 mm				
	40	Having a wall thickness of				
		12.7 mm or more	ka			
		Having an outside diameter exceeding	0			
		285.8 mm but not exceeding				
		406.4 mm:				
	50	Having a wall thickness less than				
		12.7 mm	ka			
	60		3			
	60	Having a wall thickness of 12.7 mm or more	ka			
	80	Having an outside diameter exceeding				
	00	406.4 mm				
04.29.20		Other	U	Croo ^{1/2/}		1%
04.23.20				Free		1 /0
		Having an outside diameter less than 215.9 mm:				
	10	Having a wall thickness less than				
		12.7 mm				
			'\9			
	20	Having a wall thickness of	Lon			
		12.7 mm or more	кg			
		Having an outside diameter of				
		215.9 mm or more but not exceeding 285.8 mm:				
	30	Having a wall thickness less than				
	30	12.7 mm	ka			
	٠,		9			
	40	Having a wall thickness of	1			
		12.7 mm or more				
		Having an outside diameter exceeding				
		285.8 mm but not exceeding 406.4 mm:				
	50	406.4 mm: Having a wall thickness less than				
	50	<u> </u>	kg			
			'\9			
	60	Having a wall thickness of	l <u>.</u>			
		12.7 mm or more				
	80	Having an outside diameter exceeding				
		406.4 mm	kg			
						1

	ΧV	
7	3-7	

Heading/	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: (con.)	-			
7304.29 (con.)		Other: (con.)				
7304.29.31		Casing: (con.) Of other alloy steel: Threaded or coupled		– 1/2/		28%
7304.29.31		Having an outside diameter less than 215.9 mm:		Free		20%
	10	Having a wall thickness less than 12.7 mm	ka			
	20	Having a wall thickness of 12.7 mm or more	J			
		Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm:	···g			
	30	Having a wall thickness less than 12.7 mm				
	40	Having a wall thickness of 12.7 mm or more	kg			
		Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm:				
	50	Having a wall thickness less than 12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or more	kg			
	80	Having an outside diameter exceeding 406.4 mm	kg			
7304.29.41	10	OtherHaving an outside diameter less than 215.9 mm: Having a wall thickness less than		Free ^{1/2/}		8.5%
		12.7 mm	kg			
	20	Having a wall thickness of 12.7 mm or more Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm:	kg			
	30	Having a wall thickness less than 12.7 mm	kg			
	40	Having a wall thickness of 12.7 mm or more	kg			
	50	Having a wall thickness less than 12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or more	kg			
	80	Having an outside diameter exceeding 406.4 mm				

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Jubrieading	fix	7 ti dole Description	Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
		cast iron) or steel: (con.)				
		Casing, tubing and drill pipe, of a kind used in drilling for				
'304.29		oil or gas: (con.) Other: (con.)				
con.)		Other. (con.)				
COII.)		Tubing:				
304.29.50		Of iron or nonalloy steel		Froo 1/2/		25%
		Having an outside diameter not exceeding		1166		2370
		114.3 mm:				
	15	Having a wall thickness not exceeding				
			kg			
	30	Having a wall thickness exceeding				
	50		kg			
	45	Having an outside diameter exceeding	9			
		114.3 mm but less than 215.9 mm	kg			
	60	Having an outside diameter of 215.9 mm	J			
	JU	or more but not exceeding 406.4 mm	ka			
			''9			
	75	Having an outside diameter exceeding	l. a			
2004 200 64		406.4 mm		– 1/2/		250/
'304.29.61		Of other alloy steel		Free		35%
		Having an outside diameter not exceeding				
	15	114.3 mm: Having a wall thickness not exceeding				
	13	9.5 mm				
			Ng			
	30	Having a wall thickness exceeding	l.a.			
	45	9.5 mm Having an outside diameter exceeding	kg			
	40	114.3 mm but less than 215.9 mm	ka			
			''9			
	60	Having an outside diameter of 215.9 mm	l. a			
		or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding				
		406.4 mm	kg			
			I	I		1

)	<	١
7	3		c

Subheading 304 (con.)	out-	Stat. Suf- Article Description				
304 (con.)	fix	Article Description	of Quantity	General	1 Special	2
()		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Other, of circular cross section, of iron or nonalloy steel:				
304.31 304.31.30	00	Cold-drawn or cold-rolled (cold-reduced): Hollow bars	kg	Free ^{1/2/}		22%
304.31.60	10	OtherSuitable for use in boilers, superheaters, heat		Free ^{1/2/}		25%
		exchangers, condensers, refining furnaces and feedwater heaters	kg			
	50	Other	kg			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
, abi icauli ig	fix	Attible Description	Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Other, of circular cross section, of iron or nonalloy steel: (con.)		4/0/		050/
304.39.00	02	Other Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters: Having an outside diameter less than		Free ^{1/2/}		25%
	04	38.1 mm Having an outside diameter of 38.1 mm or more but less than 190.5 mm				
	06	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm				
	80	Having an outside diameter exceeding 285.8 mm				
	16	Other: Galvanized, having an outside diameter not exceeding 114.3 mm	kg			
	20	Other: Having an outside diameter less than 38.1 mm	kg			
	24	Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm: Having a wall thickness less than 6.4 mm				
	28	Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm				
	32	Having a wall thickness exceeding	kg			
	36	Having a wall thickness less than 12.7 mm	kg			
	40	Having a wall thickness of 12.7 mm or more but less than 19 mm				
	44	Having a wall thickness of 19 mm or more Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm:	kg			
	48	Having a wall thickness less than 12.7 mm	, and			
	52	Having a wall thickness of 12.7 mm or more but less than 19 mm				
	56	Having a wall thickness of 19 mm or moreHaving an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm:	kg			
	62	Having a wall thickness less than 12.7 mm	kg			
	68	Having a wall thickness of 12.7 mm or more but less than 19 mm				
	72	Having a wall thickness of 19 mm or more	kg			
	76	Having a wall thickness less than 19 mm	kg			

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)	IIX	Tubes, pipes and hollow profiles, seamless, of iron (other than		General	Оресіаі	
76 1 (66111)		cast iron) or steel: (con.)				
		Other, of circular cross section, of iron or nonalloy steel:				
		(con.)				
304.39.00 on.)		Other (con.)				
Ji i. <i>)</i>		Other: (con.)				
		Other: (con.)				
		Having an outside diameter exceeding				
		406.4 mm: (con.)				
	80	Having a wall thickness of 19 mm or				
		more	kg			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
					ĺ	1

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
_	fix		Quantity	General	Special	
304 (con.) 304.41 304.41.30		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Other, of circular cross section, of stainless steel: Cold-drawn or cold-rolled (cold-reduced): Of an external diameter of less than 19 mm		Free ^{1/2/}		36%
	05 15	Of high-nickel alloy steel Other: Suitable for use in boilers, superheaters,	kg			
304.41.60	45	heat exchangers, condensers, refining furnaces and feedwater heaters Other Other	kg	Fron 1/2/		36%
004.41.00	05	Of high-nickel alloy steel Other:		Free—		30 78
	15	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters	· ·			
7304.49.00	45 05	Other Other Of high-nickel alloy steel		Free ^{1/2/}		36%
	15	Other: Hollow bars				
	45	Other: Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters	kg			
	60	Other	ŭ			

	,	X	١
73	_	1	•

Heading/	Stat.	Antinia Deservision	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than		o o no na	Opcola	
(,		cast iron) or steel: (con.)				
		Other, of circular cross section, of other alloy steel:				
7304.51		Cold-drawn or cold-rolled (cold-reduced):				
7304.51.10	00	Suitable for use in the manufacture of ball or roller bearings		1/2/		34%
7304.51.50		Other		Free ^{1/2/}		35%
	05	Of high-nickel alloy steel	kg			
		Other:				
		Suitable for use in boilers, superheaters,				
		heat exchangers, condensers, refining furnaces and feedwater heaters:				
	15	Of heat-resisting steel	ka			
		Other	· ·			
	45 60	Other				
7304.59	00	Other:	Ng			
7304.59.10	00	Suitable for use in the manufacture of ball or roller				
		bearings	kg	Free ^{1/2/}		34%
		Other:				
7304.59.20		Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces				
		and feedwater heaters		Free ^{1/2/}		35%
	30	Of heat-resisting steel	kg			
		Other:				
	40	Having an outside diameter less than				
		38.1 mm	kg			
	45	Having an outside diameter of				
		38.1 mm or more but not exceeding	1			
		114.3 mm	_			
	55	Having an outside diameter exceeding				
		114.3 mm but less than 190.5 mm	кд			
	60	Having an outside diameter of				
		190.5 mm or more but not exceeding 285.8 mm				
	70		_			
	70	Having an outside diameter exceeding 285.8 mm but not exceeding				
		406.4 mm	ka			
	80	Having an outside diameter exceeding	~			
	00	406.4 mm	kg			
			9			

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	or Quantity	General	1 Special	
7304 (con.) 7304.59 con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Other, of circular cross section, of other alloy steel: (con.) Other: (con.)				
,		Other: (con.) Other:				
7304.59.60	00	Of heat-resisting steel	_			36%
7304.59.80		Other		Free ^{1/2/}		35%
	10	Having an outside diameter less than 38.1 mm				
	15	Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm: Having a wall thickness less than				
		6.4 mm	kg			
	20	Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm				
	25		kg			
	30	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thickness less than 12.7 mm				
	35	Having a wall thickness of 12.7 mm or more but less than 19 mm				
	40	Having a wall thickness of 19 mm or more				
	45	Having a wall thickness less than 12.7 mm				
	50	Having a wall thickness of 12.7 mm or more but less than 19 mm	ka			
	55	Having a wall thickness of 19 mm or moreHaving an outside diameter exceeding 285.8 mm but not exceeding	kg			
	60	406.4 mm: Having a wall thickness less than 12.7 mm	ka			
	65	Having a wall thickness of 12.7 mm or more but less than 19 mm				
	70	Having a wall thickness of 19 mm	J			
	80	or moreHaving an outside diameter exceeding				
304.90		406.4 mm Other:	Ny			
304.90.10	00	Having a wall thickness of 4 mm or more: Of iron or nonalloy steel	kg	Free ^{1/2/}		1%
304.90.30	00	Of alloy steel				8.5%
1004 00 = 1		Having a wall thickness of less than 4 mm:				050
304.90.50		Of iron or nonalloy steel				25%
304.90.70	00	Of alloy steel	kg	Free ^{1/2/}		35%

Х	٧
73-1	F

7305.12 7305.12.10 30 60 7305.12.50 7305.19 7305.19.10 30 60 7305.19.50	Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel: Line pipe of a kind used for oil or gas pipelines: Longitudinally submerged arc welded: Of iron or nonalloy steel	kg kgkg kg kg kg	Free ^{1/2/} Free ^{1/2/}	Special	5.5% 5.5% 10%
7305 7305.11 7305.11.10 30 60 7305.11.50 7305.12.10 30 60 7305.12.50 7305.12.50 7305.19.70 30 60 7305.19.50 00	closed), having circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel: Line pipe of a kind used for oil or gas pipelines: Longitudinally submerged arc welded: Of iron or nonalloy steel	kg kg kgkg kg	Free ^{1/2/} Free ^{1/2/} Free ^{1/2/}		10% 5.5%
7305.11.10 30 60 7305.12.10 30 60 7305.12.50 00 7305.19.10 30 60 7305.19.50 00	Longitudinally submerged arc welded: Of iron or nonalloy steel	kg kgkg kg kg kg	Free ^{1/2/} Free ^{1/2/}		10% 5.5%
60 7305.11.50 7305.12 7305.12.10 30 60 7305.12.50 7305.19 7305.19 30	but not exceeding 609.6 mm	kg kgkg kg kg kg	Free ^{1/2/}		5.5%
7305.11.50 00 7305.12 7305.12.10 30 60 7305.12.50 00 7305.19.10 30 60 7305.19.50 00	609.6 mm	kg kg kg kg	Free ^{1/2/}		5.5%
7305.12 7305.12.10 30 60 7305.12.50 7305.19 7305.19.10 30 60 7305.19.50 00	Other, longitudinally welded: Of iron or nonalloy steel	kg kg kg	Free ^{1/2/}		5.5%
7305.12.50 00 7305.19 7305.19.10 30 60 7305.19.50 00	but not exceeding 609.6 mm	kg kg kg			10%
7305.12.50 00 7305.19 7305.19.10 30 60 7305.19.50 00	609.6 mm	kg			10%
7305.19 7305.19.10 30 60 7305.19.50	Other: Of iron or nonalloy steel With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm				10%
60 7305.19.50 00	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm				5.5%
7305.19.50 00	With an external diameter exceeding				
	609.6 mm		1/9/		100/
	Of alloy steelCasing of a kind used in drilling for oil or gas: Of iron or nonalloy steel:	кд	Free		10%
7305.20.20 00	Threaded or coupled	kg	Free ^{1/2/}		20%
7305.20.40 00	Other Of alloy steel:				1%
7305.20.60 00	Threaded or coupled	kg	Free ^{1/2/}		28%
7305.20.80 00 7305.31 7305.31.20 00	Other Other, welded: Longitudinally welded: Tapered pipes and tubes of steel principally used		Free ^{1/2/}		8.5%
7303.31.20 00	as parts of illuminating articles Other:	kg	Free ^{1/2/}		45%
7305.31.40 00 7305.31.60	Of iron or nonalloy steel Of alloy steel	_			5.5% 10%
10	Of stainless steel	kg	Free		10%
7305.39 7305.39.10 00	Other: Of iron or nonalloy steel		Free ^{1/2/}		5.5%
7305.39.50 00 7305.90	Of alloy steelOther:				10%
7305.90.10 00	Of iron or nonalloy steel				5.5%
7305.90.50 00	Of alloy steel	kg	Free ^{1/2/}		10%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty	2
	fix		Quantity	General	Special	
7306 7306.11.00		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: Line pipe of a kind used for oil or gas pipelines: Welded, of stainless steel		- 1/2/		10%
306.11.00	10	Welded, of staffless steet With an outside diameter not exceeding 114.3 mm		Free ***		10%
306.19	50	With an outside diameter exceeding 114.3 mm Other:				
306.19.10	10	Of iron or nonalloy steel		Free ^{1/2/}		5.5%
	50	With an outside diameter exceeding 114.3 mm				
306.19.51	10	Of alloy steel		Free ^{1/2/}		10%
	50	114.3 mm With an outside diameter exceeding 114.3 mm				
'306.21		Casing and tubing of a kind used in drilling for oil or gas: Welded of stainless steel: Casing:				
306.21.30	00	Threaded or coupled	kg	Free 1/2/		28%
306.21.40	00	Other	kg	Free ^{1/2/}		8.5%
306.21.80		Tubing	_			10%
	10	Imported with coupling	kg			
	50	Other	kg			
'306.29		Other: Casing: Of iron or nonalloy steel:				
7306.29.10	30	Threaded or coupledImported with coupling	kg	Free ^{1/2/}		20%
306.29.20	90 00	Other Other Other:		Free ^{1/}		1%
306.29.31	00	Threaded or coupled	kg	Free ^{1/2/}		28%
306.29.41	00	Other				8.5%
306.29.60		Tubing: Of iron or nonalloy steel		Free ^{1/2/}		5.5%
	10	Imported with coupling	kg			
7306.29.81	50	OtherOther		Free ^{1/2/}		10%
	10	Imported with coupling	I -			
	50	Other	kg			

	Х	V
73	-1	7

	Stat.	A CL D	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel:	,	50,1010		
306.30		(con.) Other, welded, of circular cross section, of iron or nonalloy steel:				
306.30.10	00	Having a wall thickness of less than 1.65 mm	kg	Free ^{1/2/}		25%
306.30.30	00	Having a wall thickness of 1.65 mm or more: Tapered steel pipes and tubes principally used as parts of illuminating articles	ka	Froc 1/2/		45%
306.30.50		Other				5.5%
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold drawn		Tiee		0.0 /0
	15	Other, cold-drawn	kg			
	20	Other, cold-rolled (cold-reduced) with a wall thickness not exceeding 2.54 mm	kg			
		Other: With an outside diameter not exceeding 114.3 mm: Galvanized:				
	25	Imported with coupling	kg			
	28	Internally coated or lined with a non-electrically insulating material, suitable for use as electrical conduit	ka			
	32		kg			
	35	Other: Tube and pipe hollows for				
	40	redrawing	_			
	40 55	Other, imported with coupling	•			
		With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm:	kg			
	85	Galvanized	kg			
	90	Other	kg			
						1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Japineauling	fix	Titule Description	Quantity	General	Special	
306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel:				
306.40 306.40.10		(con.) Other, welded, of circular cross section, of stainless steel: Having a wall thickness of less than 1.65 mm		Free ^{1/2/}		36%
		Containing more than 0.5 percent by weight of nickel:				
	10	Containing more than 1.5 percent but less than 5 percent by weight of molybdenum				
	15 90	OtherOther	•			
306.40.50	05	Having a wall thickness of 1.65 mm or more Of high-nickel alloy steel		Free ^{1/2/}		11%
	15	Other: Suitable for use in boilers, superheaters, heat				
	.0	exchangers, condensers, refining furnaces and feedwater heaters, whether or not				
		cold-drawn Other, cold-drawn or cold-rolled (cold-	kg			
	40	reduced): Containing more than 0.5 percent but less than 24 percent by weight of nickel				
	40	Other:	kg			
	42	Containing less than 15 percent by weight of chromium	_			
	44	Other Other: With an outside diameter not exceeding 114.3 mm: Containing more than 0.5 percent but	C			
	62	less than 24 percent by weight of nickel: Containing more than 1.5 percent but less than 5 percent by weight				
		of molybdenum	kg			
	64 80	Other Other With an outside diameter exceeding				
	85	114.3 mm but not exceeding 406.4 mm: Containing more than 0.5 percent but less than 24 percent by weight of				
	90	nickel Other	· ·			

	X	(١
73.		1	C

Heading/	Stat.		Unit		Rates of Duty	-
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7306 (con.)	TIX.	Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel:	Quantity	General	Орестан	
7306.50 7306.50.10	00	(con.) Other, welded, of circular cross section, of other alloy steel: Having a wall thickness of less than 1.65 mm	kg	Free ^{1/2/}		35%
7306.50.30	00	Having a wall thickness of 1.65 mm or more: Tapered pipes and tubes of steel principally used as parts of illuminating articles	kg	Free ^{1/2/}		45%
7306.50.50	10	OtherSuitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn		Free ^{1/2/}		10%
	30	Other, cold-drawn or cold-rolled (cold-reduced) Other:	kg			
	50	With an outside diameter not exceeding 114.3 mm	kg			
7306.61	70	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm Other, welded, of noncircular cross section: Of square or rectangular cross section: Having a wall thickness of 4 mm or more:	kg			
7306.61.10	00	Of iron or nonalloy steel	-			1%
7306.61.30	00	Of alloy steel	kg	Free ^{1/2/}		28%
7306.61.50	00	Of iron or nonalloy steel	_			25%
7306.61.70	30	Of alloy steel	kg	Free ^{1/2/}		35%
7306.69	60	OtherOf other noncircular cross section: Having a wall thickness of 4 mm or more:				
7306.69.10		Of iron or nonalloy steel				1%
7306.69.30		Of alloy steelHaving a wall thickness of less than 4 mm:				28%
306.69.50 306.69.70	00	Of iron or nonalloy steel Of alloy steel		Free ^{1/2/} Free ^{1/2/}		25% 35%
	30 60	Of stainless steel Other	kg	Free		33 %
7306.90 7306.90.10	00	Other: Of iron or nonalloy steel	kg	Free ^{1/2/}		5.5%
7306.90.50	00	Of alloy steel	kg	Free ^{1/2/}		10%

J, BH, 25% CO, D, E, R, MA, P, PA,
CO, D, E, R, MA,
P, PA,
J, BH, 45%
CO, D, E, R, MA,
P, PA,
, ,
AU, BH, 45%
CO, D, E,
R, MA,
P, PA,
l

	X١
73	-2

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: (con.) Other, of stainless steel:		901,014	- Opeona.	
307.21 307.21.10	00	Flanges: Not machined, not tooled and not otherwise processed after forging	kg	3.3% ^{3/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA,	34%
'307.21.50	00	Other	kg	5.6% ^{3/}	MX, OM, P, PA, PE, SG) Free (A*, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA,	45%
307.22 307.22.10	00	Threaded elbows, bends and sleeves: Sleeves (couplings)	kg	Free ^{3/}	MX, OM, P, PA, PE, SG)	45%
307.22.50	00	Other			Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	45%
307.23.00		Butt welding fittings		5% ^{3/}	PE, SG) Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
	30	Not machined, not tooled and not otherwise processed after forming	_		1 2,00)	
307.29.00	90	OtherOther		5% ³	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	45%
	30 90	Nipples Other	_		PE, SG)	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
udiniy	fix		Quantity	General	Special	
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: (con.) Other:				
307.91		Flanges: Not machined, not tooled and not otherwise processed after forging:				
307.91.10	00	Of iron or nonalloy steel	kg	3.3% ^{3/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 0.3% (KR) 0.3% (JP)	25%
307.91.30	00	Of alloy steel (except stainless steel)	kg	3.2% ^{3/}	Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 0.3% (KR) 0.2% (JP)	33%
307.91.50		Other		5.5% ³ /	Free (A*, AU, B, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 0.5% (KR) 2.75% (JP)	45%
	10	With an inside diameter of less than 360 mm: Of iron or nonalloy steel				
	30	Of alloy steel (except stainless steel)				
	50	With an inside diameter of 360 mm or more: Of iron or nonalloy steel	kg			
307.92 307.92.30	70	Of alloy steel (except stainless steel) Threaded elbows, bends and sleeves: Sleeves (couplings)		F3/		45%
007.02.00	10	Of iron or nonalloy steel		riee		4370
	30	Of alloy steel (except stainless steel) ⁵	kg			
307.92.90	00	Other	kg	6.2% ³	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) 3.2% (JP)	45%

	ΧV
73	-23

	Stat.	Auticle Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: (con.)	,		Sports.	
7307.93		Other: (con.) Butt welding fittings: With an inside diameter of less than 360 mm:				
7307.93.30		Of iron or nonalloy steel		6.2% ^{3/}	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 1.2% (KR)	45%
	10	Not machined, not tooled and not otherwise processed after forging	kg			
	40	Other	kg			
7307.93.60	00	Of alloy steel (except stainless steel) ⁵	kg	5.5% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG)	45%
7307.93.90		With an inside diameter of 360 mm or more		4.3% ^{3/}	1.1% (KR) Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 0.8% (KR)	45%
	10	Of iron or nonalloy steel: Not machined, not tooled and not			U.8% (NH)	
		otherwise processed after forging	kg			
	40	Other	kg			
	60	Of alloy steel (except stainless steel)	kg			
7307.99		Other: Not machined, not tooled and not otherwise processed after forging:				
7307.99.10	00	Of iron or nonalloy steel	kg	3.7% ^{3/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) 0.7% (JP)	25%
7307.99.30	00	Of alloy steel (except stainless steel)	kg	3.2% ³	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) 0.2% (JP)	33%
7307.99.50		Other		4.3% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) 1.3% (JP)	45%
	15	Of iron or nonalloy steel:	ka			
	15	Nipples				
	45 60	OtherOf alloy steel (except stainless steel)				

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cabricaanig	fix	7.1100 2300.1210.1	Quantity	General	Special	
7308		Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns) of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel:				
7308.10.00	00	Bridges and bridge sections	_			45%
7308.20.00	20	Towers and lattice masts Tubular, whether or not tapered, and sectional components thereof		Free ^{6/}		45%
	90	Other				
7308.30 7308.30.10	00	Doors, windows and their frames and thresholds for doors: Of stainless steel	kg	· Free ^{3/}		35%
308.30.50		Other		Free ^{3/}		25%
	15	Windows and their frames	Ŭ			
	25	Thresholds for doors	J			
7308.40.00	50 00	Other ⁷¹ Equipment for scaffolding, shuttering, propping or pit- propping		. Free ^{3/}		45%
7308.90		Other: Columns, pillars, posts, beams, girders and similar structural units:	Ü	1100		
7308.90.30	00	Not in part of alloy steel ⁸	kg	· Free ^{6/}		20%
7308.90.60	00	OtherOther:	kg	· Free ^{6/}		30%
7308.90.70	00	Steel grating	kg	· Free ^{6/}		45%
7308.90.95		Other		Free ^{6/}		45%
	30	Sheet-metal roofing, siding, flooring and roof drainage equipment				
	60	Other: Architectural and ornamental work	kg			
	90	Other ^{9/}	J			
7309.00.00		Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment		Free ^{3/}		45%
	30	Tanks	No.			
	90	Other	kg No.			
	30	Outer	kg			

	X١	
73	-2	

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	
7310		Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal				
7310.10.00		equipment: Of a capacity of 50 liters or more		Free ^{3/}		25%
	10	Empty steel drums and barrels	No. kg			
	50	Other Of a capacity of less than 50 liters:	kg			
7310.21.00		Cans which are to be closed by soldering or crimping		Free ^{3/}		25%
	25	Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods	No.			
7010 00 00	50	Other	No.	_ 3/		250/
7310.29.00	25	Other Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods		Free ^{3/}		25%
	50	Other				
7311.00.00		Containers for compressed or liquefied gas, of iron or steel Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific		Free ³ ∕		25%
	30	exemption to those requirements: Seamless steel containers not overwrapped, marked DOT 3A, 3AX, 3AA, 3AAX, 3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number				
	60	Other	No.			
	90	Other				
			kg			

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	or Quantity	General	1 Special	·
7312		Stranded wire, ropes, cables, plaited bands, slings and the			·	
7312.10		like, of iron or steel, not electrically insulated: Stranded wire, ropes and cables: Stranded wire:				
7312.10.05	00	Of stainless steel: Fitted with fittings or made up into articles	ka	Eroo <u>3/</u>		45%
7312.10.03	00	Other				45%
7312.10.10	30	Tire cord		Free ^{3/}		45%
	50	Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by 8.5				
	70	Other	kg			
7312.10.20	00	Other: Fitted with fittings or made up into articles	kg	Free ^{3/}		45%
7312.10.30		Other		Free ^{3/}		35%
7012110100	05	Tire cord		riee		0070
	10	For prestressing concrete: Covered with textile or other non-	Lee			
		metallic material	J			
	12 20	Other Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by	kg			
		8.5	kg			
	45	Other: Of brass plated wire	kg			
		Other: Galvanized:				
	65	ACSR core strand	kg			
	70	Other: Covered with textile or other nonmetallic				
		material	kg			
	74	Other				
	80	OtherRopes, cables and cordage other than stranded wire: Of stainless steel:				
7312.10.50	00	Fitted with fittings or made up into articles	kg	Free ^{3/}		45%
7312.10.60		Other	_			45%
	30	With a diameter not exceeding 9.5 mm		1100		
	60	Other	kg			
7312.10.70	00	Other: Fitted with fittings or made up into articles	kg	Free ^{3/}		45%
		Other:				
7312.10.80	00	Of brass plated wire	kg	Free ^{3/}		35%
7312.10.90		Other		Free ^{3/}		35%
	30	Galvanized: With a diameter not exceeding				
	60	9.5 mm With a diameter exceeding	kg			
		9.5 mm	3			
7040 00 00	90	Other		_ 3/		450/
7312.90.00	00	Other	кд	Free ^{3/}		45%

	X۱
73	-27

	Stat.	A CL D	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
313.00.00		Barbed wire of iron or steel; twisted hoop or single flat wire,	Quartity	General	Оресіаі	
313.00.00	00	barbed or not, and loosely twisted double wire, of a kind used				
			kg	Froo ^{3/}		Free
				1166		1.100
'314		Cloth (including endless bands), grill, netting and fencing, of				
		iron or steel wire; expanded metal of iron or steel:				
7314.12		Woven cloth: Endless bands for machinery, of stainless steel:				
7314.12.10	00	With meshes not finer than 12 wires to the lineal				
0		centimeter in warp or filling	m ²	Free ^{3/}		35%
			kg			
7314.12.20	00	With meshes finer than 12 but not finer than				
011112120	•	36 wires to the lineal centimeter in warp or filling	m²	Free ^{3/}		50%
		3	kg			
		With meshes finer than 36 wires to the lineal				
		centimeter in warp or filling:				
		Fourdrinier wires, seamed or not seamed,				
		suitable for use in papermaking machines:				
7314.12.30	00	With 94 or more wires to the lineal				
		centimeter	m ²	Free ^{3/}		75%
			kg			
7314.12.60	00	Other	m ²	Free ^{3/}		75%
			kg			
7314.12.90	00	Other	m ⁻²	Free ^{3/}		60%
			kg			
7314.14		Other woven cloth, of stainless steel:				
7314.14.10	00	With meshes not finer than 12 wires to the lineal	2	_ 3/		050/
		centimeter in warp or filling ^{10/}	m²	Free		35%
			kg			
7314.14.20	00	With meshes finer than 12 but not finer than	2	_ 2/		500/
		36 wires to the lineal centimeter in warp or filling	m²	Free ³		50%
			kg			
		With meshes finer than 36 wires to the lineal				
		centimeter in warp or maximum:				
		Fourdrinier wires, seamed or not seamed,				
70444400	00	suitable for use in papermaking machines:				
7314.14.30	00	With 94 or more wires to the lineal centimeter	m ²	Eroo <u>3/</u>		75%
		Centimeter	kg	riee		7070
70444400	00	Others	m²	- 3/		75%
7314.14.60	00	Other		Free ^{3/}		75%
7314.14.90	00	Other	kg m²	Free ^{3/}		60%
, 5 17.17.30	50	Oti 101		. 100		
7314.19.01	00	Other	kg m²	Free ^{3/}		60%
1			kg			
7314.20.00	00	Grill, netting and fencing, welded at the intersection, of				1
		wire with a maximum cross-sectional dimension of 3 mm				
		or more and having a mesh size of 100 cm ² or more	kg	Free ^{3/}		45%

	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
314 (con.)		Cloth (including endless bands), grill, netting and fencing, of			·	
		iron or steel wire; expanded metal of iron or steel: (con.)				
314.31		Other grill, netting and fencing, welded at the intersection: Plated or coated with zinc:				
314.31.10	00	Wire fencing plated or coated with zinc, whether				
014.01.10	00	or not covered with plastic material	kg	Free ^{3/}		1.1¢/kg
314.31.50						45%
314.31.30	10	Other:Welded wire stucco netting, furred, not		Free -		43%
	10	reinforced with supplemental horizontal				
		wire	kg			
	80	Other	•			
314.39.00	00	Other		Free ^{3/}		45%
		Other grill, netting and fencing:	3	1100		
314.41.00		Plated or coated with zinc		Free ^{3/}		1.1¢/kg
	30	Chain link fencing				
		Woven wire stucco netting, furred, not reinforced				
		with supplemental horizontal wire:				
	40	Of wire with maximum cross- sectional				
		dimension of 1 mm	kg			
	45	Other	kg			
	80	Other				
314.42.00		Coated with plastics		Free ^{3/}		1.1¢/kg
	30	Chain link fencing	kg			
	60	Other	kg			
314.49		Other:		0/		
314.49.30	00	Not cut to shape	kg	Free ^{3/}		45%
314.49.60	00	Cut to shape	kg	Free ^{3/}		35%
314.50.00	00	Expanded metal	m ²	Free ^{3/}		45%
			kg			
						1
						I

	X١
73	-20

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
315		Chain and parts thereof, of iron or steel:				
7015 11 00		Articulated link chain and parts thereof:		_ 3/		400/
'315.11.00	05	Roller chainFor motor vehicles		Free ²²		40%
	03		ky			
		Other: Of not over 50 mm pitch and containing more				
		than 3 parts per pitch:				
	10	Bicycle chains	kg			
	45	Other	kg			
7045 40 00	60	Other		2/		100/
'315.12.00	20	Other chain		Free ^{3/}		40%
	20	Of not over 50 mm pitch and containing more than 3 parts per pitch				
		Other:	i i g			
	40	Welded steel chain	kg			
	60	Cast and combination chain	_			
	80	Other ^{11/}	ľ			
7315.19.00	00	Parts		Eroo <u>^{3/}</u>		40%
7315.20		Skid chain:		Triee		1070
7315.20.10	00	Not over 8 mm in diameter	kg	Free ^{3/}		10%
7315.20.50	00	Over 8 mm in diameter	ka	Free ^{3/}		2.5¢/kg
0.0.20.00		Other chain:		11166		L.o.
7315.81.00	00	Stud link	kg	Free ^{3/}		4.4¢/kg
7315.82		Other, welded link:				
		Of alloy steel:				
7315.82.10	00	Not over 10 mm in diameter	kg	· Free ^{3/}		10%
7315.82.30	00	Over 10 mm in diameter	kg	Free ^{3/}		10%
		Of iron or nonalloy steel:				
7315.82.50	00	Not over 10 mm in diameter	kg	· Free ^{3/}		10%
7315.82.70	00	Over 10 mm in diameter	kg	Free ^{3/}		10%
7315.89		Other:				
7315.89.10	00	With links of essentially round cross sections: Not over 8 mm in diameter	l. a	. == . 3/	Fron (A ALL D DL	100/
313.69.10	00	Not over a min in diameter	ky	1.5%=	Free (A, AU, B, BH, CA, CL, CO, D, E,	10%
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
7315.89.30		Over 8 mm in diameter			F /A All D B::	4.7¢/kg
7315.89.50	UU	Other	кд	· 3.9% *	Free (A, AU, B, BH, CA, CL, CO, D, E,	45%
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
7215 00 00	00	Other parts	ka	0.00(3/	PE, SG)	459/
7315.90.00	00	Other parts	kg	2.9%	Free (A*, AU, B, BH, CA, CL, CO, D, E,	45%
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
			l		PE, SG)	
′316.00.00	00	Anchors, grapnels and parts thereof, of iron or steel		Free ^{3/}		25%
			kg			
			Ī	Ī	i	Ī

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Atticle Description	Of Quantity	General	1 Special	
317.00		Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper:				
317.00.10	00	Thumb tacks	kg	Free ^{1/}		4%
317.00.20	00	Other, suitable for use in powder-actuated handtools: Not threaded 71	kg	Free ^{3/}		1.5¢/kg
317.00.30	00	Threaded Other:	kg	Free ^{3/2/}		45%
317.00.55		Of one piece construction: Made of round wire		Free ^{3/2/}		3.5%
	01	Collated nails: Collated roofing nails with a length of 20.6 mm to 46.1 mm, a head diameter of 8.3 mm to 10.6 mm, a shank diameter of 2.5 mm to 3.2 mm, whether or not galvanized	kg			
	00	Assembled in a wire coil: Galvanized	1			
	02	Other	J			
	05	Assembled in a plastic strip: Galvanized	J			
	07	Other	_			
	08	Assembled in a paper strip	_			
	11 18	Assembled in a wire strip Other	Ŭ			
	19	Other: With a length of less than 25.4 mm and	Ng			
		with a diameter of less than 1.65 mm Other: Smooth shank:	kg			
	20	Not coated, plated or painted	kg			
	30	Coated, plated or painted: Galvanized	kg			
	40	Vinyl, resin or cement coated	kg			
	50	OtherOther:	kg			
	60	Not coated, plated or painted	kg			
	70	Coated, plated or painted: Galvanized	kg			
	80	Vinyl, resin or cement coated	kg			
317.00.65	90	OtherOther	0	Free ^{3/2/}		5.5%
	30	Cut	kg			
317.00.75	60 00	Other Of two or more pieces	. •	Free ^{3/}		8%

	X	١
73	-3	•

Heading/ Subheading	Stat. Suf-				Rates of Duty 2		
Subneading	fix	Article Description	of Quantity	General	Special		
'318		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: Threaded articles:					
'318.11.00	00	Coach screws	kg	12.5% ^{3/}	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%	
318.12.00	00	Other wood screws	kg	12.5% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%	
318.13.00		Screw hooks and screw rings		5.7% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%	
	30	Having shanks or threads with a diameter of less than 6 mm	kg				
7318.14	60	Having shanks or threads with a diameter of 6 mm or more					
7318.14.10		Self-tapping screws: Having shanks or threads with a diameter of less than 6 mm		6.2% ^{3/}	Free (A+, AU, B, BH,	45%	
					CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) 3.2% (JP)		
	30 60	Of stainless steel Other	Ŭ		0.270 (0.17)		
7318.14.50		Having shanks or threads with a diameter of 6 mm or more		8.6% ^{12/}	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) 5.6% (JP)	45%	
	20 80	Of stainless steel Other	•				

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	- 2
'318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters,				
		cotter pins, washers (including spring washers) and similar				
		articles, of iron or steel: (con.)				
318.15		Threaded articles: (con.) Other screws and bolts, whether or not with their nuts				
310.13		or washers:				
318.15.20		Bolts and bolts and their nuts or washers entered				
		or exported in the same shipment		Free ^{3/}		3.5%
	10	Having shanks or threads with a diameter of				
		less than 6 mm				
		Having shanks or threads with a diameter of				
		6 mm or more:				
	20	Track bolts	kg			
	30	Structural bolts	ka			
	00		1.9			
	41	Bent bolts: Right-angle anchor bolts	ka			
			_			
	46	Other ^{13/}	kg			
		Other:		1		
	51	With round heads: Of stainless steel	ka	1		
			_			
	55	Other	kg			
	0.1	With hexagonal heads:	1			
	61	Of stainless steel	_			
	65	Other	kg			
	0.1	Other:	1			
	91	Of stainless steel	ľ			
	95	Other	kg			
318.15.40	00	Machine screws 9.5 mm or more in length and				
		3.2 mm or more in diameter (not including cap screws)	le a	_ 3/		2.2¢/kg
						2.2¢/kg
318.15.50		Studs		Free ^{3/}		45%
	30	Of stainless steel	kg			
		Other:				
		Continuously threaded rod:				
	51	Of alloy steel	kg			
	56	Other	kg			
	90	Other	_			
				1		
				1		
				1		
				1		
				1		
				1		
	i e		I	1	1	1

	>	(١
73	٠	3	•

	Stat.	Anticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters,		Gorioiai	Opena.	
(,		cotter pins, washers (including spring washers) and similar				
		articles, of iron or steel: (con.)				
		Threaded articles: (con.)				
318.15		Other screws and bolts, whether or not with their nuts				
con.)		or washers: (con.)				
		Other:				
7318.15.60		Having shanks or threads with a diameter of				
		less than 6 mm		6.2% ^{3/}	Free (A, AU, B, BH,	45%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA, MX, OM, P, PA,	
					PE, SG)	
		Socket screws:			1 2, 00)	
	10	Of stainless steel	ka			
	40	Other	J			
	40	Other:	кg			
	70	Of stainless steel	ka			
			ū			
	80	Other	kg			
'318.15.80		Having shanks or threads with a diameter of		3/	Fron /A ALL D. DLL	450/
		6 mm or more		8.5% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E,	45%
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
	20	Set screws	ka			
		Other:	J			
		Socket screws:				
	30	Of stainless steel	ka			
			Ŭ			
	45	OtherOther:	кд			
		With hexagonal heads:				
	55	Of stainless steel	ka			
	00		'\9			
	66	Other:	lem.			
		Cap screws	ū			
	69	Other 11/	kg			
		Other:				
	82	Of stainless steel	kg			
	85	Other	kg			
318.16.00		Nuts		Free ^{1/}		0.5%
		Lugnuts:		1		
	15	Non-locking chrome-plated	kg	1		
	30	Locking	_	1		
		· ·	Ŭ	1		
	45	Other:	kg	1		
	60	Of stainless steel	ka			
			Ŭ	1		
	85	Other	kg	2/	F /A ALL D D	450/
'318.19.00	00	Other	kg	5.7% *	Free (A, AU, B, BH,	45%
					CA, CL, CO, D, E,	
					IL, JO, KR, MA, MX, OM, P, PA,	
					PE, SG)	
					2.85% (JP)	
				1		
				1		
				1		
			1	I	Ī	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	<u> </u>	Quantity	General	Special	
7318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.) Non-threaded articles:				
7318.21.00		Spring washers and other lock washers		5.8% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) 2.9% (JP)	35%
	30	Helical spring lock washers	kg		2.576 (01)	
70.10.00.00	90	Other	kg	0/		
318.22.00		Other washers				1.3¢/kg
318.23.00		Rivets				2.2¢/kg
7318.24.00	00	Cotters and cotter pins	kg	3.8% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) 0.8% (JP)	45%
7318.29.00	00	Other	kg	2.8% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, JP, KR, MA, MX, OM, P, PA, PE, SG)	45%
7319 7319.40		Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included: Safety pins and other pins:				
7319.40.20		Safety pins and other pins. Safety pins		4.5% ^{1/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	35%
	10	On cards	Gross		, ,	
70.40.40.00	50	Other		4/	 	050/
7319.40.30	00	Dressmakers' or common pins	kg	4.1%"	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	35%
7319.40.50		Other		Free ^{1/}		35%
	10	Push pins	•			
319.90	50	Other:Other:	kg			
319.90.10	00	Sewing, darning or embroidery needles	Thousand	Free ^{1/}		Free
7319.90.90	00	Other			Free (A, AU, BH,	45%
					CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	

)	<	١
73	_	3	ı

Heading/	Stat.	Auticle Description	Unit		Rates of Duty	2	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2	
320 320.10		Springs and leaves for springs, of iron or steel: Leaf springs and leaves therefor: Suitable for motor vehicle suspension:	,		- Special		
320.10.30	00	To be used in motor vehicles having a G.V.W. not exceeding 4 metric tons		2 20/ ^{3/}	Free (A, AU, B, BH,	25%	
		CACCCUITY THOUSE COLO	.vg	. 3.2%	CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	2070	
320.10.60		Other		3.2% ^{3/}	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%	
	15	Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor	kg		, , , , ,		
	60	Other	_				
320.10.90		Other		3.2% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	25%	
	15	Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves			PE, SG) 0.2% (JP)		
		therefor					
000 00	60	Other	kg				
320.20 320.20.10	00	Helical springs: Suitable for motor-vehicle suspension	kg	· 3.2% ^{1/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%	
320.20.50		Other		3.9%1/	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%	
	10	Helical springs, of wire having a cross-sectional dimension of less than 5.1 mm: Suitable for use in mattress supports and mattresses of heading 9404	ka		, ,		
	20	Other	ľ				
	45	Helical springs, of wire having a cross-sectional dimension of 5.1 mm or more but less than					
	60	12.7 mm Other	ľ				
320.90		Other:					
320.90.10	00	Hairsprings				65%	
320.90.50		Other		2.9% ^{3/}	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, JP, KR, MA, MX, OM, P,	45%	
	10	Of wire: Suitable for use in mattress supports and mattresses of heading 9404	ka		PA, PE, SG)		
			'\9	1		Ī	
	20	Other	ka				

Article Description ges, grates, cookers (including those with poilers for central heating), barbecues, braziers, late warmers and similar nonelectric domestic and parts thereof, of iron or steel: gappliances and plate warmers: gas fuel or for both gas and other fuels: Portable	of Quantity	General	1 Special	2
oilers for central heating), barbecues, braziers, late warmers and similar nonelectric domestic and parts thereof, of iron or steel: gappliances and plate warmers: gas fuel or for both gas and other fuels:				
		5.7% ^{14/}	Free (A, AU, BH,	45%
		3.7 70	CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 0.5% (KR)	
Stoves or ranges	No.			
Other 15/	No.			
Other:				
Stoves or ranges:		· Free ^{3/}		45%
Of a maximum width not exceeding 70 centimeters	No.			
Of a maximum width exceeding 70 but no exceeding 80 centimeters				
Of a maximum width exceeding				
80 centimeters				
Other				45%
liquid fuel	No	·· Free ^{4/}		45%
er, including appliances for solid fuel		Eroo <u>4/</u>		45%
Portable:		11166		1070
Hibachis	No.			
Other	No			
Other:				
Of cast iron	No.			
Other	No.			
opliances:				
gas fuel or for both gas and other fuels:		4/	- /4 411 511	
Portable			Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
Other	No	Free ^{1/}		45%
liquid fuel:				
Portable	No	· 2.9% ^{1/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
Other	No	···Free ^{1/}		45%
				45%
CC.		1		
er, i Fire	ncluding appliances for solid fuel eplace grates of cast iron			ner

	X١	
73	-3	

Heading/	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7321 (con.)		Stoves, ranges, grates, cookers (including those with		Conordi	Ороски	
02: (00:)		subsidiary boilers for central heating), barbecues, braziers,				
		gas rings, plate warmers and similar nonelectric domestic				
		appliances, and parts thereof, of iron or steel: (con.)				
7321.90		Parts:				
		Of articles in subheading 7321.11.30:				
7321.90.10	00	Cooking chambers, whether or not assembled	No	Free ^{3/}		45%
			kg			
7321.90.20	00	Top surface panels with or without burners or				
		controls	No	Free ^{3/}		45%
			kg	1.100		
7321.90.40	იი	Door assemblies, incorporating more than one of				
7021.50.40	00	the following: inner panel, outer panel, window,				
			No	Eroo <u>3/</u>		45%
			kg	riee		1.070
7001 00 50	00	Other	_	_ 2/		450/
7321.90.50	00	Other		Free ³		45%
7221 00 60		Othor	kg	- 3/		450/
7321.90.60		Other		Free		45%
	40	Of cooking appliances and plate warmers:	N			
	40	Shelving and racks for cooking ovens	No.			
			kg			
	60	Other ^{13/}	No.			
			kg			
	90	Other ^{10/}	No.			
			kg			
7322		Radiators for central heating, not electrically heated, and parts	_			
1322		thereof, of iron or steel; air heaters and hot air distributors				
		(including distributors which can also distribute fresh or				
		conditioned air), not electrically heated, incorporating a				
		motor-driven fan or blower, and parts thereof, of iron or steel:				
		Radiators and parts thereof:				
7322.11.00	00	Of cast iron	No	Froo ^{3/}		45%
7322.19.00	00	Other				45%
7322.90.00		Other, including parts		Free ^{3/}		45%
	15	Air heaters, not electrically heated, incorporating a				
		motor-driven fan or blower 11/	No.			
			kg			
	30	Hot air distributors, not electrically heated,				
	00	incorporating a motor-driven fan or blower	No.			
			kg			
	45	Parts of air heaters and hot air distributors	No.			
	45	Faits of all fleaters and not all distributors	INO.			
						1
						1
						1
						1
				1		
				1		1
						1
		1		1	1	1

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	Sut- fix	Article Description	of Quantity	General	1 Special	
323		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel:	,		5,555.	
'323.10.00	00	pads, gloves and the like	kg	Free ^{3/}		22¢/kg + 30%
323.91		Other: Of cast iron, not enameled:				
323.91.10	00	Coated or plated with precious metal	No	 Free ^{1/}		20%
		· · ·	kg			
323.91.50		Other		5.3% ^{4/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	40%
	20	Bakeware (cookware not suitable for stove top use)	No. kg			
	40		No.			
323.92.00		Of cast iron, enameled	kg	- 1/		35.5%
323.92.00	20	Bakeware (cookware not suitable for stove top		Free ^{1/}		33.370
		use)	No. kg			
	40		No.			
'323.93.00		Of stainless steel	kg 	2% ^{16/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA,	40%
	15	Cooking and kitchen ware: Teakettles	No. kg		MX, OM, P, PA, PE, SG)	
	35	Other: Cooking ware: Bakeware (cookware not suitable for	3			
		stove top use)				
	45		kg			
	45	Other	No. kg			
	60	Kitchen ware	No.			
	80	Other	kg No.			
	00	Other	kg			
				1		

	ΧV	,
73	-30	

	Stat. Suf-	Astiola December	Unit		Rates of Duty	
Subheading	fix	Article Description	of Quantity	General	1 Special	2
323 (con.)		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: (con.)		20110101	opos.a.	
323.94.00		Other: (con.) Of iron (other than cast iron) or steel, enameled		2.7% ^{1/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	35.5%
		Cooking and kitchen ware: Of steel:			1 L, 30)	
	10	Teakettles	No. kg			
	21	Other: Cooking ware: Bakeware (cookware not suitable for stove top use)	No. kg			
	26	Other	No. kg			
	30		No. kg			
	40 80	Other	No. kg No			
			kg			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
323 (con.)		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: (con.) Other: (con.)				
323.99		Other: Coated or plated with precious metal:				
323.99.10	00	Coated or plated with silver	Nokg	· Free ^{1/}		50%
323.99.30	00		Nokg	· 8.2% ^{4/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	65%
323.99.50		Not coated or plated with precious metal: Of tinplate		Free ^{4/}		40%
	30	Kitchen or tableware suitable for food or drink contact	No. kg			
	60	Other:	No. kg			
323.99.70	00		No	E 20/4/	Free (A, AU, BH,	40%
020.00.70		OSONING NOTICE.	kg	. 5.3%	CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	10 /0
323.99.90		Other		3.4% ^{17/}	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	40%
	30	Kitchen or tableware suitable for food or drink contact	No. kg			
	40	Gates for confining children or pets ^{18/}	No.			
	80		No.			
324 324.10.00		Sanitary ware and parts thereof, of iron or steel: Sinks and wash basins, of stainless steel		3.4% ^{3/}	Free (A, AU, BH, C, CA, CL, CO, D, E, IL, JO, KR, MA,	40%
	10	Stainless steel sinks with one or more drawn bowls			MX, OM, P, PA, PE, SG)	
		(basins)				
204.04	50	Other	INO.			
324.21 324.21.10	00	Of cast iron, whether or not enamelled: Coated or plated with precious metal				20%
324.21.50		Other ^{11/}				40%
324.29.00 324.90.00		Other				40%
024.30.00	00	Other, including parts ^{20/}	NO	· Free≝		40%

	Χ	V
73	-4	1

	Stat.	Audul - Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'325		Other cast articles of iron or steel:			,	
'325.10.00		Of nonmalleable cast iron		Free ^{3/}		10%
	10	Manhole covers, rings and frames	Ŭ			
	20	Catch basins, grates and frames	_			
	25	Cleanout covers and frames	kg			
	30	Valve and service boxes	kg			
	35	Meter boxes	kg			
	80	Other	kg			
325.91.00	00	Other: Grinding balls and similar articles for mills	l. a	/ 3/	Eroo /A ALL DIL	45%
323.91.00	00	Childing bails and similar articles for mills	. Kg	2.9%-	Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45 %
7325.99	00	Other:	le a	_ 3/		200/
325.99.10		Of cast iron			_ ,	20%
7325.99.50	00	Other	kg	2.9% ³	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7326		Other articles of iron or steel:				
326.11.00	00	Forged or stamped, but not further worked: Grinding balls and similar articles for mills	ka	3/		27.5%
	UU		_		_ , = =	
7326.19.00	10	Other	kg	2.9%≝	Free (A, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7326.20.00	80	Other ^{11/} Articles of iron or steel wire		3.9% ^{3/}	Free (A, AU, B, BH, C, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
	10	Belts and belting	kg		1 2, 00)	
	20	Garment hangers	No.			
	30	Sod staples, U staples, irrigation staples, ground				
		staples, and ground pins	No.			
	40	Double loop bar ties and double loop wire ties	No.			
	55	Paint roller frames	No.			
	90	Other	No.			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty	2
udiniy	fix	7.1100 2000.pilo.	Quantity	General	Special	
'326 (con.)		Other articles of iron or steel: (con.)				
7326.90		Other:		24		
326.90.10	00	Of tinplate		Free ^{3/}		45%
			kg			
		Other:				
7326.90.25	00	Cable or inner wire for caliper and cantilever				
		brakes and casing therefor, whether or not cut to length	le or	- 3/		4E0/
			ку	Free ^{ss}		45%
7326.90.35	00	Containers of a kind normally carried on the				
		person, in the pocket or in the handbag	doz	· 7.8% ^{<u>3/</u>}	Free (AU, BH, CA,	110%
					CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	
					SG)	
7326.90.45	00	Horse and mule shoes	ka.	Eroo <u>3/</u>		10%
323.00.70	"			11166		10,0
7000 00 00	00	Other:	NI.		F /A ALL 511	0501
7326.90.60	UU	Coated or plated with precious metal	Nokg	8.6% "	Free (A, AU, BH, CA, CL, CO, D, E,	65%
			ĸy		IL, JO, KR, MA,	
					MX, OM, P, PA,	
				1	PE, SG)	
7326.90.86		Other		2.9% ^{21/}	Free (A, AU, B, BH,	45%
3_5.00.00		C		2.3 /0	CA, CL, CO, D, E,	10,0
					IL, JO, JP, KR,	
				1	MA, MX, OM, P,	
		D 1 () 1 () 1			PA, PE, SG)	
	05	Rods for electrical grounding	_	1		
	10	Laminated goods consisting of two or more		1		
		flat-rolled sheets of iron or steel held		1		
		together with an adhesive or having a core		1		
		of non-metallic material	λy	1		
	30	Hangers and similar supports for tubes	l.a	1		
		and pipes	кg	1		
	35	Fence posts, studded with corrugations,				
		knobs, studs, notches or similar		1		
		protrusions, with or without anchor plates	ka	1		
	,_		_			
	45	Barbed tape	_	1		
	60	Ladders ^{5/}	No.	1		
	75	Paint roller frames (other than of iron or		1		
		steel wire)	No.	1		
	76	Metal handles for brooms, mops, paint		1		
		applicators and similar products	No.	1		
	77	Burial caskets		1		
				1		
	88	Other ^{22/}	kg	1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		Ī

Harmonized Tariff Schedule of the United States (2020) Revision 4

Annotated for Statistical Reporting Purposes

XV Endnotes--page 73 - 43

- 1/ See 9903.88.15.
- 2/ See U.S. note 16 to subchapter III, chapter 99.
- 3/ See 9903.88.03.
- 4/ See 9903.88.16.
- 5/ See 9903.88.35.
- 6/ See 9903.88.02.
- 7/ See 9903.88.37.
- 8/ See 9903.88.17.
- 9/ See 9903.88.17 and 9903.88.20.
- 10/ See 9903.88.18.
- 11/ See 9903.88.33.
- 12/ See 9902.14.94 and 9903.88.03.
- 13/ See 9903.88.38.
- 14/ See 9902.14.95 and 9903.88.03.
- 15/ See 9903.88.40.
- 16/ See 9902.14.96, 9902.14.97 and 9903.88.16.
- 17/ See 9902.14.98, 9902.14.99, 9902.15.01 and 9903.88.03.
- 18/ See 9903.88.36.
- 19/ See 9903.88.13 and 9903.88.37.
- 20/ See 9903.88.34.
- 21/ See 9902.15.02, 9902.15.03, 9902.15.04, 9902.15.05, 9902.15.06 and 9903.88.03.
- 22/ See 9903.88.33, 9903.88.36, 9903.88.37 and 9903.88.38.