Annotated for Statistical Reporting Purposes

CHAPTER 76

ALUMINUM AND ARTICLES THEREOF

XV 76-1

Note

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(b) Profiles

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(c) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width.

(d) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 7601), coiled or not, of solid rectangular (other than square) cross section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 7606 and 7607 apply, inter alia, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, checkers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(e) <u>Tubes and pipes</u>

Hollow products, coiled or not, which have a uniform cross section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

Annotated for Statistical Reporting Purposes

XV 76-2

Subheading Notes (con.)

(a) Aluminum, not alloyed

Metal containing by weight at least 99 percent of aluminum, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Element	Limiting content percent by weight
Fe + Si (iron plus silicon)	1
Other elements (1), each	0.1 (2)

⁽¹⁾ Other elements are, for example, Cr, Cu, Mg, Mn, Ni, Zn.

(b) Aluminum alloys

Metallic substances in which aluminum predominates by weight over each of the other elements, provided that:

- The content by weight of at least one of the other elements or of iron plus silicon taken together is greater than the limit specified in the foregoing table; or
- (ii) The total content by weight of such other elements exceeds 1 percent.
- 2. Notwithstanding the provisions of chapter note 1(c), for the purposes of subheading 7616.91 the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

Additional U.S. Note

1. For the purposes of heading 7608, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.

Statistical Notes

- I. For the purposes of this chapter, the term "aluminum vanadium master alloy" refers to aluminum alloys which contain by weight 20 percent or more of vanadium.
- 2. For the purposes of this chapter, the term "aluminum can stock" refers to sheets and strip in coils, of alloys of aluminum in which either manganese or magnesium is the predominant alloying element, not painted, over 0.175 mm but not over 0.432 mm in thickness, and over 254 mm in width, comprising "body stock and "lid stock" as specified below:
 - (a) The term "body stock" refers to aluminum can stock having manganese as the predominant alloying element and having a minimum tensile strength of 262 MPa; and
 - (b) The term "lid stock" refers to aluminum can stock having magnesium as the predominant alloying element and having a minimum tensile strength of 345 MPa.
- 3. For the purposes of statistical reporting number 7601.20.9080, "sheet ingot" (slabs) refers to aluminum alloys with a rectangular cross-section suitable to be manufactured into other products.
- 4. For the purposes of statistical reporting number 7601.20.9085, "foundry ingot" refers to large castings of aluminum alloys of various shapes other than sheets or slabs to be melted for further processing.
- 5. For the purposes of statistical reporting numbers 7604.29.3030, 7604.29.5020 and 7606.12.3015, "high-strength heat-treatable alloys" refers to aluminum containing by weight 7.0 percent or less of copper or 10.0 percent or less of zinc, and/or designated as series 2xxx and 7xxx (except 7072) in the Aluminum Association's specifications of registered alloys.

⁽²⁾ Copper is permitted in a proportion greater than 0.1 percent but not more than 0.2 percent, provided that neither the chromium nor manganese content exceeds 0.05 percent.

Annotated for Statistical Reporting Purposes

XV 76-3

Statistical Notes (con.)

6. For the purposes of statistical reporting numbers 7604.21.0010, 7604.29.1010, 7604.29.3060, 7604.29.5050, 7606.12.3025 and 7606.12.3091, "heat-treatable industrial alloys" refers to aluminum containing by weight 3.0 percent or less of magnesium and 3.0 percent or less of silicon, and/or are designated as series 6xxx in the Aluminum Association's specifications of registered alloys.

Compiler's Note

The provisions of subchapter II of chapter 99 (Miscellaneous Tariff Bills or MTBs), the provisions of the Generalized System of Preferences (GSP) found in General Note 4 and most product exclusions from the additional tariffs on products of China in subchapter III of chapter 99 expired on December 31, 2020. However, no endnotes or footnotes relating to these provisions have been deleted as of the issue date of this edition.

Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Cabileauling	fix	Attiolo Description	Quantity	General	Special	
601		Unwrought aluminum:			Ċ	
601.10		Aluminum, not alloyed:				
601.10.30	00	Of uniform cross section throughout its length, the least				
		cross-sectional dimension of which is not greater than				
		9.5 mm, in coils		2 6% 1/2/	Free (A, AU, BH, CL,	18.5%
		,		2.076	CO, D, E, IL, JO,	1.0.070
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		0.1		4/0/	174,12,0,00)	
601.10.60		Other		· Free 1/2/		11%
	30	Of greater than 99.8 percent aluminum	kg			
	90	Other	ka			
601.20	00	Aluminum alloys:	ng			
601.20.30	00	Of uniform cross section throughout its length, the least				
001.20.00	00	cross-sectional dimension of which is not greater than				
		9.5 mm, in coils		0.00/1/2/	Free (A, AU, BH, CL,	10 50/
		9.5 11111, 111 COIIS	ĸy	2.6%	CO, D, E, IL, JO,	10.5%
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		Other:				
601.20.60	00	Containing 25 percent or more by weight of				
		silicon	kg	· 2.1% ^{1/2/}	Free (A+, AU, BH,	25%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
601 00 00		Othor		1/9/	, , , , =, =, =, =, =,	10 E0/
601.20.90		Other		Free ""		10.5%
	30	Aluminum vanadium master alloy	kg			
		Other:				
	45	Of uniform circular cross section				
		throughout its length, the foregoing				
		comprised of billets, not in coils	ka			
		· ·	ŭ			
	60	Other, containing 0.03 percent or more by				
		weight of lead (secondary aluminum)	kg			
		Other:				
	75	Remelt scrap ingot	ka			
		·	_			
	80	Sheet ingot (slab) of a kind described				
		instatistical note 3 to this chapter	кд			
	85	Foundry ingot of a kind described in				
		statistical note 4 to this chapter	kg			
	95	-	•			
	90	Other	ĸy			
602.00.00		Aluminum waste and scrap		Free ^{3/}		Free
	30	Used beverage container scrap				
	- •	-	ق			
	٠,	Other:				
	91	Industrial process scrap including turnings, borings,				
		shavings, filings, clippings, chips and other				
		manufacturing wastes and residues	кд			
	96	Other	ka			
			3			
			1	1		

	Х	\
7	۵	F

Heading/	Stat.	A C L D	Unit		Rates of Duty		_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2	
603	11/	Aluminum powders and flakes:	Quantity	General	оресіаі		_
503.10.00		Powders of non-lamellar structure			Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)		
603.20.00	00	Powders of lamellar structure; flakes	kg	3.9% ^{3/}	PA, PE, S, SG) Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11%	

Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	<u> </u>
604		Aluminum bars, rods and profiles:				
604.10		Of aluminum, not alloyed:	l .	4101		
604.10.10	00	Profiles	kg	· 5% ^{1/2/}	Free (A, AU, BH, CL,	45%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		Bars and rods:				
604.10.30	00	Having a round cross section	kg	· 2.6% ^{1/2/}	Free (A, AU, BH, CL,	11%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
604.10.50	00	Other	kg	· 3% ^{1/2/}	Free (A, AU, BH, CL,	13.5%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
		Of all mains are all as a			PA, PE, S, SG)	
604 04 00		Of aluminum alloys:	le a	. = 2 , 1/2/	Eroo (A. ALL DILLO)	1E E0/
604.21.00		Hollow profiles	Kg	1.5%	Free (A, AU, BH, CL,	15.5%
					CO, D, E, IL, JO, KR, MA, OM, P,	
					PA, PE, S, SG)	
	10	Heat-treatable industrial alloys of a kind described			'A, I L, U, UU	
		in statistical note 6 to this chapter				
	00	•	· ·			
604.29	90	Other:Other:	kg			
604.29		Other profiles	ka	Eq. 1/2/	Free (A*, AU, BH,	45%
UU4.23.1U		Outer profiles	^y	5%	CL, CO, D, E, IL,	45%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	10	Heat-treatable industrial alloys of a kind			,,, ., ., .,	
		described in statistical note 6 to this				
		chapter	kg			
	90	Other	ka			
	55	Bars and rods:				
604.29.30		Having a round cross section		2.6% 1/2/	Free (A*, AU, BH,	11%
- *				,	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	High-strength heat-treatable alloys of a				
		kind described in statistical note 5 to this	l.			
		chapter	кд			
	60	Heat-treatable industrial alloys of a kind				
		described in statistical note 6 to				
		thischapter	kg			
	90	Other	kg			
604.29.50		Other		3% ^{1/2/}	Free (A*, AU, BH,	13.5%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	ا ـ ا				P, PA, PE, S, SG)	
	20	High-strength heat-treatable alloys of a				
		kind described in statistical note 5 to this	l.a			
		chapter	kg			
	50	Heat-treatable industrial alloys of a kind				
		described in statistical note 6 to this	l.			
		chapter				
	90	Other	kg			
			1	Ī	I	

	ΧV	
7	6-7	

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
oublicading	fix	Attitude Description	Quantity	General	Special	
605		Aluminum wire:				
		Of aluminum, not alloyed:				
605.11.00	00	Of which the maximum cross-sectional dimension exceeds 7 mm	l. a	0.00/1/2/	Free (A, AU, BH, CL,	110/
		exceeds / IIIIII	kg	2.6%	CO, D, E, IL, JO,	1170
					KR, MA, OM, P,	
					PA, PE, S, SG)	
605.19.00	00	Other	kg	4.2% ^{1/2/}	Free (A, AU, BH, CL,	25%
					CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
		Of aluminum alloys:			FA, FE, 3, 3G)	
605.21.00	00	Of which the maximum cross-sectional dimension				
		exceeds 7 mm	kg	2.6% ^{1/2/}	Free (A, AU, BH, CL,	11%
					CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
605.29.00	00	Other	l. a	1/2/	· ·	050/
605.29.00	00	Other	ку	4.2%	Free (A*, AU, BH, CL, CO, D, E, IL,	25%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
606		Aluminum plates, sheets and strip, of a thickness exceeding				
		0.2 mm:				
606.11		Rectangular (including square): Of aluminum, not alloyed:				
606.11.30		Not clad		3% ^{1/2/}	Free (A, AU, BH, CL,	13.5%
				3 76	CO, D, E, IL, JO,	
					KR, MA, OM, P,	
	30	With a thickness of more than 6.3 mm	ka		PA, PE, S, SG)	
			· ·			
606.11.60	60 00	With a thickness of 6.3 mm or less Clad		2 79/ 1/2/	Free (A, AU, BH, CL,	9 5%
000.11.00	00	Olau	ку	2.7%—	CO, D, E, IL, JO,	3.5 /6
					KR, MA, OM, P,	
					PA, PE, S, SG)	

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Capricading	fix	Attible Description	Quantity	General	Special	
606 (con.)		Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: (con.) Rectangular (including square): (con.)	-	-		
606.12 606.12.30		Of aluminum alloys: Not clad	<u>2/</u>	3% ¹ /	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5%
	15	With a thickness of more than 6.3 mm: High-strength heat-treatable alloys of a kind described in statistical note 5 to this chapter	kg		1,17,12,3,30)	
	25	Heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter	ka			
	35	OtherWith a thickness of 6.3 mm or less:	kg			
	45 55	Aluminum can stock: Body stock Lid stock				
	91	Other: Heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter				
606.12.60	96 00	Other Clad	kg	6.5% 1/2/	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	30%
					P, PA, PE, S, SG)	

)	<	٧
7	6	:_	c

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubileaulily	fix	Attible Description	Quantity	General	Special	
'606 (con.)		Aluminum plates, sheets and strip, of a thickness exceeding				
		0.2 mm: (con.) Other:				
7606.91		Of aluminum, not alloyed:				
606.91.30		Not clad		3% ^{1/2/}	Free (A, AU, BH, CL,	13.5%
					CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	kg		1 A, 1 L, 0, 00)	
	95	With a thickness of 6.3 mm or less	ka			
606.91.60		Clad	J	2.7% ^{1/2/}	Free (A, AU, BH, CL,	9.5%
					CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	kg		1 A, 1 L, 0, 00)	
	95	With a thickness of 6.3 mm or less				
606.92		Of aluminum alloys:				
606.92.30		Not clad		3% ^{1/2/}	Free (A, AU, BH, CL,	13.5%
					CO, D, E, IL, JO, KR, MA, OM, P,	
					PA, PE, S, SG)	
	25	With a thickness of more than 6.3 mm	kg		1 7 1, 1 2, 3, 3 3,	
	35	With a thickness of 6.3 mm or less	kg			
7606.92.60		Clad		6.5% ^{1/2/}	Free (A, AU, BH, CL,	30%
					CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	kg		1 A, 1 L, 0, 00)	
	95	With a thickness of 6.3 mm or less	_			
		THAT A MINORIDGE OF CIG THIN OF ICCO	i i g			

pa	Other	kg m² kg m²		Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
7607.11.30 00 7607.11.90 90 30 60	aperboard, plastics or similar backing materials) of a hickness (excluding any backing) not exceeding 0.2 mm: Not backed: Rolled but not further worked: Of a thickness not exceeding 0.15 mm: Of a thickness not exceeding 0.01 mm	kg m² kg m²		CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	
7607.11.30 00 7607.11.60 10 90 30 60	Rolled but not further worked: Of a thickness not exceeding 0.15 mm: Of a thickness not exceeding 0.01 mm Of a thickness exceeding 0.01 mm	kg m² kg m²		CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	
7607.11.60 10 90 7607.11.90	Of a thickness not exceeding 0.01 mm Of a thickness exceeding 0.01 mm Boxed aluminium foil weighing not more than 11.3 kg	kg m² kg m²		CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	
10 90 7607.11.90 30 60	Boxed aluminium foil weighing not more than 11.3 kg	kg m² kg m²	5.3% ^{1/2/}	CL, CO, D, E, IL, JO, KR, MA, OM,	40%
90 607.11.90 30 60	than 11.3 kg	m ² kg m ²		, , , , , , , , , , , , , , , , , , , ,	
607.11.90 30 60		m ²			
30 60					
60			3% ^{1/2/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5%
1901	Aluminum can stock: Body stock Lid stock Other	kg			
607.19 607.19.10 00	Other: Etched capacitor foil		· 5.3% ^{1/2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	40%
607.19.30 00	Other: Cut to shape, of a thickness not exceeding 0.15 mm	kg	· 5.7% ^{1/2/}	PA, PE, S, SG) Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	45%
7607.19.60 00	Other	kg	· 3% ^{1/2/}	PA, PE, S, SG) Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	13.5%
7607.20 7607.20.10 00	Backed: Covered or decorated with a character, design, fancy effect or pattern		· 3.7% ^{1/2/}	PA, PE, S, SG) Free (A, AU, BH, CL, CO, D, E, IL, JO,	22.5%
7607.20.50 00	Other	kg	· Free ^{1/2/}	KR, MA, OM, P, PA, PE, S, SG)	23%

	Х	V
76	-1	1

Article Description Aluminum tubes and pipes: Of aluminum, not alloyed	kg kg kg kg	5.7% 1/2/	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
Of aluminum, not alloyed Seamless Of aluminum alloys Seamless Other Aluminum tube or pipe fittings (for example, couplings, elbows,	kg kg kg kg	5.7% 1/2/	C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) ^{4/} Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM,	
Seamless Other Of aluminum alloys Seamless Other Aluminum tube or pipe fittings (for example, couplings, elbows,	kg kg kg kg	5.7% 1/2/	C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) ^{4/} Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM,	
Other Of aluminum alloys Seamless Other Aluminum tube or pipe fittings (for example, couplings, elbows,	kg kg kg		Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
Of aluminum alloys Seamless Other Aluminum tube or pipe fittings (for example, couplings, elbows,	kg kg		C, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
Seamless Other Aluminum tube or pipe fittings (for example, couplings, elbows,	kg kg		C, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
OtherAluminum tube or pipe fittings (for example, couplings, elbows,	kg			
Aluminum tube or pipe fittings (for example, couplings, elbows,	Ğ			
			1	
sleeves)	kg			
		5.7% 1/2/	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
Aluminum structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminum plates, rods, profiles, tubes and the like, prepared for use in structures:				
		1/	Free /A ALL DLL CL	450/
		5.7%"	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
Windows and their frames	kg			
Thresholds for doors	kg			
		5.7% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
0. 0. 0				
	_			
	r.g			
	ka			
	_			
Aluminum reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 liters, whether or not lined or heat	ing			
		2.6% ^{3/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PF, S, SG)	45%
Tanks	No.		, , , , , , , , , , , , ,	
Other	No.			
	aluminum plates, rods, profiles, tubes and the like, prepared for use in structures: Doors, windows and their frames and thresholds for doors	aluminum plates, rods, profiles, tubes and the like, prepared for use in structures: Doors, windows and their frames and thresholds for doors	aluminum plates, rods, profiles, tubes and the like, prepared for use in structures: Doors, windows and their frames and thresholds for doors	aluminum plates, rods, profiles, tubes and the like, prepared for use in structures: Doors, windows and their frames and thresholds for doors

Stat. Suf-	Article Description	Unit of		Rates of Duty	2
fix		Quantity	General	Special	
	Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:				
00	Collapsible tubular containers	No	2.4% ^{3/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	Other: Of a capacity not exceeding 20 liters		5.7% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
30	Cans of a capacity not exceeding 355 ml	No.		, , , , , , , , , , , , , , , ,	
60					
90					
00	Other	No	Free ^{3/}		25%
00		No	5% ^{3/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25%
	slings and similar articles, of aluminum, not electrically insulated:				
00		kg	4.9% ^{6/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
00		kg	4.9% ^{3/2/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
	Electrical conductors	kg	4.9% ^{6/2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
	mm²	kg			
60		ka			
00			4.9% ^{3/2/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
00	Fitted with fittings or made up into articles	kg	5.7% ^{3/2/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	900 00 00 30 60 00 00 00 00 00 00 00 00 00 00 00 00	fix Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment: Other:	Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment: Other: Other: Ot a capacity not exceeding 20 liters	Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment: Collapsible tubular containers	Aluminum casks, drums, cans, boxes and similar containers including rigid or collapsible tubular containers, for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated. Un tof littled with mechanical or thermal equipment: Collapsible tubular containers

 $\mathsf{X}\mathsf{V}$

	Stat.	Australia Decembration	Unit		Rates of Duty	_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
615		Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum:	,	2310141	5,000	
615.10		Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:				
615.10.11	00	Pot scourers and scouring or polishing pads, gloves and the like	kg	3.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
		Other: Cooking and kitchen ware: Enameled or glazed or containing nonstick interior finishes:				
615.10.20		Cast		3.1% ^{7/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	15	Bakeware (cookware not suitable for stove top use)	kg			
	25	Other	No. kg			
615.10.30		Other		3.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	15	Bakeware (cookware not suitable for stove top use)	kg			
	25	Other	No. kg			

Suf- fix	Article Description	of		1	2
117		Quantity	General	Special	<u> </u>
	Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts				
	Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: (con.)				
	Cooking and kitchen ware: (con.) Not enameled or glazed and not containing nonstick interior finishes:				
	Cast		3.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P. PA, PE, S. SG)	45.5%
20	Bakeware (cookware not suitable for stove top use)	No. kg		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
40	Other				
	Other		3.1% ^{7/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45.5%
25		No.		P, PA, PE, S, SG)	
30		No.			
55		No.			
80		No.			
00	Other	kg	· 3.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, D, RA, DE, C, CO)	45.5%
00	Sanitary ware and parts thereof	kg	· 3.8% ^{3/}	F, PA, PE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	20 40 25 30 55 80 00	gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: (con.) Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: (con.) Other: (con.) Cooking and kitchen ware: (con.) Not enameled or glazed and not containing nonstick interior finishes: Cast	gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: (con.) Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: (con.) Other: (con.) Cooking and kitchen ware: (con.) Not enameled or glazed and not containing nonstick interior finishes: Cast	gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: (con.) Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: (con.) Other: (con.) Cooking and kitchen ware: (con.) Not enameled or glazed and not containing nonstick interior finishes: Cast	gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: (con.) Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like; (con.) Other: (con.) Cooking and kitchen ware: (con.) Not enameled or glazed and not containing nonstick interior finishes: Cast

Heading/ St Subheading St						
ubneading	Suf- fix	Article Description	of Quantity	General	1 Special	2
616 616.10 616.10.10	00	Other articles of aluminum: Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles: Nails, tacks and staples	kg	5.7% ³	Free (A, AU, BH, CL, CO, D, E, IL, JO,	45%
616.10.30	00	Rivets	kg	4.7% ^{3/}	KR, MA, OM, P, PA, PE, S, SG) Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
616.10.50	00	Cotters and cotter pins	kg	5.7% ^{3/}	P, PA, PE, S, SG) Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.10.70		Other: Having shanks, threads or holes over 6 mm in diameter		5.5% ^{<u>3</u>}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.10.90	30 90	Threaded fasteners Other Other	kg	6% ^{3/}	2.75% (JP) Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
	30 90	Threaded fastenersOther	· ·		P, PA, PE, S, SG)	

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	,	Quantity	General	Special	
616 (con.)		Other articles of aluminum: (con.)				
616.91.00	00	Other: Cloth, grill, netting and fencing, of aluminum wire	kg	2.5% ^{3/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.99 616.99.10	00	Other: Luggage frames	kg	Free ^{3/}		45%
616.99.51		Other		2.5% ^{8/2/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
	20	Laminated goods consisting of 2 or more flat-rolled sheets of aluminum held together with an adhesive or having a core of			P, PA, PE, S, SG)	
	00	non-metallic material				
	30	Ladders ⁹				
	40	Venetian blinds and parts thereof	No.			
	50	Hangers and supports for pipes and tubes 10/1	kg			
	60	Other: Castings	ka			
	70	Forgings				
	, 0	Other:	Ng			
	75	Articles of wire	kg			
	90	Other 111/	_			

Annotated for Statistical Reporting Purposes

Endnotes--page 76 - 17

- <u>1/</u> See 9903.88.15.
- 2/ See U.S. note 19 to subchapter III, chapter 99.
- 3/ See 9903.88.03.
- 4/ See additional U.S. note 1 to this chapter.
- 5/ See 9903.88.37.
- 6/ See 9903.88.02.
- 7/ See 9903.88.16.
- 8/ See 9902.15.09 and 9903.88.03.
- 9/ See 9903.88.36.
- 10/ See 9903.88.40.
- 11/ See 9903.88.18, 9903.88.33, 9903.88.37, 9903.88.40, 9903.88.43, 9903.88.48 and 9903.88.56.