

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

CHAPTER 76

ALUMINUM AND ARTICLES THEREOF

XV
76-1

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Aluminum, not alloyed

Metal containing by weight at least 99 percent of aluminum, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

| Element | Limiting content percent by weight |
|--------------------------------------|------------------------------------|
| Fe + Si (iron plus silicon) | 1 |
| Other elements ⁽¹⁾ , each | 0.1 ⁽²⁾ |

⁽¹⁾ Other elements are, for example, Cr, Cu, Mg, Mn, Ni, Zn.

⁽²⁾ Copper is permitted in a proportion greater than 0.1 percent but not more than 0.2 percent, provided that neither the chromium nor manganese content exceeds 0.05 percent.

(b) Aluminum alloys

Metallic substances in which aluminum predominates by weight over each of the other elements, provided that:

- (i) The content by weight of at least one of the other elements or of iron plus silicon taken together is greater than the limit specified in the foregoing table; or
- (ii) The total content by weight of such other elements exceeds 1 percent.

2. Notwithstanding the provisions of note 9(c) to section XV, for the purposes of subheading 7616.91 the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

Additional U.S. Note

1. For the purposes of heading 7608, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.

Statistical Notes

- 1. For the purposes of this chapter, the term "aluminum vanadium master alloy" refers to aluminum alloys which contain by weight 20 percent or more of vanadium.
- 2. For the purposes of this chapter, the term "aluminum can stock" refers to sheets and strip in coils, of alloys of aluminum in which either manganese or magnesium is the predominant alloying element, not painted, over 0.175 mm but not over 0.432 mm in thickness, and over 254 mm in width, comprising "body stock" and "lid stock" as specified below:
 - (a) The term "body stock" refers to aluminum can stock having manganese as the predominant alloying element and having a minimum tensile strength of 262 MPa; and
 - (b) The term "lid stock" refers to aluminum can stock having magnesium as the predominant alloying element and having a minimum tensile strength of 345 MPa.
- 3. For the purposes of statistical reporting number 7601.20.9080, "sheet ingot" (slabs) refers to aluminum alloys with a rectangular cross-section suitable to be manufactured into other products.

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV

76-2

Statistical Notes (con.)

4. For the purposes of statistical reporting number 7601.20.9085, "foundry ingot" refers to large castings of aluminum alloys of various shapes other than sheets or slabs to be melted for further processing.
5. For the purposes of statistical reporting numbers 7604.29.3030, 7604.29.5020 and 7606.12.3015, "high-strength heat-treatable alloys" refers to aluminum containing by weight 7.0 percent or less of copper or 10.0 percent or less of zinc, and/or are designated as series 2xxx or 7xxx (except 7072) in the Aluminum Association's specifications of registered alloys.
6. For the purposes of statistical reporting numbers 7604.21.0010, 7604.29.1010, 7604.29.3060, 7604.29.5050, 7606.12.3025 and 7606.12.3091, "heat-treatable industrial alloys" refers to aluminum containing by weight 3.0 percent or less of magnesium and 3.0 percent or less of silicon, and/or are designated as series 6xxx in the Aluminum Association's specifications of registered alloys.

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-3

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|--------------------|---|-------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7601 | | Unwrought aluminum: | | | | |
| 7601.10 | | Aluminum, not alloyed: | | | | |
| 7601.10.30 | 00 | Of uniform cross section throughout its length, the least cross-sectional dimension of which is not greater than 9.5 mm, in coils..... | kg..... | 2.6% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 18.5% |
| 7601.10.60 | 30 | Other..... | | Free ^{1/} | | 11% |
| | 90 | Of greater than 99.8 percent aluminum..... | kg | | | |
| | 90 | Other..... | kg | | | |
| 7601.20 | | Aluminum alloys: | | | | |
| 7601.20.30 | 00 | Of uniform cross section throughout its length, the least cross-sectional dimension of which is not greater than 9.5 mm, in coils..... | kg..... | 2.6% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 18.5% |
| 7601.20.60 | 00 | Other: Containing 25 percent or more by weight of silicon..... | kg..... | 2.1% ^{1/} | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 25% |
| 7601.20.90 | 30 | Other..... | | Free ^{1/} | | 10.5% |
| | 45 | Aluminum vanadium master alloy..... | kg | | | |
| | 45 | Other: Of uniform circular cross section throughout its length, the foregoing comprised of billets, not in coils..... | kg | | | |
| | 60 | Other, containing 0.03 percent or more by weight of lead (secondary aluminum)..... | kg | | | |
| | 75 | Other: Remelt scrap ingot..... | kg | | | |
| | 80 | Sheet ingot (slab) of a kind described in statistical note 3 to this chapter..... | kg | | | |
| | 85 | Foundry ingot of a kind described in statistical note 4 to this chapter..... | kg | | | |
| | 95 | Other..... | kg | | | |
| 7602.00.00 | | Aluminum waste and scrap..... | | Free ^{2/} | | Free |
| | 30 | Used beverage container scrap..... | kg | | | |
| | 91 | Other: Industrial process scrap including turnings, borings, shavings, filings, clippings, chips and other manufacturing wastes and residues..... | kg | | | |
| | 96 | Other..... | kg | | | |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-4

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|--------------------|---|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7603 | | Aluminum powders and flakes: | | | | |
| 7603.10.00 | 00 | Powders of non-lamellar structure..... | kg..... | 5% ^{2/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7603.20.00 | 00 | Powders of lamellar structure; flakes..... | kg..... | 3.9% ^{2/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 11% |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-5

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|--------------------|---|---------------------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7604 | | Aluminum bars, rods and profiles: | | | | |
| 7604.10 | | Of aluminum, not alloyed: | | | | |
| 7604.10.10 | 00 | Profiles..... | kg..... | 5% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7604.10.30 | 00 | Bars and rods: Having a round cross section..... | kg..... | 2.6% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 11% |
| 7604.10.50 | 00 | Other..... | kg..... | 3% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 13.5% |
| 7604.21.00 | | Of aluminum alloys: Hollow profiles..... | | 1.5% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 15.5% |
| | 10 | Heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter..... | kg | | | |
| | 90 | Other..... | kg | | | |
| 7604.29 | | Other: | | | | |
| 7604.29.10 | | Other profiles..... | | 5% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 10 | Heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter..... | kg | | | |
| | 90 | Other..... | kg | | | |
| 7604.29.30 | | Bars and rods: Having a round cross section..... | | 2.6% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 11% ^{3/} |
| | 30 | High-strength heat-treatable alloys of a kind described in statistical note 5 to this chapter..... | kg | | | |
| | 60 | Heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter..... | kg | | | |
| | 90 | Other..... | kg | | | |
| 7604.29.50 | | Other..... | | 3% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 13.5% ^{3/} |
| | 20 | High-strength heat-treatable alloys of a kind described in statistical note 5 to this chapter..... | kg | | | |
| | 50 | Heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter..... | kg | | | |
| | 90 | Other..... | kg | | | |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-6

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|--------------------|--|-------------------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7605 | | Aluminum wire: | | | | |
| 7605.11.00 | 00 | Of aluminum, not alloyed: Of which the maximum cross-sectional dimension exceeds 7 mm..... | kg..... | 2.6% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 11% ^{3/} |
| 7605.19.00 | 00 | Other..... | kg..... | 4.2% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 25% |
| 7605.21.00 | 00 | Of aluminum alloys: Of which the maximum cross-sectional dimension exceeds 7 mm..... | kg..... | 2.6% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 11% |
| 7605.29.00 | 00 | Other..... | kg..... | 4.2% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 25% |
| 7606 | | Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: | | | | |
| 7606.11 | | Rectangular (including square): | | | | |
| 7606.11.30 | | Of aluminum, not alloyed: Not clad..... | | 3% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 13.5% |
| | 30 | With a thickness of more than 6.3 mm..... | kg | | | |
| | 60 | With a thickness of 6.3 mm or less..... | kg | | | |
| 7606.11.60 | 00 | Clad..... | kg..... | 2.7% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 9.5% |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-7

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|--|----------------------|--|------------------------|--------------------|---|---------------------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7606 (con.) 7606.12 7606.12.30 | | Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: (con.) Rectangular (including square): (con.) Of aluminum alloys: Not clad..... | | 3% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 13.5% ^{3/} |
| | 15 | With a thickness of more than 6.3 mm: High-strength heat-treatable alloys of a kind described in statistical note 5 to this chapter..... | kg | | | |
| | 25 | Heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter..... | kg | | | |
| | 35 | Other..... | kg | | | |
| | | With a thickness of 6.3 mm or less: Aluminum can stock: | | | | |
| | 45 | Body stock..... | kg | | | |
| | 55 | Lid stock..... | kg | | | |
| | | Other: | | | | |
| | 91 | Heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter..... | kg | | | |
| | 96 | Other..... | kg | | | |
| 7606.12.60 | 00 | Clad..... | kg | 6.5% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 30% ^{3/} |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-8

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|--------------------|--|-------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7606 (con.) | | Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: (con.) | | | | |
| 7606.91 | | Other: | | | | |
| 7606.91.30 | | Of aluminum, not alloyed: | | | | |
| | | Not clad..... | | 3% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 13.5% |
| | 55 | With a thickness of more than 6.3 mm..... | kg | | | |
| | 95 | With a thickness of 6.3 mm or less..... | kg | | | |
| 7606.91.60 | | Clad..... | | 2.7% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 9.5% |
| | 55 | With a thickness of more than 6.3 mm..... | kg | | | |
| | 95 | With a thickness of 6.3 mm or less..... | kg | | | |
| 7606.92 | | Of aluminum alloys: | | | | |
| 7606.92.30 | | Not clad..... | | 3% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 13.5% |
| | 25 | With a thickness of more than 6.3 mm..... | kg | | | |
| | 35 | With a thickness of 6.3 mm or less..... | kg | | | |
| 7606.92.60 | | Clad..... | | 6.5% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 30% |
| | 55 | With a thickness of more than 6.3 mm..... | kg | | | |
| | 95 | With a thickness of 6.3 mm or less..... | kg | | | |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-9

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|--------------------|---|-------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7607 | | Aluminum foil (whether or not printed, or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.2 mm: Not backed: | | | | |
| 7607.11 | | Rolled but not further worked: | | | | |
| | | Of a thickness not exceeding 0.15 mm: | | | | |
| 7607.11.30 | 00 | Of a thickness not exceeding 0.01 mm..... | kg..... | 5.8% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| 7607.11.60 | | Of a thickness exceeding 0.01 mm..... | | 5.3% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | 10 | Boxed aluminium foil weighing not more than 11.3 kg..... | kg | | | |
| | 90 | Other..... | m ² | | | |
| 7607.11.90 | | Other..... | kg | 3% ^{1/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 13.5% |
| | 30 | Aluminum can stock: | | | | |
| | 60 | Body stock..... | kg | | | |
| | 90 | Lid stock..... | kg | | | |
| 7607.19 | | Other: | | | | |
| 7607.19.10 | 00 | Etched capacitor foil..... | kg..... | 5.3% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 40% |
| | | Other: | | | | |
| 7607.19.30 | 00 | Cut to shape, of a thickness not exceeding 0.15 mm..... | kg..... | 5.7% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7607.19.60 | 00 | Other..... | kg..... | 3% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 13.5% |
| 7607.20 | | Backed: | | | | |
| 7607.20.10 | 00 | Covered or decorated with a character, design, fancy effect or pattern..... | kg..... | 3.7% ^{1/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 22.5% |
| 7607.20.50 | 00 | Other..... | kg..... | Free ^{1/} | | 23% |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-10

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|--------------------|--|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7608 | | Aluminum tubes and pipes: | | | | |
| 7608.10.00 | | Of aluminum, not alloyed..... | | 5.7% ^{1/} | Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) ^{4/} | 45% |
| | 30 | Seamless..... | kg | | | |
| | 90 | Other..... | kg | | | |
| 7608.20.00 | | Of aluminum alloys..... | | 5.7% ^{1/} | Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) ^{4/} | 45% |
| | 30 | Seamless..... | kg | | | |
| | 90 | Other..... | kg | | | |
| 7609.00.00 | 00 | Aluminum tube or pipe fittings (for example, couplings, elbows, sleeves)..... | kg | 5.7% ^{1/} | Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7610 | | Aluminum structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminum plates, rods, profiles, tubes and the like, prepared for use in structures: | | | | |
| 7610.10.00 | | Doors, windows and their frames and thresholds for doors..... | | 5.7% ^{5/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 10 | Windows and their frames..... | kg | | | |
| | 20 | Thresholds for doors..... | kg | | | |
| | 30 | Other..... | kg | | | |
| 7610.90.00 | | Other..... | | 5.7% ^{2/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 20 | Sheet-metal roofing, siding, flooring, and roof guttering and drainage equipment..... | kg | | | |
| | 40 | Architectural and ornamental work..... | kg | | | |
| | | Other: | | | | |
| | 60 | Mobile homes..... | kg | | | |
| | 80 | Other..... | kg | | | |
| 7611.00.00 | | Aluminum reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment..... | | 2.6% ^{2/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 30 | Tanks..... | No. | | | |
| | 90 | Other..... | No. | | | |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-11

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|--------------------|--|-------------------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7612 | | Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment: | | | | |
| 7612.10.00 | 00 | Collapsible tubular containers..... | No..... | 2.4% ^{2/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7612.90 | | Other: | | | | |
| 7612.90.10 | | Of a capacity not exceeding 20 liters..... | | 5.7% ^{2/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 30 | Cans of a capacity not exceeding 355 ml..... | No. | | | |
| | 60 | Cans of a capacity exceeding 355 ml but less than 3.8 liters..... | No. | | | |
| | 90 | Other..... | No. | | | |
| 7612.90.50 | 00 | Other..... | No..... | Free ^{2/} | | 25% |
| 7613.00.00 | 00 | Aluminum containers for compressed or liquefied gas..... | No..... | 5% ^{2/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 25% ^{3/} |
| 7614 | | Stranded wire, cables, plaited bands and the like, including slings and similar articles, of aluminum, not electrically insulated: | | | | |
| 7614.10 | | With steel core: | | | | |
| 7614.10.10 | 00 | Not fitted with fittings and not made up into articles..... | kg..... | 4.9% ^{6/} | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 35% |
| 7614.10.50 | 00 | Fitted with fittings or made up into articles..... | kg..... | 4.9% ^{7/} | Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 35% |
| 7614.90 | | Other: | | | | |
| 7614.90.20 | | Not fitted with fittings and not made up into articles: Electrical conductors..... | | 4.9% ^{8/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 35% |
| | 30 | With a cross-sectional area less than 240 mm ² | kg | | | |
| | 60 | With a cross-sectional area greater than or equal to 240 mm ² | kg | | | |
| 7614.90.40 | 00 | Other..... | kg..... | 4.9% ^{7/} | Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 35% |
| 7614.90.50 | 00 | Fitted with fittings or made up into articles..... | kg..... | 5.7% ^{7/} | Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-12

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|--------------------|---|-------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7615 | | Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: | | | | |
| 7615.10 | | Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: | | | | |
| 7615.10.11 | 00 | Pot scourers and scouring or polishing pads, gloves and the like..... | kg..... | 3.1% ^{5/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45.5% |
| | | Other: | | | | |
| | | Cooking and kitchen ware: | | | | |
| | | Enameled or glazed or containing nonstick interior finishes: | | | | |
| 7615.10.20 | | Cast..... | | 3.1% | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45.5% |
| | 15 | Bakeware (cookware not suitable for stove top use)..... | No. kg | | | |
| | 25 | Other..... | No. kg | | | |
| 7615.10.30 | | Other..... | | 3.1% ^{5/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45.5% |
| | 15 | Bakeware (cookware not suitable for stove top use)..... | No. kg | | | |
| | 25 | Other..... | No. kg | | | |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-13

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|--------------------|---|-------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7615 (con.) | | Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: (con.) | | | | |
| 7615.10 (con.) | | Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Cooking and kitchen ware: (con.) | | | | |
| | | Not enameled or glazed and not containing nonstick interior finishes: | | | | |
| 7615.10.50 | | Cast..... | | 3.1% ^{5/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45.5% |
| | 20 | Bakeware (cookware not suitable for stove top use)..... | No. kg | | | |
| | 40 | Other..... | No. kg | | | |
| 7615.10.71 | | Other..... | | 3.1% | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45.5% |
| | 25 | Containers suitable for food preparation, baking, reheating or storage, 0.04 mm or more but not over 0.22 mm in thickness..... | No. kg | | | |
| | | Other cookware: | | | | |
| | 30 | Bakeware (cookware not suitable for stove top use)..... | No. kg | | | |
| | 55 | Other..... | No. kg | | | |
| | 80 | Other..... | No. kg | | | |
| 7615.10.91 | 00 | Other..... | kg | 3.1% ^{5/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45.5% |
| 7615.20.00 | 00 | Sanitary ware and parts thereof..... | kg | 3.8% ^{2/} | Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45.5% |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-14

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|--------------------|---|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7616 | | Other articles of aluminum: | | | | |
| 7616.10 | | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles: | | | | |
| 7616.10.10 | 00 | Nails, tacks and staples..... | kg..... | 5.7% ^{2/} | Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7616.10.30 | 00 | Rivets..... | kg..... | 4.7% ^{2/} | Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7616.10.50 | 00 | Cotters and cotter pins..... | kg..... | 5.7% ^{2/} | Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7616.10.70 | | Other: Having shanks, threads or holes over 6 mm in diameter..... | | 5.5% ^{2/} | Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 2.75% (JP) | 45% |
| | 30 | Threaded fasteners..... | kg | | | |
| | 90 | Other..... | kg | | | |
| 7616.10.90 | | Other..... | | 6% ^{2/} | Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | 30 | Threaded fasteners..... | kg | | | |
| | 90 | Other..... | kg | | | |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV
76-15

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|--------------------|--|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7616 (con.) | | Other articles of aluminum: (con.) | | | | |
| | | Other: | | | | |
| 7616.91.00 | 00 | Cloth, grill, netting and fencing, of aluminum wire..... | kg..... | 2.5% ^{2/} | Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| | | Other: | | | | |
| 7616.99 | | Luggage frames..... | kg..... | Free ^{2/} | | 45% |
| 7616.99.10 | 00 | Other..... | | 2.5% ^{7/} | Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) | 45% |
| 7616.99.51 | | | | | | |
| | 20 | Laminated goods consisting of 2 or more flat-rolled sheets of aluminum held together with an adhesive or having a core of non-metallic material..... | kg | | | |
| | 30 | Ladders..... | No. | | | |
| | 40 | Venetian blinds and parts thereof..... | No. | | | |
| | 50 | Hangers and supports for pipes and tubes..... | kg | | | |
| | | Other: | | | | |
| | 60 | Castings..... | kg | | | |
| | 70 | Forgings..... | kg | | | |
| | | Other: | | | | |
| | 75 | Articles of wire..... | kg | | | |
| | 90 | Other ^{9/} | kg | | | |

Harmonized Tariff Schedule of the United States Revision 8 (2022)

Annotated for Statistical Reporting Purposes

XV

Endnotes--page 76 - 16

1/ See 9903.88.15 and U.S. note 19 to subchapter III, chapter 99.

2/ See 9903.88.03.

3/ See 9903.90.08.

4/ See additional U.S. note 1 to this chapter.

5/ See 9903.88.15.

6/ See 9903.88.02.

7/ See 9903.88.03 and U.S. note 19 to subchapter III, chapter 99.

8/ See 9903.88.02 and U.S. note 19 to subchapter III, chapter 99.

9/ See 9903.88.67.