CHAPTER 29

ORGANIC CHEMICALS



Notes

1. Except where the context otherwise requires, the headings of this chapter apply only to:

   (a) Separate chemically defined organic compounds, whether or not containing impurities;

   (b) Mixtures of two or more isomers of the same organic compound (whether or not containing impurities), except mixtures of acyclic hydrocarbon isomers (other than stereoisomers), whether or not saturated (chapter 27);

   (c) The products of headings 2936 to 2939 or the sugar ethers, sugar acetals and sugar esters, and their salts, of heading 2940, or the products of heading 2941, whether or not chemically defined;

   (d) Products mentioned in (a), (b) or (c) above dissolved in water;

   (e) Products mentioned in (a), (b) or (c) above dissolved in other solvents provided that the solution constitutes a normal and necessary method of putting up these products adopted solely for reasons of safety or for transport and that the solvent does not render the product particularly suitable for specific use rather than for general use;

   (f) The products mentioned in (a), (b), (c), (d) or (e) above with an added stabilizer (including an anticaking agent) necessary for their preservation or transport;

   (g) The products mentioned in (a), (b), (c), (d), (e) or (f) above with an added antidusting agent or a coloring or odoriferous substance added to facilitate their identification or for safety reasons, provided that the additions do not render the product particularly suitable for specific use rather than for general use;

   (h) The following products, diluted to standard strengths, for the production of azo dyes: diazonium salts, couplers used for these salts and diazotizable amines and their salts.

2. This chapter does not cover:

   (a) Goods of heading 1504 or crude glycerol of heading 1520;

   (b) Ethyl alcohol (heading 2207 or 2208);

   (c) Methane or propane (heading 2711);

   (d) The compounds of carbon mentioned in note 2 to chapter 28;

   (e) Immunological products of heading 3002;

   (f) Urea (heading 3102 or 3105);

   (g) Coloring matter of vegetable or animal origin (heading 3203), synthetic organic coloring matter, synthetic organic products of a kind used as fluorescent brightening agents or as luminophores (heading 3204) and dyes or other coloring matter put up in forms or packings for retail sale (heading 3212);

   (h) Enzymes (heading 3507);

   (ij) Metaldehyde, hexamethylenetetramine or similar substances put up in forms (for example, tablets, sticks or similar forms) for use as fuels, or liquid or liquefied-gas fuels in containers of a kind used for filling or refilling cigarette or similar lighters, and of a capacity not exceeding 300 $cm^3$ (heading 3606);

   (k) Products put up as charges for fire extinguishers or put up in fire-extinguishing grenades, of heading 3813; ink removers put up in packings for retail sale, of heading 3824; or

   (l) Optical elements, for example, of ethylenediamine tartrate (heading 9001).

3. Goods which could be included in two or more of the headings of this chapter are to be classified in that one of those headings which occurs last in numerical order.

Notes (con.)

4. In headings 2904 to 2906, 2908 to 2911 and 2913 to 2920, any reference to halogenated, sulfonated, nitrated or nitrosated derivatives includes a reference to compound derivatives, such as sulfohalogenated, nitrohalogenated, nitrosulfonated or nitrosulfohalogenated derivatives.

   Nitro or nitroso groups are not to be taken as "nitrogen-functions" for the purposes of heading 2929.

   For the purposes of headings 2911, 2912, 2914, 2918 and 2922, "oxygen-function" is to be restricted to the functions (the characteristic organic oxygen-containing groups) referred to in headings 2905 to 2920.

5. (A) The esters of acid-function organic compounds of subchapters I to VII with organic compounds of these subchapters are to be classified with that compound which is classified in the heading placed last in numerical order in these subchapters.

   (B) Esters of ethyl alcohol with acid-function organic compounds of subchapters I to VII are to be classified in the same heading as the corresponding acid-function compounds.

   (C) Subject to note I to section VI and note 2 to chapter 28:

      (1) Inorganic salts of organic compounds such as acid-, phenol- or enol-function compounds or organic bases, of subchapters I to X or heading 2942, are to be classified in the heading appropriate to the organic compound;

      (2) Salts formed between organic compounds of subchapters I to X or heading 2942 are to be classified in the heading appropriate to the base or to the acid (including phenol- or enol-function compounds) from which they are formed, whichever occurs last in numerical order in the chapter; and

      (3) Co-ordination compounds, other than products classifiable in subchapter XI or heading 2941, are to be classified in the heading which occurs last in numerical order in chapter 29, among those appropriate to the fragments formed by "cleaving" of all metal bonds, other than metal-carbon bonds.

   (D) Metal alcoholates are to be classified in the same heading as the corresponding alcohols except in the case of ethanol (heading 2905).

   (E) Halides of carboxylic acids are to be classified in the same heading as the corresponding acids.

6. The compounds of headings 2930 and 2931 are organic compounds the molecules of which contain, in addition to atoms of hydrogen, oxygen or nitrogen, atoms of other nonmetals or of metals (such as sulfur, arsenic or lead) directly linked to carbon atoms.

   Heading 2930 (organo-sulfur compounds) and heading 2931 (other organo-inorganic compounds) do not include sulfonated or halogenated derivatives (including compound derivatives) which, apart from hydrogen, oxygen and nitrogen, only have directly linked to carbon the atoms of sulfur or of a halogen which give them their nature of sulfonated or halogenated derivatives (or compound derivatives).

7. Headings 2932, 2933 and 2934 do not include epoxides with a three-membered ring, ketone peroxides, cyclic polymers of aldehydes or of thioaldehydes, anhydrides of polybasic carboxylic acids, cyclic esters of polyhydric alcohols or phenols with polybasic acids, or imides of polybasic acids.

   These provisions apply only when the ring-position hetero-atoms are those resulting solely from the cyclizing function or functions here listed.

8. For the purposes of heading 2937:

   (a) the term "hormones" includes hormone-releasing or hormone-stimulating factors, hormone inhibitors and hormone antagonists (antihormones);

   (b) the expression "used primarily as hormones" applies not only to hormone derivatives and structural analogues used primarily for their hormonal effect, but also to those derivatives and structural analogues used primarily as intermediates in the synthesis of products of this heading.

Subheading Notes

1. Within any one heading of this chapter, derivatives of a chemical compound (or group of chemical compounds) are to be classified in the same subheading as that compound (or group of compounds) provided that they are not more specifically covered by any other subheading and that there is no residual subheading named "Other" in the series of subheadings concerned.

2. Note 3 to chapter 29 does not apply to the subheadings of this chapter.

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | I. HYDROCARBONS AND THEIR HALOGENATED, SULFONATED, NITRATED OR NITROSATED DERIVATIVES | | | | |
| 2901 | | Acyclic hydrocarbons: | | | | |
| 2901.10 | | Saturated: | | | | |
| 2901.10.10 | 00 | Ethane and butane | kg | Free[1/] | | Free |
| 2901.10.30 | 00 | *n*-Pentane and isopentane | kg | Free[1/] | | 25% |
| | | Other: | | | | |
| 2901.10.40 | 00 | Derived in whole or in part from petroleum, shale oil or natural gas | kg | Free[1/] | | 25% |
| 2901.10.50 | 00 | Other | kg | Free[1/] | | 25% |
| | | Unsaturated: | | | | |
| 2901.21.00 | 00 | Ethylene | kg | Free[1/] | | Free |
| 2901.22.00 | 00 | Propene (Propylene) | kg | Free[1/] | | Free |
| 2901.23.00 | 00 | Butene (Butylene) and isomers thereof | kg | Free[1/] | | Free |
| 2901.24 | | Buta-1,3-diene and isoprene: | | | | |
| 2901.24.10 | 00 | Buta-1,3-diene | kg | Free[1/] | | Free |
| | | Isoprene: | | | | |
| 2901.24.20 | 00 | Having a purity of 95 percent or more by weight | kg | Free[1/] | | 25% |
| 2901.24.50 | 00 | Other | kg | Free[1/] | | 25% |
| 2901.29 | | Other: | | | | |
| 2901.29.10 | | Derived in whole or in part from petroleum, shale oil or natural gas | | Free[1/] | | 25% |
| | 10 | Linear *α*-olefins ($C_6$-$C_{30}$), unmixed | kg | | | |
| | 50 | Other | kg | | | |
| 2901.29.50 | 00 | Other | kg | Free[1/] | | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2902 | | Cyclic hydrocarbons: | | | | |
| | | Cyclanes, cyclenes and cycloterpenes: | | | | |
| 2902.11.00 | 00 | Cyclohexane | kg | Free[1/] | | 15.4¢/kg + 40% |
| 2902.19.00 | | Other | | Free[1/] | | 25% |
| | 10 | Dicyclopentadiene | kg | | | |
| | 50 | Other | kg | | | |
| 2902.20.00 | 00 | Benzene | liters | Free[1/] | | Free |
| 2902.30.00 | 00 | Toluene | liters | Free[1/] | | Free |
| | | Xylenes: | | | | |
| 2902.41.00 | 00 | *o*-Xylene | liters | Free[1/] | | Free |
| 2902.42.00 | 00 | *m*-Xylene | liters | Free[1/] | | Free |
| 2902.43.00 | 00 | *p*-Xylene | liters | Free[1/] | | Free |
| 2902.44.00 | 00 | Mixed xylene isomers | liters | Free[1/] | | Free |
| 2902.50.00 | 00 | Styrene | kg | Free[1/] | | 15.4¢/kg + 45% |
| 2902.60.00 | 00 | Ethylbenzene | kg | Free[1/] | | 15.4¢/kg + 55% |
| 2902.70.00 | 00 | Cumene | kg | Free[1/] | | Free |
| 2902.90 | | Other: | | | | |
| 2902.90.10 | 00 | Pseudocumene | kg | Free[1/] | | Free |
| 2902.90.20 | 00 | Acenaphthene, chrysene, cymene, dimethylnaphthalenes, fluoranthene, fluorene, indene, mesitylene, methylanthracene, methylnaphthalene, phenanthrene and pyrene | kg | Free[1/] | | Free |
| 2902.90.30 | | Alkylbenzenes and polyalkylbenzenes | | Free[1/] | | 15.4¢/kg + 55% |
| | 10 | Dodecylbenzene | kg | | | |
| | 50 | Other | kg | | | |
| 2902.90.40 | 00 | Anthracene; and1,4-Di-(2-methylstyryl)benzene | kg | Free[1/] | | 15.4¢/kg + 68.5% |
| 2902.90.60 | 00 | Biphenyl (Diphenyl), in flakes | kg | Free[1/] | | 15.4¢/kg + 68.5% |
| 2902.90.90 | 00 | Other | kg | Free[1/] | | 15.4¢/kg + 68.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2903 | | Halogenated derivatives of hydrocarbons: | | | | |
| | | Saturated chlorinated derivatives of acyclic hydrocarbons: | | | | |
| 2903.11.00 | | Chloromethane (Methyl chloride) and chloroethane (Ethyl chloride) | ..... | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 125% |
| | 10 | Chloromethane (Methyl chloride) | kg | | | |
| | 20 | Chloroethane (Ethyl chloride) | kg | | | |
| 2903.12.00 | 00 | Dichloromethane (Methylene chloride) | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2903.13.00 | 00 | Chloroform (Trichloromethane) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 32% |
| 2903.14.00 | 00 | Carbon tetrachloride | kg | 2.3%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 8.5% |
| 2903.15.00 | 00 | Ethylene dichloride (ISO) (1,2-dichloroethane) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 88% |
| 2903.19 | | Other: | | | | |
| 2903.19.05 | 00 | 1,2-Dichloropropane (Propylene dichloride) and dichlorobutanes | kg | 5.1%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 33.3% |
| 2903.19.10 | 00 | Hexachloroethane and tetrachloroethane | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2903.19.30 | 00 | *sec*-Butyl chloride | kg | Free[1/] | | 114.5% |
| 2903.19.60 | | Other | ..... | 5.5%[2/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 114.5% |
| | 10 | Methylchloroform (1,1,1-Trichloroethane) | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2903 (con.) | | Halogenated derivatives of hydrocarbons: (con.) | | | | |
| | | Unsaturated chlorinated derivatives of acyclic hydrocarbons: | | | | |
| 2903.21.00 | 00 | Vinyl chloride (Chloroethylene) | kg | 5.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 76% |
| 2903.22.00 | 00 | Trichloroethylene | kg | 4.2%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30% |
| 2903.23.00 | 00 | Tetrachloroethylene (Perchloroethylene) | kg | 3.4%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2903.29.00 | 00 | Other | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 114.5% |
| | | Fluorinated, brominated or iodinated derivatives of acyclic hydrocarbons: | | | | |
| 2903.31.00 | 00 | Ethylene dibromide (ISO) (1,2-dibromoethane) | kg | 5.4%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 46.3% |
| 2903.39 | | Other: | | | | |
| 2903.39.15 | | Acetylene tetrabromide;Alkyl bromides;Methylene dibromide; andVinyl bromide | | Free[1/] | | 25% |
| | 20 | Methyl bromide | kg | | | |
| | 50 | Other | kg | | | |
| 2903.39.20 | | Other | | 3.7%[3/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Fluorinated hydrocarbons: | | | | |
| | 05 | 1,1,3,3,3-Pentafluoro-2-(trifluoromethyl)-prop-1-ene | kg | | | |
| | 20 | 1,1,1,2-Tetrafluoroethane (HFC-134a) | kg | | | |
| | 35 | Difluoromethane; pentafluoroethane; and 1,1,1-trifluoroethane | kg | | | |
| | 45 | Other | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2903 (con.) | | Halogenated derivatives of hydrocarbons: (con.) | | | | |
| | | Halogenated derivatives of acyclic hydrocarbons containing two or more different halogens: | | | | |
| 2903.71.00 | 00 | Chlorodifluoromethane | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2903.72.00 | | Dichlorotrifluoroethanes | | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 20 | Dichlorotrifluoroethane (HCFC-123) | kg | | | |
| | 50 | Other | kg | | | |
| 2903.73.00 | 00 | Dichlorofluoroethanes | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2903.74.00 | 00 | Chlorodifluoroethanes | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2903.75.00 | 00 | Dichloropentafluoropropanes | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2903.76.00 | | Bromochlorodifluoromethane, bromotrifluoromethane and dibromotetrafluoroethanes | | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Bromotrifluoromethane (Halon 1301) | kg | | | |
| | 50 | Other | kg | | | |
| 2903.77.00 | | Other, perhalogenated only with fluorine and chlorine | | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Trichlorofluoromethane | kg | | | |
| | 20 | Trichlorotrifluoroethanes | kg | | | |
| | 30 | Dichlorotetrafluoroethane (CFC-114) | kg | | | |
| | 40 | Monochloropentafluoroethane (CFC-115) | kg | | | |
| | 50 | Dichlorodifluoromethane | kg | | | |
| | 80 | Other | kg | | | |
| 2903.78.00 | 00 | Other perhalogenated derivatives | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2903 (con.) | | Halogenated derivatives of hydrocarbons: (con.) | | | | |
| | | Halogenated derivatives of acyclic hydrocarbons containing two or more different halogens: (con.) | | | | |
| 2903.79 | | Other: | | | | |
| 2903.79.10 | 00 | Bromochloromethane | kg | Free[4/] | | 25% |
| 2903.79.90 | | Other | | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 30 | Monochlorotetrafluoroethane (HCFC-124) | kg | | | |
| | 70 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2903 (con.) | | Halogenated derivatives of hydrocarbons: (con.) | | | | |
| | | Halogenated derivatives of cyclanic, cyclenic or cycloterpenic hydrocarbons: | | | | |
| 2903.81.00 | 00 | 1,2,3,4,5,6-Hexachlorocyclohexane (HCH (ISO)), including lindane (ISO, INN) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2903.82.00 | 00 | Aldrin (ISO), chlordane (ISO) and heptachlor (ISO) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2903.83.00 | 00 | Mirex (ISO) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 114.5% |
| 2903.89 | | Other: | | | | |
| | | Derived in whole or in part from benzene or other aromatic hydrocarbons: | | | | |
| 2903.89.05 | 00 | Dibromoethyldibromocyclohexane | kg | Free[4/] | | 15.4¢/kg + 64.5% |
| | | Other: | | | | |
| 2903.89.11 | 00 | Pesticides | kg | 5.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| | | Other: | | | | |
| 2903.89.15 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| 2903.89.20 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| | | Other: | | | | |
| 2903.89.31 | 00 | Chlorinated, but not otherwise halogenated | kg | 5.5%[5/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 114.5% |
| | | Other: | | | | |
| 2903.89.40 | 00 | 1,3,5,7,9,11-Hexabromocyclododecane | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2903.89.60 | 00 | Tetrabromocyclooctane | kg | Free[1/] | | 25% |
| 2903.89.70 | 00 | Other | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2903 (con.) | | Halogenated derivatives of hydrocarbons: (con.) | | | | |
| | | Halogenated derivatives of aromatic hydrocarbons: | | | | |
| 2903.91 | | Chlorobenzene, *o*-dichlorobenzene and *p*-dichlorobenzene: | | | | |
| 2903.91.10 | 00 | Chlorobenzene | kg | 5.5%[6/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 91.5% |
| 2903.91.20 | 00 | *o*-Dichlorobenzene | kg | 5.5%[7/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 84% |
| 2903.91.30 | 00 | *p*-Dichlorobenzene | kg | 5.5%[8/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2903.92.00 | 00 | Hexachlorobenzene (ISO) and DDT (ISO) (clofenotane (INN)), (1,1,1-trichloro-2,2-bis(*p*-chlorophenyl)ethane) | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71% |
| 2903.93.00 | 00 | Pentachlorobenzene (ISO) | kg | 5.5%[4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71% |
| 2903.94.00 | 00 | Hexabromobiphenyls | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2903 (con.) | | Halogenated derivatives of hydrocarbons: (con.) | | | | |
| | | Halogenated derivatives of aromatic hydrocarbons: (con.) | | | | |
| 2903.99 | | Other: | | | | |
| 2903.99.05 | 00 | 3-Bromo-*α*,*α*,*α*-trifluorotoluene; 2-Chloro-5-bromo-α,α,α-trifluorotoluene; and *α*-Chloro-3-methyltoluene | kg | 5.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71% |
| 2903.99.08 | 00 | *p*-Chlorobenzotrifluoride; and3,4-Dichlorobenzotrifluoride | kg | 5.5%[9/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71% |
| 2903.99.10 | 00 | *m*-Dichlorobenzene; 1,1-Dichloro-2,2-bis(*p*-ethylphenyl)ethane; and Trichlorobenzenes | kg | 5.5%[10/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2903.99.15 | 00 | Triphenylmethyl chloride | kg | Free[4/] | | 15.4¢/kg + 71% |
| 2903.99.20 | 00 | Benzyl chloride (*α*-Chlorotoluene); and Benzotrichloride (*α*,*α*,*α*-Trichlorotoluene) | kg | 5.5%[11/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48% |
| 2903.99.23 | 00 | Pentabromoethylbenzene | kg | Free[1/] | | 15.4¢/kg + 71% |
| 2903.99.27 | 00 | Tribromocumene | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71% |
| | | Other: | | | | |
| 2903.99.30 | 00 | Pesticides | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2903.99.80 | 01 | Other | kg | 5.5%[12/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2904 | | Sulfonated, nitrated or nitrosated derivatives of hydrocarbons, whether or not halogenated: | | | | |
| 2904.10 | | Derivatives containing only sulfo groups, their salts and ethyl esters: | | | | |
| 2904.10.04 | 00 | 2-Anthracenesulfonic acid | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| 2904.10.08 | 00 | Benzenesulfonyl chloride | kg | 5.5%[13/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| 2904.10.10 | 00 | *m*-Benzenedisulfonic acid, sodium salt;1,5-Naphthalenedisulfonic acid; and*p*-Toluenesulfonyl chloride | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41.5% |
| 2904.10.15 | 00 | Mixtures of 1,3,6-naphthalenetrisulfonic acid and 1,3,7-naphthalenetrisulfonic acid | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Other: | | | | |
| | | Aromatic: | | | | |
| 2904.10.32 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[14/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| 2904.10.37 | 00 | Other | kg | 5.5%[15/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| 2904.10.50 | 00 | Other | kg | 4.2%[16/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2904 (con.) | | Sulfonated, nitrated or nitrosated derivatives of hydrocarbons, whether or not halogenated: (con.) | | | | |
| 2904.20 | | Derivatives containing only nitro or only nitroso groups: | | | | |
| 2904.20.10 | 00 | *p*-Nitrotoluene | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2904.20.15 | 00 | *p*-Nitro-o-xylene | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41.5% |
| 2904.20.20 | 00 | Trinitrotoluene | kg | Free[1/] | | 15.4¢/kg + 45% |
| 2904.20.30 | 00 | 5-*tert*-Butyl-2,4,6-trinitro-*m*-xylene (Musk xylol) and other artificial musks | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2904.20.35 | 00 | Nitrated benzene, nitrated toluene (except *p*-nitrotoluene), or nitrated naphthalene | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Other: | | | | |
| | | Aromatic: | | | | |
| 2904.20.40 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| 2904.20.45 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| 2904.20.50 | 00 | Other | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2904 (con.) | | Sulfonated, nitrated or nitrosated derivatives of hydrocarbons, whether or not halogenated: (con.) | | | | |
| | | Perfluorooctane sulfonic acid, its salts and perfluorooctane sulfonyl fluoride: | | | | |
| 2904.31.00 | 00 | Perfluorooctane sulfonic acid | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2904.32.00 | 00 | Ammonium perfluorooctane sulfonate | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2904.33.00 | 00 | Lithium perfluorooctane sulfonate | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2904.34.00 | 00 | Potassium perfluorooctane sulfonate | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2904.35.00 | 00 | Other salts of perfluorooctane sulfonic acid | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2904.36.00 | 00 | Perfluorooctane sulfonyl fluoride | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2904 (con.) | | Sulfonated, nitrated or nitrosated derivatives of hydrocarbons, whether or not halogenated: (con.) | | | | |
| | | Other: | | | | |
| 2904.91.00 | 00 | Trichloronitromethane (chloropicrin) | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2904.99 | | Other: | | | | |
| | | Monochloromononitrobenzenes: | | | | |
| 2904.99.04 | 00 | *o*-Nitrochlorobenzene; and *p*-Nitrochlorobenzene | kg | 5.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +59% |
| 2904.99.08 | 00 | Other | kg | 5.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P , PA, PE, SG) | 15.4¢/kg + 59% |
| 2904.99.15 | 00 | 4-Chloro-3-nitro-*α*,*α*,*α*-trifluorotoluene; 2-Chloro-5-nitro-*α*,*α*,*α*-trifluorotoluene; and 4-Chloro-3,5-dinitro-*α*,*α*,*α*-trifluorotoluene | kg | 5.5% [17/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +51% |
| 2904.99.20 | 00 | Nitrotoluenesulfonic acids | kg | 5.5% [18/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 74.5% |
| 2904.99.30 | 00 | 1-Bromo-2-nitrobenzene; 1,2-Dichloro-4-nitrobenzene and o-Fluoronitrobenzene | kg | 5.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P , PA, PE, SG) | 15.4¢/kg + 40% |
| 2904.99.35 | 00 | 4,4'-Dinitrostilbene-2,2'-disulfonic acid | kg | 5.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +50% |
| | | Other: | | | | |
| | | Aromatic: | | | | |
| 2904.99.40 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| 2904.99.47 | 00 | Other | kg | 5.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2904 (con.) | | Sulfonated, nitrated or nitrosated derivatives of hydrocarbons, whether or not halogenated: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2904.99 (con.) | | Other: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2904.99.50 | 00 | Other | kg | 3.7% [19/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | II. ALCOHOLS AND THEIR HALOGENATED, SULFONATED, NITRATED OR NITROSATED DERIVATIVES | | | | |
| 2905 | | Acyclic alcohols and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| | | Saturated monohydric alcohols: | | | | |
| 2905.11 | | Methanol (Methyl alcohol): | | | | |
| 2905.11.10 | 00 | Imported only for use in producing synthetic natural gas (SNG) or for direct use as a fuel | liters | Free[1/] | | 4.8¢/liter |
| 2905.11.20 | | Other | liters | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 46% |
| | 10 | Imported for use in chemical production, including production of aldehydes, plastics, olefins and resins | liters | | | |
| | 15 | For use in wastewater treatment | liters | | | |
| | 85 | Other | liters | | | |
| 2905.12.00 | | Propan-1-ol (Propyl alcohol) and propan-2-ol (Isopropyl alcohol) | | 5.5%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 66% |
| | 10 | Propan-1-ol | kg | | | |
| | 50 | Propan-2-ol | kg | | | |
| 2905.13.00 | 00 | Butan-1-ol (*n*-Butyl alcohol) | kg | 5.5%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 50.5% |
| 2905.14 | | Other butanols: | | | | |
| 2905.14.10 | 00 | *tert*-Butyl alcohol, having a purity of less than 99 percent by weight | kg | Free[1/] | | 50.5% |
| 2905.14.50 | | Other | | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 50.5% |
| | 10 | 2-Methylpropan-1-ol (Isobutyl alcohol) | kg | | | |
| | 50 | Other | kg | | | |
| 2905.16.00 | | Octanol (Octyl alcohol) and isomers thereof | | 3.7%[20/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | 2-Ethylhexan-1-ol | kg | | | |
| | 50 | Other | kg | | | |
| 2905.17.00 | 00 | Dodecan-1-ol (Lauryl alcohol), hexadecan-1-ol (Cetyl alcohol) and octadecan-1-ol (Stearyl alcohol) | kg | 5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2905 (con.) | | Acyclic alcohols and their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Saturated monohydric alcohols: (con.) | | | | |
| 2905.19 | | Other: | | | | |
| 2905.19.10 | 00 | Pentanol (Amyl alcohol) and isomers thereof | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 37.5% |
| 2905.19.90 | | Other | | 3.7% [21/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 05 | 3,3-Dimethylbutan-2-ol (pinacolyl alcohol) | kg | | | |
| | 10 | Decyl alcohol and isomers thereof | kg | | | |
| | 20 | Hexyl alcohol and isomers thereof | kg | | | |
| | 90 | Other | kg | | | |
| | | Unsaturated monohydric alcohols: | | | | |
| 2905.22 | | Acyclic terpene alcohols: | | | | |
| 2905.22.10 | 00 | Geraniol | kg | 3%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2905.22.20 | 00 | Isophytol | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2905.22.50 | | Other | | 4.8% [1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| | 10 | Citronellol | kg | | | |
| | 50 | Other | kg | | | |
| 2905.29 | | Other: | | | | |
| 2905.29.10 | 00 | Allyl alcohol | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2905.29.90 | 00 | Other | kg | 3.7% [22/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2905 (con.) | | Acyclic alcohols and their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Diols: | | | | |
| 2905.31.00 | 00 | Ethylene glycol (Ethanediol) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 63% |
| 2905.32.00 | 00 | Propylene glycol (Propane-1,2-diol) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 51% |
| 2905.39 | | Other: | | | | |
| 2905.39.10 | 00 | Butylene glycol | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 51% |
| 2905.39.20 | 00 | Neopentyl glycol | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| 2905.39.60 | 00 | Hexylene glycol | kg | Free[1/] | | 54.5% |
| 2905.39.90 | 00 | Other | kg | 5.5% [23/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2905 (con.) | | Acyclic alcohols and their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Other polyhydric alcohols: | | | | |
| 2905.41.00 | 00 | 2-Ethyl-2-(hydroxymethyl)propane-1,3-diol (Trimethylolpropane) | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2905.42.00 | 00 | Pentaerythritol | kg | 3.7%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2905.43.00 | 00 | Mannitol | kg | 4.6%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 50% |
| 2905.44.00 | 00 | *D*-Glucitol (Sorbitol) | kg | 4.9%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 50% |
| 2905.45.00 | 00 | Glycerol | kg | 0.5¢/kg[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 4.4¢/kg |
| 2905.49 | | Other: | | | | |
| 2905.49.10 | 00 | Triols and tetrols | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2905.49.20 | 00 | Esters of glycerol formed with acids of heading 2904 | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| | | Other: | | | | |
| | | Polyhydric alcohols derived from sugars: | | | | |
| 2905.49.30 | 00 | Xylitol | kg | Free[1/] | | 50% |
| 2905.49.40 | 00 | Other[24/] | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 50% |
| 2905.49.50 | 01 | Other | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2905 (con.) | | Acyclic alcohols and their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Halogenated, sulfonated, nitrated or nitrosated derivatives of acyclic alcohols: | | | | |
| 2905.51.00 | 00 | Ethchlorvynol (INN) | kg | Free | | 39% |
| 2905.59 | | Other: | | | | |
| 2905.59.10 | 00 | Derivatives of monohydric alcohols | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 39% |
| 2905.59.30 | 00 | Dibromoneopentylglycol | kg | Free[1/] | | 54.5% |
| 2905.59.90 | 00 | Other | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| 2906 | | Cyclic alcohols and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| | | Cyclanic, cyclenic or cycloterpenic: | | | | |
| 2906.11.00 | 00 | Menthol | kg | 2.1%[25/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 6.2% |
| 2906.12.00 | 00 | Cyclohexanol, methylcyclohexanols and dimethylcyclohexanols | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| 2906.13 | | Sterols and inositols: | | | | |
| 2906.13.10 | 00 | Inositols | kg | Free[1/] | | 50% |
| 2906.13.50 | 00 | Other | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2906.19 | | Other: | | | | |
| 2906.19.10 | 00 | 4,4'-Isopropylidenedicyclohexanol; and Mixtures containing not less than 90 percent by weight of stereoisomers of 2-isopropyl-5-methylcyclohexanol, but containing not more than 30 percent by weight of any one such stereoisomer | kg | Free[1/] | | 45% |
| 2906.19.30 | 00 | Terpineols | kg | 5.5%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2906.19.50 | 00 | Other | kg | 5.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, MA, MX, OM, P, PA, PE, SG)<br>1.1% (KR) | 45% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2906 (con.) | | Cyclic alcohols and their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Aromatic: | | | | |
| 2906.21.00 | 00 | Benzyl alcohol | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2906.29 | | Other: | | | | |
| | | Odoriferous or flavoring compounds: | | | | |
| 2906.29.10 | 00 | Phenethyl alcohol | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 77% |
| 2906.29.20 | 00 | Other | kg | 5.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2906.29.30 | 00 | 1,1-Bis(4-chlorophenyl)- 2,2,2-trichloro-ethanol (Dicofol); and *p*-Nitrobenzyl alcohol | kg | Free[1/] | | 15.4¢/kg + 40% |
| 2906.29.60 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | III. PHENOLS, PHENOL-ALCOHOLS AND THEIR HALOGENATED, SULFONATED, NITRATED OR NITROSATED DERIVATIVES | | | | |
| 2907 | | Phenols; phenol-alcohols: | | | | |
| | | Monophenols: | | | | |
| 2907.11.00 | 00 | Phenol (Hydroxybenzene) and its salts | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 44% |
| 2907.12.00 | 00 | Cresols and their salts | kg | 4.2%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 48.3% |
| 2907.13.00 | 00 | Octylphenol, nonylphenol and their isomers;salts thereof | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 80% |
| 2907.15 | | Naphthols and their salts: | | | | |
| 2907.15.10 | 00 | *α*-Naphthol | kg | 5.5%[26/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +73% |
| 2907.15.30 | 00 | *β*-Naphthol (2-Naphthol) | kg | Free[1/] | | 15.4¢/kg + 73% |
| 2907.15.60 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 73% |
| 2907.19 | | Other: | | | | |
| 2907.19.10 | 00 | Alkylcresols | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2907.19.20 | 00 | Alkylphenols | kg | 5.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 80% |
| 2907.19.40 | 00 | Thymol | kg | 4.2% [27/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 35% |
| | | Other: | | | | |
| 2907.19.61 | 00 | 2-*tert*-Butylethylphenol; 6-*tert*-Butyl-2,4-xylenol; and Xylenols and their salts | kg | Free[1/] | | 15.4¢/kg + 44% |
| 2907.19.80 | 00 | Other | kg | 5.5% [28/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 44% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2907 (con.) | | Phenols; phenol-alcohols: (con.) | | | | |
| | | Polyphenols; phenol-alcohols: | | | | |
| 2907.21.00 | 00 | Resorcinol and its salts | kg | 5.5%[29/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2907.22 | | Hydroquinone (Quinol) and its salts: | | | | |
| 2907.22.10 | 00 | Photographic grade | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +50% |
| 2907.22.50 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 44% |
| 2907.23.00 | 00 | 4,4'-Isopropylidenediphenol (Bisphenol A, Diphenylolpropane) and its salts | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 44% |
| 2907.29 | | Other: | | | | |
| 2907.29.05 | 00 | Phenol-alcohols | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 44% |
| 2907.29.10 | 00 | Pyrogallic acid | kg | 1.3%[30/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 2% |
| 2907.29.15 | 00 | 4,4'-Biphenol | kg | Free[1/] | | 15.4¢/kg + 44% |
| 2907.29.25 | 00 | *tert*-Butylhydroquinone | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 44% |
| 2907.29.90 | 00 | Other | kg | 5.5% [31/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 44% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2908 | | Halogenated, sulfonated, nitrated or nitrosated derivatives of phenols or phenol-alcohols: | | | | |
| | | Derivatives containing only halogen substituents and their salts: | | | | |
| 2908.11.00 | 00 | Pentachlorophenol (ISO) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +40% |
| 2908.19 | | Other: | | | | |
| 2908.19.05 | 00 | 2,2-Bis(4-hydroxyphenyl)-1,1,1,3,3,3-hexafluoro-propane | kg | Free[1/] | | 15.4¢/kg + 62% |
| 2908.19.10 | 00 | 6-Chloro-*m*-cresol [OH=1];*m*-Chlorophenol; and Chlorothymol | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 67.5% |
| 2908.19.15 | 00 | 3-Hydroxy-*α*,*α*,*α*-trifluorotoluene | kg | 5.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +62% |
| 2908.19.20 | 00 | Salts of pentachlorophenol; and 2,4,5-Trichlorophenol and its salts | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +40% |
| 2908.19.25 | 00 | Tetrabromobisphenol A | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 62% |
| | | Other: | | | | |
| 2908.19.35 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 62% |
| 2908.19.60 | 00 | Other | kg | 5.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 62% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2908 (con.) | | Halogenated, sulfonated, nitrated or nitrosated derivatives of phenols or phenol-alcohols: (con.) | | | | |
| | | Other: | | | | |
| 2908.91.00 | 00 | Dinoseb (ISO) and its salts | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, L, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2908.92.00 | 00 | 4,6-Dinitro-*o*-cresol (DNOC) (ISO) and its salts | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2908.99 | | Other: | | | | |
| | | Derivatives containing only sulfo groups, their salts and esters: | | | | |
| 2908.99.03 | 00 | 2,5-Dihydroxybenzenesulfonic acid, potassium salt; 3,6-Dihydroxy-2,7-naphthalenedisulfonic acid; 3,6-Dihydroxy-2,7-naphthalenedisulfonic acid, sodium salt; 4-Hydroxy-1-naphthalenesulfonic acid, sodium salt; 1-Naphthol-3,6-disulfonic acid; and 2-Naphthol-3,6-disulfonic acid and its salts | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45.5% |
| 2908.99.06 | 00 | 4-Hydroxy-1-naphthalenesulfonic acid (1-Naphthol-4-sulfonic acid) | kg | Free[4/] | | 15.4¢/kg + 45.5% |
| 2908.99.09 | 00 | 1,8-Dihydroxynaphthalene-3,6-disulfonic acid and its disodium salt | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +62% |
| | | Other: | | | | |
| 2908.99.12 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 62% |
| 2908.99.15 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 62% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2908 (con.) | | Halogenated, sulfonated, nitrated or nitrosated derivatives of phenols or phenol-alcohols: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2908.99 (con.) | | Other: (con.) | | | | |
| | | Other: | | | | |
| 2908.99.20 | 00 | *p*-Nitrophenol | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +51.5% |
| 2908.99.25 | 00 | Other nitrophenols | kg | 5.5% [32/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51.5% |
| 2908.99.33 | 00 | Dinitro-*o*-cresols (other than 4,6-dinitro-*o*-cresol) and 4-nitro-*m*-cresol | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +45.5% |
| 2908.99.40 | 00 | Dinitrobutylphenol and its salts | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +48.5% |
| | | Other: | | | | |
| 2908.99.80 | 00 | Products described in additional U.S. note 3 to section VI[24/] | kg | 5.5%[33/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 62% |
| 2908.99.90 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 62% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | IV. ETHERS, ALCOHOL PEROXIDES, ETHER PEROXIDES, KETONE PEROXIDES, EPOXIDES WITH A THREE-MEMBERED RING, ACETALS AND HEMIACETALS, AND THEIR HALOGENATED, SULFONATED, NITRATED OR NITROSATED DERIVATIVES: | | | | |
| 2909 | | Ethers, ether-alcohols, ether-phenols, ether-alcohol- phenols, alcohol peroxides, ether peroxides, ketone peroxides (whether or not chemically defined), and their halogenated, sulfonated, nitrated or nitrosated derivatives | | | | |
| | | Acyclic ethers and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2909.11.00 | 00 | Diethyl ether | kg | 1%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 4% |
| 2909.19 | | Other: | | | | |
| | | Ethers of monohydric alcohols: | | | | |
| 2909.19.14 | 00 | Methyl tertiary-butyl ether (MTBE) | kg | 5.5%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 37% |
| 2909.19.18 | 00 | Other | kg | 5.5% [1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 37% / |
| | | Ethers of polyhydric alcohols: | | | | |
| 2909.19.30 | 00 | Triethylene glycol dichloride | kg | Free[1/] | | 54.5% |
| 2909.19.60 | 00 | Other | kg | 5.5%[34/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| 2909.20.00 | 00 | Cyclanic, cyclenic or cycloterpenic ethers and their halogenated, sulfonated, nitrated or nitrosated derivatives | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2909 (con.) | | Ethers, ether-alcohols, ether-phenols, ether-alcohol- phenols, alcohol peroxides, ether peroxides, ketone peroxides (whether or not chemically defined), and their halogenated, sulfonated, nitrated or nitrosated derivatives (con.) | | | | |
| 2909.30 | | Aromatic ethers and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2909.30.05 | 00 | 5-Chloro-2-nitroanisole; 6-Chloro-3-nitro-p-dimethoxybenzene; and Dimethyl diphenyl ether | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2909.30.07 | 00 | Decabromodiphenyl oxide; and Octabromodiphenyl oxide | kg | 5.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |
| 2909.30.09 | 00 | Bis(tribromophenoxy)ethane; Pentabromodiphenyl oxide; and Tetradecabromodiphenoxybenzene | kg | Free | | 15.4¢/kg + 70.5% |
| | | Other: | | | | |
| | | Odoriferous or flavoring compounds: | | | | |
| 2909.30.10 | 00 | 6-*tert*-Butyl-3-methyl-2,4-dinitroanisole (Musk ambrette) and other artificial musks | kg | 5.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +57% |
| 2909.30.20 | 00 | Other | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +58% |
| 2909.30.30 | 00 | Pesticides | kg | 5.5% [35/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +48.5% |
| | | Other: | | | | |
| 2909.30.40 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |
| 2909.30.60 | 00 | Other | kg | 5.5%[36/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2909 (con.) | | Ethers, ether-alcohols, ether-phenols, ether-alcohol- phenols, alcohol peroxides, ether peroxides, ketone peroxides (whether or not chemically defined), and their halogenated, sulfonated, nitrated or nitrosated derivatives (con.) | | | | |
| | | Ether-alcohols and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2909.41.00 | 00 | 2,2'-Oxydiethanol (Diethylene glycol, Digol) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| 2909.43.00 | 00 | Monobutyl ethers of ethylene glycol or of diethylene glycol | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| 2909.44.01 | | Other monoalkyl ethers of ethylene glycol or of diethylene glycol | | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| | 10 | Monomethyl ethers of ethylene glycol or of diethylene glycol | kg | | | |
| | 50 | Other | kg | | | |
| 2909.49 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2909.49.05 | 00 | Guaifenesin | kg | Free[1/] | | 15.4¢/kg + 79% |
| | | Other: | | | | |
| 2909.49.10 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |
| 2909.49.15 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |
| | | Other: | | | | |
| 2909.49.20 | 00 | Glycerol ethers | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2909.49.30 | 00 | Dipentaerythritol having a purity of 94 percent or more by weight | kg | Free[1/] | | 54.5% |
| 2909.49.60 | 00 | Other | kg | 5.5% [37/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2909 (con.) | | Ethers, ether-alcohols, ether-phenols, ether-alcohol- phenols, alcohol peroxides, ether peroxides, ketone peroxides (whether or not chemically defined), and their halogenated, sulfonated, nitrated or nitrosated derivatives (con.) | | | | |
| 2909.50 | | Ether-phenols, ether-alcohol-phenols and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2909.50.10 | 00 | 4-Ethylguaiacol | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2909.50.20 | 00 | Guaiacol and its derivatives | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +79% |
| | | Other: | | | | |
| 2909.50.40 | | Odoriferous or flavoring compounds | | 4.8%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| | 10 | Eugenol and isoeugenol | kg | | | |
| | 50 | Other | kg | | | |
| | | Other: | | | | |
| 2909.50.45 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |
| 2909.50.50 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |
| 2909.60 | | Alcohol peroxides, ether peroxides, ketone peroxides and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| | | Aromatic: | | | | |
| 2909.60.10 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[38/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |
| 2909.60.20 | 00 | Other | kg | 5.5%[39/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 70.5% |
| 2909.60.50 | 00 | Other | kg | 3.7%[40/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2910 | | Epoxides, epoxyalcohols, epoxyphenols and epoxyethers, with a three-membered ring, and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2910.10.00 | 00 | Oxirane (Ethylene oxide) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 49% |
| 2910.20.00 | 00 | Methyloxirane (Propylene oxide) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 55% |
| 2910.30.00 | 00 | 1-Chloro-2,3-epoxypropane (Epichlorohydrin) | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2910.40.00 | 00 | Dieldrin (ISO, INN) | kg | 4.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 31% |
| 2910.50.00 | 00 | Endrin | kg | 4.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 31% |
| 2910.90 | | Other: | | | | |
| 2910.90.10 | 00 | Butylene oxide | kg | 4.6%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 46% |
| | | Other: | | | | |
| 2910.90.20 | 00 | Aromatic | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2910.90.91 | 00 | Other | kg | 4.8%[41/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 31% |
| 2911.00 | | Acetals and hemiacetals, whether or not with other oxygen function, and their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2911.00.10 | 00 | 1,1-Bis(1-methylethoxy)cyclohexane | kg | Free[1/] | | 36.5% |
| 2911.00.50 | 00 | Other | kg | 5.3%[42/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 36.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | V. ALDEHYDE-FUNCTION COMPOUNDS | | | | |
| 2912 | | Aldehydes, whether or not with other oxygen function; cyclic polymers of aldehydes; paraformaldehyde: | | | | |
| | | Acyclic aldehydes without other oxygen function: | | | | |
| 2912.11.00 | 00 | Methanal (Formaldehyde) | kg | 2.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 12.1% |
| 2912.12.00 | 00 | Ethanal (Acetaldehyde) | kg | 5.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 71% |
| 2912.19 | | Other: | | | | |
| | | Odoriferous or flavoring compounds: | | | | |
| 2912.19.10 | 00 | Citral | kg | 5.5%[43/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2912.19.20 | 00 | Other | kg | 4.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| | | Other: | | | | |
| 2912.19.25 | 00 | Butanal (Butyraldehyde, normal isomer) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 61.5% |
| 2912.19.30 | 00 | Glyoxal | kg | 3.7%[44/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2912.19.40 | 00 | Isobutanal | kg | 5.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 61.5% |
| 2912.19.50 | 00 | Other | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 37% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2912 (con.) | | Aldehydes, whether or not with other oxygen function; cyclic polymers of aldehydes; paraformaldehyde: (con.) | | | | |
| | | Cyclic aldehydes without other oxygen function: | | | | |
| 2912.21.00 | 00 | Benzaldehyde | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, , E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| 2912.29 | | Other: | | | | |
| 2912.29.10 | 00 | Phenylacetaldehyde | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +40.5% |
| 2912.29.30 | 00 | 3,4-Dimethylbenzaldehyde; Paraldehyde, USP grade; and *p*-Tolualdehyde | kg | Free[1/] | | 15.4¢/kg + 58% |
| 2912.29.60 | | Other | | 5.5%[45/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +58% |
| | 10 | Odoriferous or flavoring compounds | kg | | | |
| | 90 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2912 (con.) | | Aldehydes, whether or not with other oxygen function; cyclic polymers of aldehydes; paraformaldehyde: (con.) | | | | |
| | | Aldehyde alcohols, aldehyde-ethers, aldehyde-phenols and aldehydes with other oxygen function: | | | | |
| 2912.41.00 | 00 | Vanillin (4-Hydroxy-3-methoxybenzaldehyde) | kg | 5.5%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +48% |
| 2912.42.00 | 00 | Ethylvanillin (3-Ethoxy-4-hydroxybenzaldehyde) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +80% |
| 2912.49 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2912.49.10 | 00 | *p*-Anisaldehyde | kg | 5.5%[46/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +36% |
| 2912.49.15 | 00 | *p*-Hydroxybenzaldehyde | kg | Free[1/] | | 15.4¢/kg + 58% |
| 2912.49.26 | 00 | Other | kg | 5.5%[47/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +58% |
| | | Other: | | | | |
| | | Aldehyde-alcohols: | | | | |
| 2912.49.55 | 00 | Hydroxycitronellal | kg | 4.8%[48/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2912.49.60 | 00 | Other | kg | 5.1%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 37% |
| 2912.49.90 | 00 | Other | kg | 4.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2912.50 | | Cyclic polymers of aldehydes: | | | | |
| 2912.50.10 | 00 | Metaldehyde | kg | Free[1/] | | 40% |
| 2912.50.50 | 00 | Other | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 40% |
| 2912.60.00 | 00 | Paraformaldehyde | kg | 5.1%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 32.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2913.00 | | Halogenated, sulfonated, nitrated or nitrosated derivatives of products of heading 2912: | | | | |
| | | Aromatic: | | | | |
| 2913.00.20 | 00 | 4-Fluoro-3-phenoxybenzaldehyde | kg | Free[1/] | | 15.4¢/kg + 77.5% |
| 2913.00.40 | 00 | Other | kg | 5.5%[49/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 77.5% |
| 2913.00.50 | 00 | Other | kg | 5.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 37% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | VI. KETONE-FUNCTION COMPOUNDS AND QUINONE-FUNCTION COMPOUNDS | | | | |
| 2914 | | Ketones and quinones, whether or not with other oxygen function, and their halogenated, sulfonated, nitrated, or nitrosated derivatives: | | | | |
| | | Acyclic ketones without other oxygen function: | | | | |
| 2914.11 | | Acetone: | | | | |
| 2914.11.10 | 00 | Derived in whole or in part from cumene | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2914.11.50 | 00 | Other | kg | Free[1/] | | 20% |
| 2914.12.00 | 00 | Butanone (Methyl ethyl ketone) | kg | 3.1%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 20% |
| 2914.13.00 | 00 | 4-Methylpentan-2-one (Methyl isobutyl ketone) | kg | 4%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 20% |
| 2914.19.00 | 00 | Other | kg | 4% [50/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, MA, MX, OM, P, PA, PE, SG)<br>0.8% (KR) | 20% |
| | | Cyclanic, cyclenic or cycloterpenic ketones without other oxygen function: | | | | |
| 2914.22 | | Cyclohexanone and methylcyclohexanones: | | | | |
| 2914.22.10 | 00 | Cyclohexanone | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +40% |
| 2914.22.20 | 00 | Methylcyclohexanones | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +40% |
| 2914.23.00 | 00 | Ionones and methylionones | kg | 5.5% [51/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2914.29 | | Other: | | | | |
| 2914.29.10 | 00 | Isophorone | kg | 4%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 20% |
| | | Camphor: | | | | |
| 2914.29.30 | 00 | Natural | kg | Free[1/] | | 11¢/kg |
| 2914.29.31 | 00 | Synthetic | kg | 2.6%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 11% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2914 (con.) | | Ketones and quinones, whether or not with other oxygen function, and their halogenated, sulfonated, nitrated, or nitrosated derivatives: (con.) | | | | |
| | | Cyclanic, cyclenic or cycloterpenic ketones without other oxygen function: (con.) | | | | |
| 2914.29 (con.) | | Other: (con.) | | | | |
| 2914.29.50 | 00 | Other | kg | 4.8% [52/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 45% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2914 (con.) | | Ketones and quinones, whether or not with other oxygen function, and their halogenated, sulfonated, nitrated, or nitrosated derivatives: (con.) | | | | |
| | | Aromatic ketones without other oxygen function: | | | | |
| 2914.31.00 | 00 | Phenylacetone (Phenylpropan-2-one) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2914.39 | | Other: | | | | |
| 2914.39.10 | 00 | 7-Acetyl-1,1,3,4,4,6-hexamethyl-tetra hydro naphthalene; 1-(2-Naphthalenyl) ethanone; and 6-Acetyl-1,1,2,3,3,5-hexamethylindan | kg | Free[1/] | | 15.4¢/kg + 58% |
| 2914.39.90 | 00 | Other | kg | 5.5% [53/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2914.40 | | Ketone-alcohols and ketone-aldehydes: | | | | |
| 2914.40.10 | 00 | 4-Hydroxy-4-methylpentan-2-one (Diacetone alcohol) | kg | 4%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| | | Aromatic: | | | | |
| 2914.40.20 | 00 | 1,2,3-Indantrione monohydrate (Ninhydrin) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 42% |
| 2914.40.40 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 42% |
| | | Other: | | | | |
| 2914.40.60 | 00 | 1,3-Dihydroxyacetone | kg | Free[1/] | | 20% |
| 2914.40.90 | 00 | Other | kg | 4.8%[54/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 20% |
| 2914.50 | | Ketone-phenols and ketones with other oxygen function: | | | | |
| | | Aromatic: | | | | |
| 2914.50.10 | 00 | 5-Benzoyl-4-hydroxy-2-methoxybenzene-sulfonic acid | kg | Free[1/] | | 15.4¢/kg + 42% |
| 2914.50.30 | 00 | Other | kg | 5.5% [55/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 42% |
| 2914.50.50 | 00 | Other | kg | 4% [56/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 20% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2914 (con.) | | Ketones and quinones, whether or not with other oxygen function, and their halogenated, sulfonated, nitrated, or nitrosated derivatives: (con.) | | | | |
| | | Quinones: | | | | |
| 2914.61.00 | 00 | Anthraquinone | kg | Free[1/] | | 15.4¢/kg + 42% |
| 2914.62.00 | 00 | Coenzyme Q10 (ubidecarenone (INN) | kg | 5.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| 2914.69 | | Other: | | | | |
| 2914.69.10 | 00 | Photographic chemicals | kg | 5.5%[57/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +50% |
| 2914.69.21 | 00 | Drugs | kg | 5.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| | | Other: | | | | |
| 2914.69.60 | 00 | 1,4-Dihydroxyanthraquinone; and 2-Ethylanthraquinone | kg | Free | | 15.4¢/kg + 42% |
| 2914.69.90 | 00 | Other | kg | 5.5% [58/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 42% |
| | | Halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2914.71.00 | 00 | Chlordecone (ISO) | kg | 4% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 20% |
| 2914.79 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2914.79.10 | 00 | 2,3-Dichloro-1,4-naphthoquinone 1,8-Dihydroxy-4,5-dinitroanthraquinone; and 4-tert-Butyl-2,6-dimethyl-3,5-dinitroacetophenone (Musk ketone) and other artificial musks | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +52% |
| 2914.79.30 | 00 | Anthraquinone disulfonic acid, sodium salt; and4-(3,4-Dichlorophenyl)-1-tetralone | kg | Free[1/] | | 15.4¢/kg + 42% |
| 2914.79.40 | 00 | Other | kg | 5.5% [59/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 42% |
| | | Other: | | | | |
| 2914.79.60 | 00 | 1-Chloro-5-hexanone | kg | Free[1/] | | 20% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2914 (con.) | | Ketones and quinones, whether or not with other oxygen function, and their halogenated, sulfonated, nitrated, or nitrosated derivatives: (con.) | | | | |
| | | Halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| 2914.79 (con.) | | Other: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2914.79.90 | 00 | Other | kg | 4% [60/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 20% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | VII. CARBOXYLIC ACIDS AND THEIR ANHYDRIDES, HALIDES, PEROXIDES AND PEROXYACIDS AND THEIR HALOGENATED, SULFONATED, NITRATED OR NITROSATED DERIVATIVES | | | | |
| 2915 | | Saturated acyclic monocarboxylic acids and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| | | Formic acid, its salts and esters: | | | | |
| 2915.11.00 | 00 | Formic acid | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 22.5% |
| 2915.12.00 | 00 | Salts of formic acid | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 27.5% |
| 2915.13 | | Esters of formic acid: | | | | |
| 2915.13.10 | 00 | Aromatic | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +58% |
| 2915.13.50 | 00 | Other | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Acetic acid and its salts; acetic anhydride: | | | | |
| 2915.21.00 | 00 | Acetic acid | kg | 1.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 16% |
| 2915.24.00 | 00 | Acetic anhydride | kg | 3.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 22% |
| 2915.29 | | Other: | | | | |
| 2915.29.10 | 00 | Cupric acetate monohydrate | kg | Free[1/] | | 25% |
| 2915.29.20 | 00 | Sodium acetate | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2915.29.30 | 00 | Cobalt acetates | kg | 4.2%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 30% |
| 2915.29.50 | 00 | Other | kg | 2.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2915 (con.) | | Saturated acyclic monocarboxylic acids and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Esters of acetic acid: | | | | |
| 2915.31.00 | 00 | Ethyl acetate | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 20.5% |
| 2915.32.00 | 00 | Vinyl acetate | kg | 3.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 52% |
| 2915.33.00 | 00 | *n*-Butyl acetate | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 40% |
| 2915.36.00 | 00 | Dinoseb (ISO) acetate | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2915.39 | | Other: | | | | |
| | | Aromatic: | | | | |
| | | Odoriferous or flavoring compounds: | | | | |
| 2915.39.10 | 00 | Benzyl acetate | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 104.5% |
| 2915.39.20 | 00 | Other | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +58% |
| | | Other: | | | | |
| 2915.39.31 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2915.39.35 | 00 | Other | kg | 5.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2915 (con.) | | Saturated acyclic monocarboxylic acids and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Esters of acetic acid: (con.) | | | | |
| 2915.39 (con.) | | Other: (con.) | | | | |
| | | Other: | | | | |
| | | Odoriferous or flavoring compounds: | | | | |
| 2915.39.40 | 00 | Linalyl acetate | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2915.39.45 | | Other | | 4.8% [61/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| | 10 | *n*-Propyl acetate | kg | | | |
| | 50 | Other | kg | | | |
| | | Other: | | | | |
| 2915.39.47 | 00 | Acetates of polyhydric alcohols or of polyhydric alcohol ethers | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| | | Other: | | | | |
| 2915.39.60 | 00 | Bis(bromoacetoxy)butene | kg | Free[1/] | | 25% |
| 2915.39.70 | 00 | Isobutyl acetate | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 40% |
| 2915.39.80 | 00 | 2-Ethoxyethyl acetate (Ethylene glycol, monoethyl ether acetate) | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 54.5% |
| 2915.39.90 | 00 | Other | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2915 (con.) | | Saturated acyclic monocarboxylic acids and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| 2915.40 | | Mono-, di- or trichloroacetic acids, their salts and esters: | | | | |
| 2915.40.10 | 00 | Chloroacetic acids | kg | 1.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 17.5% |
| | | Other: | | | | |
| | | Aromatic: | | | | |
| 2915.40.20 | 00 | Products described in additional U.S. note 3 to section VI | kg | 5.5%[4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2915.40.30 | 00 | Other | kg | 5.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2915.40.50 | | Other | | 3.7% [62/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Sodium chloroacetate | kg | | | |
| | 50 | Other | kg | | | |
| 2915.50 | | Propionic acid, its salts and esters: | | | | |
| 2915.50.10 | 00 | Propionic acid | kg | 4.2%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| 2915.50.20 | 00 | Aromatic | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2915.50.50 | 00 | Other | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2915.60 | | Butanoic acids, pentanoic acids, their salts and esters: | | | | |
| 2915.60.10 | 00 | Aromatic | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2915.60.50 | 00 | Other | kg | 2.1%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG)<br>0.4% (KR) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2915 (con.) | | Saturated acyclic monocarboxylic acids and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| 2915.70.01 | | Palmitic acid, stearic acid, their salts and esters | | 5%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 29.5% |
| | 10 | Palmitic acid | kg | | | |
| | 20 | Stearic acid | kg | | | |
| | 50 | Other | kg | | | |
| 2915.90 | | Other: | | | | |
| | | Acids: | | | | |
| 2915.90.10 | | Fatty acids of animal or vegetable origin | | 5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 20% |
| | 10 | Lauric acid | kg | | | |
| | 50 | Other | kg | | | |
| | | Other: | | | | |
| 2915.90.14 | 00 | Valproic acid | kg | 4.2%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2915.90.18 | 00 | Other | kg | 4.2%[63/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| 2915.90.20 | 00 | Aromatic | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2915.90.50 | | Other | | 3.8%[64/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Acid chlorides | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2916 | | Unsaturated acyclic monocarboxylic acids, cyclic monocarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| | | Unsaturated acyclic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: | | | | |
| 2916.11.00 | 00 | Acrylic acid and its salts | kg | 4.2%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2916.12 | | Esters of acrylic acid: | | | | |
| 2916.12.10 | 00 | Aromatic | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2916.12.50 | | Other | | 3.7% [65/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Ethyl acrylate | kg | | | |
| | 20 | Methyl acrylate | kg | | | |
| | 30 | Butyl acrylate | kg | | | |
| | 40 | 2-Ethyl-1-hexyl acrylate | kg | | | |
| | 50 | Other | kg | | | |
| 2916.13.00 | 00 | Methacrylic acid and its salts | kg | 4.2%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2916.14 | | Esters of methacrylic acid: | | | | |
| 2916.14.10 | 00 | Dicyclopentenyloxyethyl methacrylate | kg | Free[1/] | | 25% |
| 2916.14.20 | | Other | | 3.7%[66/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Ethyl methacrylate | kg | | | |
| | 20 | Methyl methacrylate | kg | | | |
| | 50 | Other | kg | | | |
| 2916.15 | | Oleic, linoleic or linolenic acids, their salts and esters: | | | | |
| 2916.15.10 | 00 | Oleic, linoleic or linolenic acids | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 35.2% |
| 2916.15.51 | 00 | Other | kg | 4.4%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 27% |
| 2916.16.00 | 00 | Binapacryl (ISO) | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2916 (con.) | | Unsaturated acyclic monocarboxylic acids, cyclic monocarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Unsaturated acyclic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2916.19 | | Other: | | | | |
| 2916.19.10 | 00 | Potassium sorbate | kg | 3.1% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2916.19.20 | 00 | Sorbic acid | kg | 4.2% [67/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| 2916.19.30 | 00 | Acids | kg | 6.1% [68/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 24.4% |
| 2916.19.50 | 00 | Other | kg | 3.7% [1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2916.20 | | Cyclanic, cyclenic or cycloterpenic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: | | | | |
| 2916.20.10 | 00 | (2,3,5,6-Tetrafluoro-4-methylphenyl)methyl-(1*α*-3*α*)-(Z)-(±)-3-(2-chloro-3,3,3-trifluoro-1-propenyl-2,2-dimethylcyclopropanecarboxylate) (Tefluthrin) | kg | Free[1/] | | 25% |
| 2916.20.50 | 00 | Other | kg | 3.7% [69/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2916 (con.) | | Unsaturated acyclic monocarboxylic acids, cyclic monocarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Aromatic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: | | | | |
| 2916.31 | | Benzoic acid, its salts and esters: | | | | |
| 2916.31.11 | | Benzoic acid and its salts | | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | 05 | Benzoic acid | kg | | | |
| | 70 | Sodium benzoate | kg | | | |
| | 90 | Other | kg | | | |
| | | Other: | | | | |
| 2916.31.20 | 00 | Odoriferous or flavoring compounds | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2916.31.30 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2916.31.50 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2916.32 | | Benzoyl peroxide and benzoyl chloride: | | | | |
| 2916.32.10 | 00 | Benzoyl peroxide | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2916.32.20 | 00 | Benzoyl chloride | kg | 6.5%[70/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 44% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2916 (con.) | | Unsaturated acyclic monocarboxylic acids, cyclic monocarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Aromatic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2916.34 | | Phenylacetic acid and its salts: | | | | |
| 2916.34.10 | 00 | Phenylacetic acid (*α*-Toluic acid) | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| | | Other: | | | | |
| 2916.34.15 | 00 | Odoriferous or flavoring compounds | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2916.34.25 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2916.34.55 | 00 | Other | kg | Free[1/] | | 15.4¢/kg + 57% |
| 2916.39 | | Other: | | | | |
| 2916.39.03 | 00 | Benzoic anhydride;*tert*-Butyl peroxybenzoate;*p*-Nitrobenzoyl chloride; 2-Nitro-*m*-toluic acid; and 3-Nitro-*o*-toluic acid | kg | 6.5%[71/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2916.39.04 | 00 | *m*-Chloroperoxybenzoic acid; and*p*-Sulfobenzoic acid, potassium salt | kg | Free[1/] | | 15.4¢/kg + 40.5% |
| 2916.39.06 | 00 | Cinnamic acid | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2916.39.08 | 00 | 4-Chloro-3-nitrobenzoic acid | kg | 6.5%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +40.5% |
| 2916.39.12 | 00 | 4-Chloro-3,5-dinitrobenzoic acid and its esters | kg | 6.5%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2916.39.15 | 00 | Ibuprofen | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 47.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2916 (con.) | | Unsaturated acyclic monocarboxylic acids, cyclic monocarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Aromatic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2916.39 (con.) | | Other: (con.) | | | | |
| 2916.39.16 | 00 | 4-Chlorobenzoic acid | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2916.39.17 | 00 | 2,2-Dichlorophenylacetic acid, ethyl ester; and *m*-Toluic acid | kg | Free[1/] | | 15.4¢/kg + 57% |
| | | Other: | | | | |
| 2916.39.21 | 00 | Odoriferous or flavoring compounds | kg | 6.5% [72/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2916.39.46 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| | | Other: | | | | |
| 2916.39.77 | 00 | Esters of phenylacetic acid | kg | Free[1/] | | 15.4¢/kg + 57% |
| 2916.39.79 | 00 | Other | kg | 6.5% [73/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2917 | | Polycarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| | | Acyclic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: | | | | |
| 2917.11.00 | 00 | Oxalic acid, its salts and esters | kg | 3.1%[74/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 34.5% |
| 2917.12 | | Adipic acid, its salts and esters: | | | | |
| 2917.12.10 | 00 | Adipic acid | kg | 6.5%[1/] | Free (AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 63% |
| | | Other: | | | | |
| 2917.12.20 | 00 | Plasticizers | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2917.12.50 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| 2917.13.00 | | Azelaic acid, sebacic acid, their salts and esters | | 4.8%[75/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 30 | Sebacic acid[24/] | kg | | | |
| | 90 | Other | kg | | | |
| 2917.14 | | Maleic anhydride: | | | | |
| 2917.14.10 | 00 | Derived in whole or in part from benzene or other aromatic hydrocarbons | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2917.14.50 | 00 | Other | kg | 4.2%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2917 (con.) | | Polycarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Acyclic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2917.19 | | Other: | | | | |
| 2917.19.10 | 00 | Ferrous fumarate | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| | | Fumaric acid: | | | | |
| 2917.19.15 | 00 | Derived in whole or in part from aromatic hydrocarbons | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 87% |
| 2917.19.17 | 00 | Other | kg | 4.2%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Maleic acid; succinnic acid derived in whole or in part from maleic anhydride or from cyclohexane;glutaric acid derived in whole or in part from cyclopentanone; andanhydrides, halides, peroxides, peroxyacids and other derivatives of adipic acid, of fumaric acid derived in whole or in part from aromatic hydrocarbons, of maleic acid, of succinnic acid derived in whole or in part from maleic anhydride or from cyclohexane or of glutaric acid derived in whole or in part from cyclopentanone, not elsewhere specified or included: | | | | |
| 2917.19.20 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| | | Other: | | | | |
| 2917.19.23 | 00 | Maleic acid | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| 2917.19.27 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| 2917.19.30 | 00 | Ethylene brassylate | kg | 4.8% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2917.19.35 | 00 | Malonic acid | kg | Free[1/] | | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2917 (con.) | | Polycarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Acyclic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2917.19 (con.) | | Other: (con.) | | | | |
| | | Other: | | | | |
| 2917.19.40 | 00 | Derived in whole or in part from aromatic hydrocarbons | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2917.19.70 | | Other | | 4% [76/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 20 | Plasticizers | kg | | | |
| | 50 | Other | kg | | | |
| 2917.20.00 | 00 | Cyclanic, cyclenic or cycloterpenic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives | kg | 4.2% [77/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Aromatic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: | | | | |
| 2917.32.00 | 00 | Dioctyl orthophthalates | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2917.33.00 | | Dinonyl or didecyl orthophthalates | | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| | 10 | Diisodecyl orthophthalate | kg | | | |
| | 50 | Other | kg | | | |
| 2917.34.01 | | Other esters of orthophthalic acid | | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| | 10 | Dibutyl orthophthalate | kg | | | |
| | 50 | Other | kg | | | |
| 2917.35.00 | 00 | Phthalic anhydride | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 49% |
| 2917.36.00 | 00 | Terephthalic acid and its salts | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG)<br>1.3% (KR) | 15.4¢/kg + 57% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2917 (con.) | | Polycarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Aromatic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2917.37.00 | 00 | Dimethyl terephthalate | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 42% |
| 2917.39 | | Other: | | | | |
| 2917.39.04 | 00 | 1,2,4-Benzenetricarboxylic acid, 1,2-dianhydride (Trimellitic anhydride); Phthalic acid; and 4-Sulfo-1,8-naphthalic anhydride | kg | 6.5%[78/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 37% |
| 2917.39.08 | 00 | Naphthalic anhydride | kg | Free | | 15.4¢/kg + 37% |
| 2917.39.12 | 00 | 4,4'-(Hexafluoroisopropylidene)bis(phthalic anhydride) | kg | Free[1/] | | 15.4¢/kg + 73% |
| 2917.39.15 | 00 | Isophthalic acid | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2917.39.17 | 00 | Tetrabromophthalic anhydride | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 73% |
| | | Other: | | | | |
| 2917.39.20 | 00 | Plasticizers | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| | | Other: | | | | |
| 2917.39.30 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [79/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 73% |
| 2917.39.70 | 00 | Other | kg | 6.5% [80/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 73% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2918 | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| | | Carboxylic acids with alcohol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives: | | | | |
| 2918.11 | | Lactic acid, its salts and esters: | | | | |
| 2918.11.10 | 00 | Lactic acid | kg | 5.1%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 35% |
| 2918.11.51 | 00 | Other | kg | 3.4% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2918.12.00 | 00 | Tartaric acid | kg | Free[1/] | | 17% |
| 2918.13 | | Salts and esters of tartaric acid: | | | | |
| 2918.13.10 | 00 | Potassium antimony tartrate (Tartar emetic) | kg | Free[1/] | | 4% |
| 2918.13.20 | 00 | Potassium bitartrate (Cream of tartar) | kg | Free[1/] | | 11% |
| 2918.13.30 | 00 | Potassium sodium tartrate (Rochelle salts) | kg | Free[1/] | | 11.5% |
| 2918.13.50 | 00 | Other | kg | 4.4%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2918.14.00 | 00 | Citric acid | kg | 6%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 39.5% |
| 2918.15 | | Salts and esters of citric acid: | | | | |
| 2918.15.10 | 00 | Sodium citrate | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 42% |
| 2918.15.50 | 00 | Other | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2918.16 | | Gluconic acid, its salts and esters: | | | | |
| 2918.16.10 | 00 | Gluconic acid | kg | 6%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2918.16.50 | | Other | | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Sodium gluconate | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2918 (con.) | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Carboxylic acids with alcohol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2918.17.00 | 01 | 2,2-Diphenyl-2-hydroxyacetic acid (benzilic acid) | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2918.18.00 | 00 | Chlorobenzilate (ISO) | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2918.19 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2918.19.11 | 00 | Benzilic acid, methyl ester | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Phenylglycolic acid (Mandelic acid), its salts and esters: | | | | |
| 2918.19.12 | 00 | Mandelic acid | kg | Free[1/] | | 15.4¢/kg + 67.5% |
| 2918.19.15 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 67.5% |
| | | Other: | | | | |
| 2918.19.20 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2918.19.31 | 00 | Other | kg | 6.5%[4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| | | Other: | | | | |
| 2918.19.60 | 00 | Malic acid | kg | 4%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2918.19.90 | 00 | Other | kg | 4% [81/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2918 (con.) | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Carboxylic acids with phenol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives: | | | | |
| 2918.21 | | Salicylic acid and its salts: | | | | |
| 2918.21.10 | 00 | Suitable for medicinal use | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 72% |
| 2918.21.50 | 00 | Other | kg | 6.5%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2918.22 | | *O*-Acetylsalicylic acid, its salts and esters: | | | | |
| 2918.22.10 | 00 | *O*-Acetylsalicylic acid (Aspirin) | kg | 6.5% [82/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 82% |
| 2918.22.50 | 00 | Salts and esters of *O*-acetylsalicylic acid | kg | 6.5% | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 47.5% |
| 2918.23 | | Other esters of salicylic acid and their salts: | | | | |
| 2918.23.10 | 00 | Salol (Phenyl salicylate) suitable for medicinal use | kg | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| | | Other: | | | | |
| 2918.23.20 | 00 | Odoriferous or flavoring compounds | kg | 6.5% [83/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2918.23.30 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2918.23.50 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2918 (con.) | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Carboxylic acids with phenol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2918.29 | | Other: | | | | |
| 2918.29.04 | 00 | 2,3-Cresotic acid; 2-Hydroxybenzoic acid, calcium salt; 1-Hydroxy-2-naphthoic acid; 2-Hydroxy-1-naphthoic acid; 1-Hydroxy-2-naphthoic acid, phenyl ester; *α*-Resorcylic acid; *γ*-Resorcylic acid; and 5-Sulfosalicylic acid | kg | 5.8% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2918.29.06 | 00 | 1,6-Hexanediol bis(3,5-dibutyl-4-hydroxyphenyl)propionate) | kg | 5.8% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2918.29.08 | 00 | m-Hydroxybenzoic acid | kg | Free [1/] | | 15.4¢/kg + 40% |
| 2918.29.20 | 00 | Gentisic acid; and Hydroxycinnamic acid and its salts | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2918.29.22 | 00 | *p*-Hydroxybenzoic acid | kg | 6.5% [84/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2918.29.25 | 00 | 3-Hydroxy-2-naphthoic acid | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2918.29.30 | 00 | Gallic acid | kg | 1% [85/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 2% |
| 2918.29.39 | 00 | 4,4-Bis(4-hydroxyphenyl) pentanoic acid; and 3,5,6-Trichlorosalicylic acid | kg | Free [1/] | | 15.4¢/kg + 57% |
| | | Other: | | | | |
| 2918.29.65 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [86/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2918 (con.) | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Carboxylic acids with phenol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives: (con.) | | | | |
| 2918.29 (con.) | | Other: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2918.29.75 | 00 | Other | kg | 6.5% [87/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2918 (con.) | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| 2918.30 | | Carboxylic acids with aldehyde or ketone function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives: | | | | |
| | | Aromatic: | | | | |
| 2918.30.10 | 00 | 1-Formylphenylacetic acid, methyl ester | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2918.30.15 | 00 | 2-Chloro-4,5-difluoro-*β*-oxobenzenepropanoic acid, ethyl ester; and Ethyl 2-keto-4-phenylbutanoate | kg | Free[1/] | | 15.4¢/kg + 57% |
| | | Other: | | | | |
| 2918.30.25 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2918.30.30 | 00 | Other | kg | 6.5%[88/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| | | Other: | | | | |
| 2918.30.70 | 00 | Dimethyl acetyl succinate; Oxalacetic acid diethyl ester, sodium salt; 4,4,4-Trifluoro-3-oxobutanoic acid, ethyl ester; and 4,4,4-Trifluoro-3-oxobutanoic acid, methyl ester | kg | Free[1/] | | 25% |
| 2918.30.90 | 00 | Other | kg | 3.7% [89/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2918 (con.) | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Other: | | | | |
| 2918.91.00 | 00 | 2,4,5-T (ISO) (2,4,5-trichlorophenoxyacetic acid), its salts and esters | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2918.99 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2918.99.05 | 00 | *p*-Anisic acid;Clofibrate; and3-Phenoxybenzoic acid | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2918.99.06 | 00 | 1-Hydroxy-6-octadecyloxy-2-naphthalene-carboxylic acid; and 1-Hydroxy-6-docosyloxy-2-naphthalene-carboxylic acid | kg | Free | | 15.4¢/kg + 57% |
| 2918.99.14 | 00 | 2-(4-Chloro-2-methylphenoxy)propionic acid and its salts | kg | Free | | 15.4¢/kg + 40.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2918 (con.) | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2918.99 (con.) | | Other: (con.) | | | | |
| | | Aromatic: (con.) | | | | |
| | | Other: | | | | |
| | | Pesticides: | | | | |
| 2918.99.18 | 00 | 4-(4-Chloro-2-methylphenoxy) butyric acid;*p*-Chlorophenoxyacetic acid; and 2-(2,4-Dichlorophenoxy) propionic acid | kg | 6.5%[90/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2918.99.20 | | Other | | 6.5% [91/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| | 10 | 2,4-Dichlorophenoxyacetic acid, its salts and esters | kg | | | |
| | 15 | 2-Methyl-4-chlorophenoxyacetic acid | kg | | | |
| | 50 | Other | kg | | | |
| 2918.99.30 | 00 | Drugs | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 47.5% |
| 2918.99.35 | 00 | Odoriferous or flavoring compounds | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2918.99.43 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [92/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2918.99.47 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2918.99.50 | 00 | Other | kg | 4% [93/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | VIII. ESTERS OF INORGANIC ACIDS OF NONMETALS AND THEIR SALTS, AND THEIR HALOGENATED, SULFONATED, NITRATED OR NITROSATED DERIVATIVES | | | | |
| 2919 | | Phosphoric esters and their salts, including lactophosphates; their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2919.10.00 | 00 | Tris(2,3-dibromopropyl phosphate) | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2919.90 | | Other: | | | | |
| | | Aromatic: | | | | |
| | | Plasticizers: | | | | |
| 2919.90.15 | 00 | Triphenyl phosphate | kg | Free[1/] | | 15.4¢/kg + 57% |
| 2919.90.25 | 00 | Other | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2919.90.30 | 00 | Other | kg | 6.5%[94/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 43% |
| 2919.90.50 | | Other | | 3.7% [95/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Plasticizers | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2920 | | Esters of other inorganic acids of nonmetals (excluding esters of hydrogen halides) and their salts; their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| | | Thiophosphoric esters (phosphorodithioates) and their salts, their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2920.11.00 | 00 | Parathion (ISO) and parathion-methyl (ISO) (methyl-parathion) | kg | Free[1/] | | 15.4¢/kg + 64.5% |
| 2920.19 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2920.19.10 | 00 | *O*,*O*-Dimethyl-*O*-(4-nitro-m-tolyl)phosphorothioate (Fenitrothion) | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41% |
| 2920.19.40 | 00 | Other | kg | 6.5%[96/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2920.19.50 | 00 | Other | kg | 3.7% [97/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Phosphite esters and their salts; their halogenated, sulfonated, nitrated or nitrosated derivatives: | | | | |
| 2920.21.00 | 00 | Dimethyl phosphite | kg | 3.7% [98/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2920.22.00 | 00 | Diethyl phosphite | kg | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2920.23.00 | 00 | Trimethyl phosphite | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2920.24.00 | 00 | Triethyl phosphite | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2920.29.00 | 00 | Other | kg | 3.7% [99/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2920.30.00 | 00 | Endosulfan (ISO) | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2920 (con.) | | Esters of other inorganic acids of nonmetals (excluding esters of hydrogen halides) and their salts; their halogenated, sulfonated, nitrated or nitrosated derivatives: (con.) | | | | |
| 2920.90 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2920.90.10 | 00 | Pesticides | kg | 6.5% [100/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2920.90.20 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53% |
| 2920.90.51 | 00 | Other | kg | 3.7% [101/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | IX. NITROGEN-FUNCTION COMPOUNDS: | | | | |
| 2921 | | Amine-function compounds | | | | |
| | | Acyclic monoamines and their derivatives; salts thereof: | | | | |
| 2921.11.00 | 00 | Methylamine, di- or trimethylamine and their salts..... | kg..... | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2921.12.01 | 00 | 2-(N,N-Dimethylamino)ethyl chloride hydrochloride.... | kg..... | Free[4/] | | 30.5% |
| 2921.13.00 | 00 | 2-(N,N-Diethylamino)ethyl chloride hydrochloride..... | kg..... | Free[1/] | | 30.5% |
| 2921.14.00 | 00 | 2-(N,N,-Diisopropylamino)ethyl chloride hydrochloride..... | kg..... | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| 2921.19 | | Other: | | | | |
| 2921.19.11 | 00 | Mono-, di- and triethylamines;mono-, di-, and tri-(propyl- and butyl-)monoamines; salts of any of the foregoing..... | kg..... | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2921.19.31 | 00 | 3-Amino-3-methyl-1-butyne; (Dimethylamino)isopropyl chloride hydrochloride..... | kg..... | Free[1/] | | 30.5% |
| 2921.19.61 | | Other..... | ..... | 6.5% [102/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| | 10 | *N,N*-Dialkyl (methyl, ethyl or *n*-propyl)-2-chloroethylamines and their protonated salts..... | kg | | | |
| | 90 | Other..... | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Acyclic polyamines and their derivatives; salts thereof: | | | | |
| 2921.21.00 | 00 | Ethylenediamine and its salts | kg | 5.8%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 39% |
| 2921.22 | | Hexamethylenediamine and its salts: | | | | |
| 2921.22.05 | 00 | Hexamethylenediamine adipate (Nylon salt) | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 46% |
| | | Other: | | | | |
| 2921.22.10 | 00 | Derived in whole or in part from adipic acid | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 66.5% |
| 2921.22.50 | 00 | Other | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| 2921.29.00 | | Other | | 6.5% [103/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| | 10 | Tetraethylene pentamine | kg | | | |
| | 20 | Triethylenetetramine | kg | | | |
| | 30 | Diethylenetriamine | kg | | | |
| | 55 | Other | kg | | | |
| 2921.30 | | Cyclanic, cyclenic or cycloterpenic mono- or polyamines, and their derivatives; salts thereof: | | | | |
| | | Derived in whole or in part from any aromatic compound: | | | | |
| 2921.30.05 | 00 | 1,3-Bis(aminoethyl)cyclohexane | kg | Free[1/] | | 15.4¢/kg + 53.5% |
| | | Other: | | | | |
| 2921.30.10 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| 2921.30.30 | 00 | Other | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| 2921.30.50 | 00 | Other | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic monoamines and their derivatives; salts thereof: | | | | |
| 2921.41 | | Aniline and its salts: | | | | |
| 2921.41.10 | 00 | Aniline | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 43.5% |
| 2921.41.20 | 00 | Aniline salts | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, , E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.42 | | Aniline derivatives and their salts: | | | | |
| 2921.42.10 | 00 | *N,N*-Dimethylaniline | kg | 6.5%[4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2921.42.15 | 00 | *N*-Ethylaniline; and*N,N*-Diethylaniline | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.42.16 | 00 | 2,4,5-Trichloroaniline | kg | Free[1/] | | 15.4¢/kg + 39.5% |
| 2921.42.18 | 00 | *o*-Aminobenzenesulfonic acid (Orthanilic acid); 6-Chlorometanilic acid; 2-Chloro-5-nitroaniline; 4-Chloro-3-nitroaniline; 2,3-Dichloroaniline; 2,4-Dichloroaniline; 2,5-Dichloroaniline; 3,5-Dichloroaniline;*N,N*-Diethylmetanilic acid;*N,N*-Diethylmetanilic acid, sodium salt; 2,4-Difluoroaniline;*p*-Fluoroaniline;*N*-Methylaniline; and*m*-Nitroaniline | kg | 5.8% [104/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG | 15.4¢/kg + 39.5% |
| 2921.42.21 | 00 | Metanilic acid | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.42.22 | 00 | Sulfanilic acid | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.42.23 | 00 | 3,4-Dichloroaniline | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.42.36 | 00 | *m*-Chloroaniline; 2-Chloro-4-nitroaniline; 2,5-Dichloroaniline-4-sulfonic acid and its monosodium salt; 2,4-Dinitroaniline;*o*-Nitroaniline-*p*-sulfonic acid, sodium salt; and 2,3,4-Trifluoroaniline | kg | Free[1/] | | 15.4¢/kg + 60% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic monoamines and their derivatives; salts thereof: (con.) | | | | |
| 2921.42 (con.) | | Aniline derivatives and their salts: (con.) | | | | |
| | | Other: | | | | |
| 2921.42.55 | 00 | Fast color bases | kg | 6.5% [105/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53% |
| | | Other: | | | | |
| 2921.42.65 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [106/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.42.90 | 00 | Other | kg | 6.5% [107/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic monoamines and their derivatives; salts thereof: (con.) | | | | |
| 2921.43 | | Toluidines and their derivatives; salts thereof: | | | | |
| 2921.43.04 | 00 | 3-Chloro-*o*-toluidine; and6-Chloro-*o*-toluidine..... | kg..... | Free[1/] | | 15.4¢/kg + 39.5% |
| 2921.43.08 | 00 | 4-Chloro-*o*-toluidine and hydrochloride; 5-Chloro-*o*-toluidine;6-Chloro-2-toluidine-4-sulfonic acid; 4-Chloro-*α*,*α*,*α*-trifluoro-*o*- toluidine;2,6 - Dichloro-*m*-toluidine;*N*,*N*-Dimethyl-*p*-toluidine;*N*-Ethyl-*N*-benzyl-*m*-toluidine; and*N*-Ethyl-*o*-toluidine..... | kg..... | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, L, MA, MX, OM, P, PA, PE, SG) 1.1% (KR) | 15.4¢/kg + 39.5% |
| 2921.43.15 | 00 | *α*,*α*,*α*-Trifluoro-2,6-dinitro-*N*,*N*-dipropyl-*p*- toluidine (Trifluralin)..... | kg..... | 6.5% [108/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 1.3% (KR) | 15.4¢/kg + 48.5% |
| 2921.43.19 | 00 | *α*,*α*,*α*-Trifluoro-*o*-toluidine; and*α*,*α*,*α*-Trifluoro-6-chloro-*m*-toluidine..... | kg..... | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, L, MA, MX, OM, P, PA, PE, SG) 1.3% (KR) | 15.4¢/kg + 60% |
| 2921.43.22 | 00 | *N*-Ethyl-*N*-(2-methyl-2-propenyl)-2,6-dinitro-4-(trifluoromethyl)benzenamine..... | kg..... | 6.5% [109/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 1.3% (KR) | 15.4¢/kg + 60% |
| 2921.43.24 | 00 | 2-Amino-5-chloro-4-ethylbenzenesulfonic acid; 2-Amino-5-chloro-*p*-toluenesulfonic acid;*p*-Nitro-*o*-toluidine; and 3-(Trifluoromethyl) aniline (*m*-Aminobenzotrifluoride)..... | kg..... | Free[1/] | | 15.4¢/kg + 60% |
| | | Other: | | | | |
| 2921.43.40 | 00 | Products described in additional U.S. note 3 to section VI..... | kg..... | 6.5%[110/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, MA, MX, OM, P, PA, PE, SG) 1.3% (KR) | 15.4¢/kg + 60% |
| 2921.43.90 | | Other..... | ..... | 6.5% [111/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 1.3% (KR) | 15.4¢/kg + 60% |
| | 20 | 2-Chloro-*p*-toluidine-5-sulfonic acid (CAS No. 88-51-7)..... | kg | | | |
| | 40 | *p*-Toluidine-*m*-sulfonic acid (CAS No. 88-44-8)..... | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic monoamines and their derivatives; salts thereof: (con.) | | | | |
| 2921.43 (con.) | | Toluidines and their derivatives; salts thereof: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2921.43.90 (con.) | | Other (con.) | | | | |
| | 90 | Other..... | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic monoamines and their derivatives; salts thereof: (con.) | | | | |
| 2921.44 | | Diphenylamine and its derivatives; salts thereof: | | | | |
| 2921.44.05 | 00 | 4,4'-Bis (*α*,*α*-dimethylbenzyl) diphenylamine; and *N*-Nitrosodiphenylamine | kg | Free[1/] | | 15.4¢/kg + 60% |
| 2921.44.10 | 00 | Nitrodiphenylamine | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Other: | | | | |
| 2921.44.20 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.44.70 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.45 | | 1-Naphthylamine (*α*-Naphthylamine), 2-Naphthylamine (*β*-Naphthylamine), and their derivatives; salts thereof: | | | | |
| 2921.45.10 | 00 | 7-Amino-1,3-naphthalenedisulfonic acid and its salts; 5-Amino-2-naphthalenesulfonic acid and its salts; 8-Amino-1-naphthalenesulfonic acid and its salts; and *N*-Phenyl-2-naphthylamine | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2921.45.20 | 00 | 3-Amino-2,7-naphthalenedisulfonic acid; 4-Amino-1-naphthalenesulfonic acid, sodium salt; 5-Amino-1-naphthalenesulfonic acid (Laurent's acid); 8-Amino-2-naphthalenesulfonic acid and its salts; 7-Amino-1,3,6-naphthalenetrisulfonic acid; 8-Anilino-1-naphthalenesulfonic acid (Phenyl Peri acid) and its salts; and *N*-Ethyl-1-naphthylamine | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| 2921.45.25 | 00 | Mixtures of 5- and 8-amino-2-naphthalene- sulfonic acid; 2-Naphthylamine-6-sulfonic acid; and *o*-Naphthionic acid (1-amino- 2-naphthalene-sulfonic acid) | kg | Free[1/] | | 15.4¢/kg + 60% |
| | | Other: | | | | |
| 2921.45.60 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic monoamines and their derivatives; salts thereof: (con.) | | | | |
| 2921.45 (con.) | | 1-Naphthylamine (*α*-Naphthylamine), 2-Naphthylamine (*β*-Naphthylamine), and their derivatives; salts thereof: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2921.45.90 | | Other | | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| | 10 | 2-Amino-1-naphthalenesulfonic acid (Tobias acid) | kg | | | |
| | 90 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic monoamines and their derivatives; salts thereof: (con.) | | | | |
| 2921.46.00 | 00 | Amfetamine (INN), benzfetamine (INN), dexamfetamine (INN), etilamfetamine (INN), fencamfamin (INN), lefetamine (INN), levamfetamine (INN), mefenorex (INN) and phentermine (INN); salts thereof | kg | Free | | 15.4¢/kg + 149.5% |
| 2921.49 | | Other: | | | | |
| 2921.49.10 | 00 | 4-Amino-2-stilbenesulfonic acid and its salts;*p*-Ethylaniline; 2,4,6-Trimethylaniline (Mesidine); 2,3-Xylidine; 2,4-Xylidine; 2,5-Xylidine; and 3,4-Xylidine | kg | 5.8% [112/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2921.49.15 | 00 | *m*-Nitro-*p*-toluidine | kg | Free[4/] | | 15.4¢/kg + 53% |
| | | Other: | | | | |
| 2921.49.32 | 00 | Fast color bases | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53% |
| | | Drugs: | | | | |
| 2921.49.38 | 00 | Antidepressants, tranquilizers and other psychotherapeutic agents | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 149.5% |
| 2921.49.43 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71.5% |
| | | Other: | | | | |
| 2921.49.45 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [113/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.49.50 | 00 | Other | kg | 6.5%[114/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic polyamines and their derivatives; salts thereof: | | | | |
| 2921.51 | | *o*-, *m*-, *p*-Phenylenediamine, diaminotoluenes, and their derivatives; salts thereof: | | | | |
| 2921.51.10 | 00 | 4-Amino-2-(*N*,*N*-diethylamino) toluene hydrochloride;*m*-Phenylenediamine;*o*-Phenylenediamine; Toluene-2,4-diamine; Toluene-2,5-diamine; and Toluene-2,5-diamine sulfate | kg | 6.5%[115/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| | | Other: | | | | |
| 2921.51.20 | 00 | Photographic chemicals | kg | 6.5%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| | | Other: | | | | |
| 2921.51.30 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.51.50 | 00 | Other | kg | 6.5% [116/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2921 (con.) | | Amine-function compounds (con.) | | | | |
| | | Aromatic polyamines and their derivatives; salts thereof: (con.) | | | | |
| 2921.59 | | Other: | | | | |
| 2921.59.04 | 00 | 1,8-Diaminonaphthalene (1,8-Naphthalenediamine) | kg | Free[1/] | | 15.4¢/kg + 39.5% |
| 2921.59.08 | 00 | 5-Amino-2-(*p*-aminoanilino) benzenesulfonic acid; 4,4'-Diamino-3-biphenylsulfonic acid (3-Benzidinesulfonic acid); 3,3'-Dimethylbenzidine (*o*-Tolidine); 3,3'-Dimethylbenzidine hydrochloride; Ethyl-(2-dimethylaminoethyl) aniline;*N*-Ethyl-*N*,*N'*-dimethyl-*N'*-phenylethylene-diamine; and 4,4'-Methylenebis(2-chloroaniline) | kg | 5.8%[117/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| 2921.59.17 | 00 | 4,4'-Benzidine-2,2'-disulfonic acid; 1,4-Diaminobenzene-2-sulfonic acid; 4,4'-Methylene bis ((3-chloro-2,6-diethylaniline); 4,4'-Methylene bis(2,6-diethylaniline); 4,4'-Methylene bis (2,6-diisopropylaniline);*m*-Xylene diamine; and 3,3'-Diaminobenzidine (tetraaminobiphenyl) | kg | Free[1/] | | 15.4¢/kg + 60% |
| 2921.59.20 | 00 | 4,4'-Diamino-2,2'-stilbenedisulfonic acid[24/] | kg | 6.5%[118/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 80% |
| 2921.59.30 | 00 | 4,4'-Methylenedianiline | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Other: | | | | |
| 2921.59.40 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[119/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| 2921.59.80 | | Other | | 6.5% [120/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |
| | 10 | 3,3'-Dichlorobenzidine dihydrochloride | kg | | | |
| | 90 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 | | Oxygen-function amino-compounds: Amino-alcohols, other than those containing more than one kind of oxygen function, their ethers and esters; salts thereof: | | | | |
| 2922.11.00 | 00 | Monoethanolamine and its salts | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 50.5% |
| 2922.12.00 | 01 | Diethanolamine and its salts | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 50.5% |
| 2922.14.00 | 00 | Dextropropoxyphene (INN) and its salts | kg | Free | | 15.4¢/kg + 119.5% |
| 2922.15.00 | 00 | Triethanolamine | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 50.5% |
| 2922.16.00 | 00 | Diethylammonium perfluorooctane sulfonate | kg | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| 2922.17.00 | 00 | Methyldiethanolamine and ethyldiethanolamine | kg | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| 2922.18.00 | 00 | 2-(N,N-Diisopropylamino)ethanol | kg | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| | | Amino-alcohols, other than those containing more than one kind of oxygen function, their ethers and esters; salts thereof: (con.) | | | | |
| 2922.19 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2922.19.09 | 00 | Drugs | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| | | Other: | | | | |
| 2922.19.20 | 00 | 4,4'-Bis(dimethylamino) benzhydrol (Michler's hydrol);5'-[3'-(Dimethylamino) propyl]-10',11'- dihydro-5*H*'-dibenzo [*a*,*b*] cyclohept- en-5'-ol (Dibenzcarbinol); and1-(*p*-Nitrophenyl)-2-amino-1,3-propanediol | kg | 5.8% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39% |
| 2922.19.33 | 00 | *N*1-(2-Hydroxyethyl)-2-nitro-1,4-phenylenediamine;*N1,N4,N4*-Tris(2-hydroxyethyl)-2-nitro-1,4-phenylenediamine;*N*1,*N*4-Dimethyl-*N*1-(2-hydroxyethyl)-3-nitro-1,4-phenylene-diamine;*N*1,*N*4-Dimethyl-*N*1-(2,3-dihydroxy-propyl)-3-nitro-1,4-phenylenediamine; and*N*1-(2-Hydroxyethyl)-3-nitro-1,4-phenylenediamine | kg | Free | | 15.4¢/kg + 50% |
| | | Other: | | | | |
| 2922.19.60 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[121/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.19.70 | 00 | Other | kg | 6.5%[122/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| | | Other: | | | | |
| 2922.19.90 | 00 | Salts of triethanolamine | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 50.5% |
| 2922.19.96 | | Other | | 6.5% [123/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| | | N,N-(Dialkyl (methyl, ethyl, n-propyl or isopropyl)-2-aminoethanols and their protonated salts: | | | | |
| | 10 | N,N-Dimethyl-2-aminoethanol, N,N-diethyl-2-aminoethanol and their protonated salts | kg | | | |
| | 19 | Other | kg | | | |
| | 90 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| | | Amino-naphthols and other amino-phenols, other than those containing more than one kind of oxygen function, their ethers and esters; salts thereof: | | | | |
| 2922.21 | | Aminohydroxynaphthalenesulfonic acids and their salts: | | | | |
| 2922.21.10 | 00 | 1-Amino-8-hydroxy-3,6-naphthalenedisulfonic acid; 4-Amino-5-hydroxy-1,3-naphthalenedisulfonic acid (Chicago acid); 4-Amino-5-hydroxy-1,3-naphthalenedisulfonic acid, potassium salt; 4-Amino-5-hydroxy-1,3-naphthalenedisulfonic acid, sodium salt; 4-Amino-5-hydroxy-2,7-naphthalenedisulfonic acid, monosodium salt (H acid, monosodium salt); 4-Amino-5-hydroxy-2,7-naphthalenedisulfonic acid, potassium salt (H acid, monopotassium salt); 4-Amino-3-hydroxy-1-naphthalenesulfonic acid; 6-Amino-1-naphthol-3-sulfonic acid and its salts; and 8-Amino-1-naphthol-5-sulfonic acid and its salts | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39% |
| 2922.21.25 | 00 | 1-Amino-8-hydroxy-4,6-naphthalenedisulfonic acid, monosodium salt | kg | Free[1/] | | 15.4¢/kg + 50% |
| | | Other: | | | | |
| 2922.21.40 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.21.50 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| | | Amino-naphthols and other amino-phenols, other than those containing more than one kind of oxygen function, their ethers and esters; salts thereof: (con.) | | | | |
| 2922.29 | | Other: | | | | |
| 2922.29.03 | 00 | *o*-Anisidine;*p*-Anisidine; and*p*-Phenetidine | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65% |
| | | *m*-Nitro-*p*-anisidine; and *m*-Nitro-*o*-anisidine: | | | | |
| 2922.29.06 | 00 | Fast color bases | kg | Free | | 15.4¢/kg + 54.5% |
| 2922.29.08 | 00 | Other | kg | Free[1/] | | 15.4¢/kg + 50% |
| 2922.29.10 | 00 | 2-Amino-6-chloro-4-nitrophenol; 2-Amino-4-chlorophenol;2-Amino-4-chlorophenol hydrochloride; 2-Amino-*p*-cresol; 4-Amino-*o*-cresol; 6-Amino-2,4-dichloro-3-methylphenol; 2-(3-Amino-4-hydroxyphenylsulfonyl)ethanol; 2-Amino-4-nitrophenol; 2-Amino-4-nitrophenol, sodium salt; 2-Amino-5-nitrophenol;*m*-Aminophenol; 2-(4'-Aminophenoxy)ethylsulfate; 5-Chloro-2-(2',4'-dichlorophenoxy)aniline; 3,4-Dimethoxyphenethylamine (Homoveratrylamine); 2-Hydroxy-5-nitrometanilic acid; 4-Methoxymetanilic acid; 6-Methoxymetanilic acid; 4-Methoxy-*m*-phenylenediamine; 5-Methoxy-*m*-phenylenediamine sulfate; 6-(Methylamino)-1-naphthol-3-sulfonic acid; 7-(Methylamino)-1-naphthol-3-sulfonic acid; and 2-Methyl-*p*-anisidine | kg | 5.8%[124/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39% |
| 2922.29.13 | 00 | *o*-Aminophenol; and2,2-Bis[4-(4-aminophenoxy)phenyl]propane | kg | Free[1/] | | 15.4¢/kg + 50% |
| 2922.29.15 | 00 | *m*-Diethylaminophenol; *m*-Dimethylaminophenol; 3-Ethylamino-*p*-cresol; and 5-Methoxy-*m*-phenylenediamine | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| 2922.29.20 | 00 | 4-Chloro-2,5-dimethoxyaniline; and2,4-Dimethoxyaniline | kg | Free[1/] | | 15.4¢/kg + 41.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| | | Amino-naphthols and other amino-phenols, other than those containing more than one kind of oxygen function, their ethers and esters; salts thereof: (con.) | | | | |
| 2922.29 (con.) | | Other: (con.) | | | | |
| | | Other: | | | | |
| 2922.29.26 | 00 | Fast color bases | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 54.5% |
| 2922.29.27 | 00 | Drugs | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 71.5% |
| 2922.29.29 | 00 | Photographic chemicals | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| | | Other: | | | | |
| 2922.29.61 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [125/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.29.81 | | Other | | 6.5% [126/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| | 10 | *p*-Nitro-*o*-anisidine | kg | | | |
| | 90 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| | | Amino-aldehydes, amino-ketones and amino-quinones, other than those containing more than one kind of oxygen function; salts thereof: | | | | |
| 2922.31.00 | 00 | Amfepramone (INN), methadone (INN) and normethadone (INN);salts thereof | kg | Free | | 15.4¢/kg + 50% |
| 2922.39 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2922.39.05 | 00 | 1-Amino-2,4-dibromoanthraquinone; and 2-Amino-5-chlorobenzophenone | kg | Free[1/] | | 15.4¢/kg + 50% |
| 2922.39.10 | 00 | 2'-Amino aceto phenone;3'-Amino aceto phenone;1-Amino-4-bromo-2-methyl anthra quinone;1,4-Bis [1-anthra quinonyl amino] anthra- quinone;1,4-Di mesi dino anthra quinone;4-Dimethyl amino benzaldehyde; andImino di anthra quinone | kg | 5.8% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39% |
| 2922.39.14 | 00 | 2-Aminoanthraquinone | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.39.17 | 00 | 1-Aminoanthraquinone | kg | Free[1/] | | 15.4¢/kg + 50% |
| | | Other: | | | | |
| 2922.39.25 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.39.45 | 00 | Other | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.39.50 | 00 | Other | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| | | Amino-acids, other than those containing more than one kind of oxygen function, and their esters; salts thereof: | | | | |
| 2922.41.00 | | Lysine and its esters; salts thereof | | 3.7%[127/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Meeting requirements of Food Chemical Codex, Codex Alimentarius or United States Pharmacopeia | kg | | | |
| | 90 | Other | kg | | | |
| 2922.42 | | Glutamic acid and its salts: | | | | |
| 2922.42.10 | 00 | Monosodium glutamate | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2922.42.50 | 00 | Other | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2922.43 | | Anthranilic acid and its salts: | | | | |
| 2922.43.10 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.43.50 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.44.00 | 00 | Tilidine (INN) and its salts | kg | Free | | 15.4¢/kg + 45% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| | | Amino-acids, other than those containing more than one kind of oxygen function, and their esters; salts thereof: (con.) | | | | |
| 2922.49 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2922.49.05 | 00 | (R)-*α*-Aminobenzeneacetic acid; 2-Amino-3-chlorobenzoic acid, methyl ester... | kg | Free[1/] | | 15.4¢/kg + 50% |
| 2922.49.10 | 00 | *m*-Aminobenzoic acid, technical;*p*-Aminobenzoic acid; 3,5-Diaminobenzoic acid; 2-Ethylamino-5-sulfobenzoic acid; 3-(*N*-Ethylanilino)propionic acid, methyl ester;*β*-(*β*-Methoxyethoxyethyl)-4-aminobenzoate; Methyl anthranilate; and*l*-Phenylalanine..... | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39% |
| | | Other: | | | | |
| 2922.49.26 | 00 | Drugs..... | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| | | Other: | | | | |
| 2922.49.30 | 00 | Products described in additional U.S. note 3 to section VI..... | kg | 6.5% [128/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.49.37 | 00 | Other[24/]..... | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| | | Other: | | | | |
| | | Amino acids: | | | | |
| 2922.49.43 | 00 | Glycine (Aminoacetic acid)..... | kg | 4.2% [1/] | Free (AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2922.49.49 | | Other amino acids..... | ..... | 4.2% [129/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Alanine..... | kg | | | |
| | 15 | *l*-Aspartic acid..... | kg | | | |
| | 50 | Other..... | kg | | | |
| | | Other: | | | | |
| 2922.49.60 | 00 | 3-Aminocrotonic acid, methyl ester; and (R)-*α*-Amino-1,4-cyclohexadiene-1- acetic acid..... | kg | Free[1/] | | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| | | Amino-acids, other than those containing more than one kind of oxygen function, and their esters; salts thereof: (con.) | | | | |
| 2922.49 (con.) | | Other: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2922.49.80 | 00 | Other | kg | 3.7% [130/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| 2922.50 | | Amino-alcohol-phenols, amino-acid-phenols and other amino-compounds with oxygen function: | | | | |
| | | Aromatic: | | | | |
| 2922.50.07 | 00 | 3,4-Diaminophenetole dihydrogen sulfate;2-Nitro-5-[(2,3-dihydroxy) propoxy]-*N*-methyl aniline;2-Nitro-5-(2-hydroxy ethoxy)-*N*-methyl aniline;4-(2-Hydroethoxy)-1,3-phenylene diamine dihydro chloride;3-Methoxy-4-[(2-hydroxy ethyl) amino] nitro- benzene;4-[(2-Hydroxy ethyl) amino]-3-nitro phenol; and(R)-*α*-Amino-4-hydroxy benzene acetic acid (*d*(-)-*p*-Hydroxy phenyl glycine) | kg | Free | | 15.4¢/kg + 50% |
| 2922.50.10 | 00 | *dl*-3-(3,4-Di hydroxy phenyl) alanine;*N*-Ethyl-*N*-(2-methoxy carbonyl ethyl) aniline;*dl*-Phenyl ephrine base; andCarbonic acid, methyl ester, diester with 2,2'-(*m*-tolyl amino) diethanol (Toluidine carbonate) | kg | 5.8% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39% |
| 2922.50.11 | 00 | Salts of *d*(-)-*p*-Hydroxyphenylglycine ((R)-*α*-Amino-4-hydroxybenzeneacetic acid) | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2922 (con.) | | Oxygen-function amino-compounds: (con.) | | | | |
| 2922.50 (con.) | | Amino-alcohol-phenols, amino-acid-phenols and other amino-compounds with oxygen function: (con.) | | | | |
| | | Aromatic: (con.) | | | | |
| | | Other: | | | | |
| | | Drugs | | | | |
| 2922.50.13 | 00 | Isoetharine hydrochloride;Isoxsuprine hydrochloride;Nylidrin hydrochloride;Phenylephrine hydrochloride;Salbutamol (Albuterol); andTerbutaline sulfate | kg | Free | | 15.4¢/kg + 47% |
| | | Other: | | | | |
| 2922.50.14 | 00 | Cardiovascular drugs | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65% |
| 2922.50.17 | 00 | Dermatological agents and local anesthetics | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51.5% |
| 2922.50.19 | 00 | Guaiacol derivatives | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 79% |
| 2922.50.25 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 82% |
| | | Other: | | | | |
| 2922.50.35 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[131/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.50.40 | 00 | Other | kg | 6.5%[132/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2922.50.50 | 00 | Other | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2923 | | Quaternary ammonium salts and hydroxides; lecithins and other phosphoaminolipids, whether or not chemically defined: | | | | |
| 2923.10.00 | 00 | Choline and its salts | kg | 3.7%[133/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2923.20 | | Lecithins and other phosphoaminolipids: | | | | |
| 2923.20.10 | 00 | Purified egg phospholipids, pharmaceutical grade meeting requirements of the U.S. Food and Drug Administration, for use in intravenous fat emulsion | kg | Free[1/] | | 16.5¢/kg + 30% |
| 2923.20.20 | 00 | Other | kg | 5%[134/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 33.4% |
| 2923.30.00 | 00 | Tetraethylammonium perfluorooctane sulfonate | kg | 6.2% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 36% |
| 2923.40.00 | 00 | Didecylmethylammonium perfluorooctane sulfonate | kg | 6.2% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 36% |
| 2923.90.01 | 00 | Other | kg | 6.2% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 36% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2924 | | Carboxyamide-function compounds; amide-function compounds of carbonic acid: | | | | |
| | | Acyclic amides (including acyclic carbamates) and their derivatives; salts thereof: | | | | |
| 2924.11.00 | 00 | Meprobamate (INN) | kg | Free | | 25% |
| 2924.12.00 | 00 | Fluoroacetamide (ISO), monocrotophos (ISO) and phosphamidon (ISO) | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2924.19 | | Other: | | | | |
| 2924.19.11 | | Amides | | 3.7% [135/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Acrylamide | kg | | | |
| | 20 | Dimethylformamide | kg | | | |
| | 30 | Methacrylamide | kg | | | |
| | 50 | Other | kg | | | |
| 2924.19.80 | 00 | Other | kg | 6.5% [136/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| | | Cyclic amides (including cyclic carbamates) and their derivatives; salts thereof: | | | | |
| 2924.21 | | Ureines and their derivatives; salts thereof: | | | | |
| | | Aromatic: | | | | |
| | | Pesticides: | | | | |
| 2924.21.04 | 00 | 3-(*p*-Chlorophenyl)-1,1-dimethylurea (Monuron) | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2924.21.08 | 00 | 1,1-Dimethyl-3-(*α*,*α*,*α*-trifluoro-*m*-tolyl)urea (Fluometuron) | kg | Free[1/] | | 15.4¢/kg + 40.5% |
| 2924.21.12 | 00 | 1-(2-Methylcyclohexyl)-3-phenylurea | kg | Free[1/] | | 15.4¢/kg + 48.5% |
| 2924.21.16 | 00 | Other | kg | 6.5% [137/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2924 (con.) | | Carboxyamide-function compounds; amide-function compounds of carbonic acid: (con.) | | | | |
| | | Cyclic amides (including cyclic carbamates) and their derivatives; salts thereof: (con.) | | | | |
| 2924.21 (con.) | | Ureines and their derivatives; salts thereof: (con.) | | | | |
| | | Aromatic: (con.) | | | | |
| | | Other: | | | | |
| 2924.21.18 | 00 | *sym*-Diethyldiphenylurea | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2924.21.20 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2924.21.45 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2924.21.50 | 00 | Other | kg | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| 2924.23 | | 2-Acetamidobenzoic acid (*N*-acetylanthranilic acid) and its salts: | | | | |
| 2924.23.10 | 00 | 2-Acetamidobenzoic acid | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2924.23.70 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2924.23.75 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2924.24.00 | 00 | Ethinamate (INN) | kg | Free | | 30.5% |
| 2924.25.00 | 00 | Alachlor (ISO) | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2924 (con.) | | Carboxyamide-function compounds; amide-function compounds of carbonic acid: (con.) | | | | |
| | | Cyclic amides (including cyclic carbamates) and their derivatives; salts thereof: (con.) | | | | |
| 2924.29 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2924.29.01 | 00 | *p*-Acetanisidide;*p*-Acetoacetotoluidide; 4'-Amino-*N*-methylacetanilide; 2,5-Dimethoxyacetanilide; and*N*-(7-Hydroxy-1-naphthyl)acetamide | kg | Free[1/] | | 15.4¢/kg + 39.5% |
| 2924.29.03 | 00 | 3,5-Dinitro-*o*-toluamide | kg | Free | | 15.4¢/kg + 47.5% |
| 2924.29.05 | 00 | Biligrafin acid;3,5-Diacetamido-2,4,6-triiodobenzoic acid; andMetrizoic acid | kg | 5.3% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 34% |
| 2924.29.10 | 00 | Acetanilide;*N*-Acetylsulfanilyl chloride; Aspartame; and 2-Methoxy-5-acetamino-*N*,*N*-bis(2-acetoxyethyl)aniline | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2924.29.20 | 00 | 2-Acetamido-3-chloro anthra quinone;*o*-Aceto acetanisidide;*o*-Acetoacetotoluidide; 2',4'-Acetoacetoxylidide; and 1-Amino-5-benzamido anthra quinone | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53% |
| 2924.29.23 | 00 | 4-Amino acetanilide;2,2'-Oxamido bis [ethyl-3-(3,5-di-tert-butyl- 4-hydroxyphenyl) propionate];Aceto acetsulfanilic acid, potassium salt; andN-(2,3-Dihydroxy propyl)-5-*N*-(2,3-dihydroxy- propyl) acetamido-*N*'-(2-hydroxyethyl)-2,4,6-triiodoisophthalamide | kg | Free | | 15.4¢/kg + 58% |
| 2924.29.26 | 00 | 3-Aminomethoxybenzanilide | kg | Free | | 15.4¢/kg + 54.5% |
| 2924.29.28 | 00 | *N*-[[(4-Chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide; and 3,5-Dichloro-N-(1,1-dimethyl-2-propynyl)-benzamide (Pronamide) | kg | Free[1/] | | 15.4¢/kg + 64.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2924 (con.) | | Carboxyamide-function compounds; amide-function compounds of carbonic acid: (con.) | | | | |
| | | Cyclic amides (including cyclic carbamates) and their derivatives; salts thereof: (con.) | | | | |
| 2924.29 (con.) | | Other: (con.) | | | | |
| | | Aromatic: (con.) | | | | |
| 2924.29.31 | 00 | 4-Acetamido-2-amino phenol;*p*-Acetamino benz aldehyde; Aceto acet benzyl amide; Aceto acet-5-chloro-2-toluidide;*p*-Aceto aceto phenetidide;*N*-Acetyl-2,6-xylidine (*N*-Acetyl-2,6- dimethyl aniline);*p*-Amino benzoic acid iso octyl amide;*p*-Amino benzoyl amino naphthalene sulfonic acid; 2-Amino-4-chloro benzamide; 3-Amino-4-chloro benzamide;4-Amino hippuric acid;*p*-Amino phenyl urethane; 1-Benzamido-4-chloro anthra quinone; 1-Benzamido-5-chloro anthra quinone; Benzanilide; 4'-Chloro aceto acetanilide; 3-(*N*,*N*-Dihydroxy ethyl amino) benzanilide; 2,5-Dihydroxy-*N*-(2-hydroxyethyl)- benzamide; Gentisamide;*N*,*N'*-Hexa methylene bis(3,5-di-tert-butyl- 4-hydroxy hydrocinnamamide); 2-(*m*-Hydroxyanilino) acetamide; Nitra acid amide (1-Amino-9,10-dihydro-*N*- (3-methoxy propyl)-4-nitro-9,10-dioxo-2- anthramide); Phenacetin, technical; and*β*-Resorcyl amide | kg | 5.8% [138/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| | | Naphthol AS and derivatives: | | | | |
| 2924.29.33 | 00 | 3-Hydroxy-2-naphthanilide; 3-Hydroxy-2-naphtho-*o*-toluidide; 3-Hydroxy-2-naphtho-*o*-anisidine; 3-Hydroxy-2-naphtho-*o*-phenetidide; 3-Hydroxy-2-naphtho-4-chloro-2,5-dimethoxyanilide; 3-Hydroxy-3'-nitro-2-naphthanilide; and*N*,*N'*-Bis(acetoacetyl-*o*-toluidine) | kg | Free[1/] | | 15.4¢/kg + 60% |
| 2924.29.36 | 00 | Other | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 60% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2924 (con.) | | Carboxyamide-function compounds; amide-function compounds of carbonic acid: (con.) | | | | |
| | | Cyclic amides (including cyclic carbamates) and their derivatives; salts thereof: (con.) | | | | |
| 2924.29 (con.) | | Other: (con.) | | | | |
| | | Aromatic: (con.) | | | | |
| | | Other: | | | | |
| | | Pesticides: | | | | |
| 2924.29.43 | 00 | 3-Ethoxy carbonyl amino phenyl-*N*-phenyl carbamate (Desmedipham); and Isopropyl-*N*-(3-chlorophenyl) car-bamate (CIPC) | kg | 6.5% [139/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2924.29.47 | 00 | Other | kg | 6.5% [140/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2924.29.52 | 00 | Fast color bases | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 54.5% |
| | | Drugs: | | | | |
| 2924.29.57 | 00 | Diethylaminoacetoxylidide (Lidocaine) | kg | Free | | 15.4¢/kg + 101.5% |
| 2924.29.62 | | Other | | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 47.5% |
| | 10 | Acetaminophen | kg | | | |
| | 20 | Acetophenetidin (Phenacetin) | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2924 (con.) | | Carboxyamide-function compounds; amide-function compounds of carbonic acid: (con.) | | | | |
| | | Cyclic amides (including cyclic carbamates) and their derivatives; salts thereof: (con.) | | | | |
| 2924.29 (con.) | | Other: (con.) | | | | |
| | | Aromatic: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Other: | | | | |
| 2924.29.65 | 00 | 5-Bromoacetyl-2-salicylamide | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | | Other: | | | | |
| 2924.29.71 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [141/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| 2924.29.77 | | Other | | 6.5% [142/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58% |
| | 10 | Acetoacetanilide | kg | | | |
| | 20 | Acetoacet-2,5-dimethoxy-4-chloroanilide | kg | | | |
| | 30 | *p*-Aminobenzamide | kg | | | |
| | 90 | Other | kg | | | |
| | | Other: | | | | |
| 2924.29.80 | 00 | 2,2-Dimethylcyclopropylcarboxamide | kg | Free[1/] | | 30.5% |
| 2924.29.95 | 00 | Other | kg | 6.5%[143/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2925 | | Carboxyimide-function compounds (including saccharin and its salts) and imine-function compounds: | | | | |
| | | Imides and their derivatives; salts thereof: | | | | |
| 2925.11.00 | 00 | Saccharin and its salts | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 61% |
| 2925.12.00 | 00 | Glutethimide (INN) | kg | Free | | 15.4¢/kg + 61% |
| 2925.19 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2925.19.10 | 00 | Ethylenebistetrabromophthalimide | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 61% |
| 2925.19.30 | 00 | Bis(*o*-tolyl)carbodiimide; and 2,2',6,6'-Tetra isopropyl diphenyl carbodiimide | kg | Free[1/] | | 15.4¢/kg + 61% |
| 2925.19.42 | 00 | Other | kg | 6.5% [144/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 61% |
| | | Other: | | | | |
| 2925.19.70 | 00 | *N*-Chlorosuccinimide; and *N*,*N*'-Ethylene bis (5,6-dibromo-2,3- norbornane dicarboximide) | kg | Free[1/] | | 25% |
| 2925.19.91 | 00 | Other | kg | 3.7% [145/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2925 (con.) | | Carboxyimide-function compounds (including saccharin and its salts) and imine-function compounds: (con.) | | | | |
| | | Imines and their derivatives; salts thereof: | | | | |
| 2925.21.00 | 00 | Chlordimeform (ISO) | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 61% |
| 2925.29 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2925.29.10 | 00 | *N'*-(4-Chloro-*o*-tolyl)-*N,N*-diemthylformamidine; Bunamidine hydrochloride; and Pentamidine | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41% |
| 2925.29.18 | 00 | *N,N'*-Diphenylguanidine; 3-Dimethyl amino methyleneiminophenol hydrochloride; 1,3-Di-*o*-tolylguanidine; and*N,N*-Dimethyl-*N'*-[3-[[(methylamino) carbonyl]- oxy] phenyl] methanimidamide monohydro- chloride | kg | Free[1/] | | 15.4¢/kg + 61% |
| | | Other: | | | | |
| 2925.29.20 | 00 | Drugs | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 67.5% |
| 2925.29.60 | 00 | Other | kg | 6.5% [146/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 61% |
| | | Other: | | | | |
| 2925.29.70 | 00 | Tetramethylguanidine | kg | Free[4/] | | 25% |
| 2925.29.90 | 00 | Other | kg | 3.7%[147/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2926 | | Nitrile-function compounds: | | | | |
| 2926.10.00 | 00 | Acrylonitrile | kg | 6.5%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 56.5% |
| 2926.20.00 | 00 | 1-Cyanoguanidine (Dicyandiamide) | kg | Free[1/] | | 25% |
| 2926.30 | | Fenproporex (INN) and its salts;Methadone (INN) intermediate (4-cyano-2-dimethylamino-4,4-diphenylbutane): | | | | |
| 2926.30.10 | 00 | Fenproporex (INN) and its salts | kg | Free[1/] | | 15.4¢/kg + 65.5% |
| 2926.30.20 | 00 | 4-Cyano-2-dimethylamino-4,4-diphenylbutane | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65.5% |
| 2926.40.00 | 00 | alpha-Phenylacetoacetonitrile | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65.5% |
| 2926.90 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2926.90.01 | 00 | 2-Cyano-4-nitroaniline | kg | Free[1/] | | 15.4¢/kg + 41% |
| 2926.90.05 | 00 | 2-Amino-4-chlorobenzonitrile (5-Chloro-2-cyanoaniline); 2-Amino-5-chlorobenzonitrile; 4-Amino-2-chlorobenzonitrile; (Cyanoethyl)(hydroxyethyl)-*m*-toluidine;*p*-Cyanophenyl acetate; Phthalonitrile; and Tetrachloro-3-cyanobenzoic acid, methyl ester | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41% |
| 2926.90.08 | 00 | Benzonitrile | kg | 6.5%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41% |
| | | Dichlorobenzonitriles: | | | | |
| 2926.90.11 | 00 | 2,6-Dichlorobenzonitrile | kg | Free[1/] | | 15.4¢/kg + 41% |
| 2926.90.12 | 00 | Other | kg | 6.5% [4/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41% |
| 2926.90.14 | 00 | *p*-Chlorobenzonitrile; andVerapamil hydrochloride | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65.5% |
| 2926.90.16 | 00 | [1*a*(S*),3*a*(Z)]-(±)-Cyano(3-phenoxyphenyl)-methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate | kg | Free[1/] | | 15.4¢/kg + 64.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2926 (con.) | | Nitrile-function compounds: (con.) | | | | |
| 2926.90 (con.) | | Other: (con.) | | | | |
| | | Aromatic: (con.) | | | | |
| 2926.90.17 | 00 | *o*-Chlorobenzonitrile | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2926 (con.) | | Nitrile-function compounds: (con.) | | | | |
| 2926.90 (con.) | | Other: (con.) | | | | |
| | | Aromatic: (con.) | | | | |
| 2926.90.19 | 00 | *N,N*-Bis(2-cyanoethyl) aniline; and2,6-Difluorobenzonitrile | kg | Free | | 15.4¢/kg + 65.5% |
| | | Other: | | | | |
| | | Pesticides: | | | | |
| 2926.90.21 | 00 | Fungicides | kg | 6.5%[148/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Herbicides: | | | | |
| 2926.90.23 | 00 | 3,5-Dibromo-4-hydroxybenzonitrile (Bromoxynil) | kg | 6.5%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2926.90.25 | 00 | Other | kg | 6.5% [149/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2926.90.30 | 00 | Other | kg | 6.5% [150/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| | | Other: | | | | |
| 2926.90.43 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [151/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65.5% |
| 2926.90.48 | 01 | Other | kg | 6.5% [152/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65.5% |
| 2926.90.50 | | Other | | Free[1/] | | 25% |
| | 10 | Malononitrile | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2927.00 | | Diazo-, azo- or azoxy-compounds: | | | | |
| 2927.00.03 | 00 | 4-Aminoazobenzenedisulfonic acid, monosodium salt..... | kg..... | Free[1/] | | 15.4¢/kg + 40.5% |
| 2927.00.06 | 00 | *p*-Aminoazobenzenedisulfonic acid; and Diazoaminobenzene (1,3-Diphenyltriazene)..... | kg..... | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2927.00.15 | 00 | 1,1'-Azobisformamide..... | kg..... | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2927.00.18 | 00 | 1-Naphthalenesulfonic acid, 6-diazo-5,6-dihydro-5-oxo, ester with phenyl(2,3,4-trihydroxyphenyl)methanone; 1-Naphthalenesulfonic acid, 3-diazo-3,4-dihydro-4-oxo-ar'-(1-methylethyl) [1,1'-biphenyl]-4-yl ester; 1-Napthanlenesulfonic acid, 6-diazo-5,6-dihydro-5-oxo-,(octahydro-4,7-methano-1*H*-indene-2,5-diyl) bis-(methylene) ester; and 1-Naphthalenesulfonic acid, 6-diazo-5,6-dihydro-5- oxo-, 4-benzoyl-1,2,3-benzenetriyl ester..... | kg..... | Free[1/] | | 15.4¢/kg + 50% |
| | | Other: | | | | |
| 2927.00.25 | 00 | Photographic chemicals..... | kg..... | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2927.00.30 | 00 | Fast color bases and fast color salts..... | kg..... | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 54.5% |
| | | Other: | | | | |
| 2927.00.40 | 00 | Products described in additional U.S. note 3 to section VI..... | kg..... | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 63.5% |
| 2927.00.50 | 00 | Other..... | kg..... | 6.5% [153/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 63.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2928.00 | | Organic derivatives of hydrazine or of hydroxylamine: | | | | |
| 2928.00.10 | 00 | Methyl ethyl ketoxime | kg | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2928.00.15 | 00 | Phenylhydrazine | kg | Free[1/] | | 15.4¢/kg + 43.5% |
| | | Other: | | | | |
| 2928.00.25 | 00 | Aromatic | kg | 6.5% [154/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 43.5% |
| | | Other: | | | | |
| 2928.00.30 | 00 | Drugs | kg | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2928.00.50 | 00 | Other | kg | 6.5% [155/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| 2929 | | Compounds with other nitrogen function: | | | | |
| 2929.10 | | Isocyanates: | | | | |
| 2929.10.10 | 00 | Toluenediisocyanates (unmixed) | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG)<br>1.3% (KR) | 15.4¢/kg + 40% |
| 2929.10.15 | 00 | Mixtures of 2,4- and 2,6-toluenediisocyanates | kg | 6.5%[1/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 43.5% |
| 2929.10.20 | 00 | Bitolylene diisocyanate (TODI);*o*-Isocyanic acid, *o*-tolyl ester; and Xylene diisocyanate | kg | 5.8% [156/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2929.10.27 | 00 | *N*-Butylisocyanate; Cyclohexyl isocyanate; 1-Isocyanato-3-(trifluoromethyl) benzene; 1,5-Naphthalene diisocyanate; and Octadecyl isocyanate[24/] | kg | Free[1/] | | 15.4¢/kg + 52% |
| 2929.10.30 | 00 | 3,4-Dichlorophenylisocyanate | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2929.10.35 | 00 | 1,6-Hexamethylene diisocyanate | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2929 (con.) | | Compounds with other nitrogen function: (con.) | | | | |
| 2929.10 (con.) | | Isocyanates: (con.) | | | | |
| | | Other: | | | | |
| 2929.10.55 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2929.10.80 | | Other | | 6.5% [157/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | 10 | Methylenedi-*p*-phenylene isocyanate (MDI) | kg | | | |
| | 90 | Other | kg | | | |
| 2929.90 | | Other: | | | | |
| 2929.90.05 | 00 | 2,2'-Bis(4-cyanatophenyl)-1,1,1,3,3,3-hexafluoro-propane; 2,2-Bis((4-cyanatophenyl) propane; 1,1-Ethylidenebis (phenyl-4-cyanate); 4,4'-Methylene bis(2,6-dimethylphenylcyanate); and 1,3-Phenylenebis ((1-methylethylidenebis) cyanic acid, 1,4-phenylene ester | kg | Free[1/] | | 15.4¢/kg + 52% |
| | | Other: | | | | |
| | | Aromatic: | | | | |
| 2929.90.15 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[158/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2929.90.20 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2929.90.50 | | Other | | 6.5%[159/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| | 10 | *N,N*-Dialkyl (methyl, ethyl, *n*-propyl or isopropyl) phosphoramidic dihalides | kg | | | |
| | 20 | Dialkyl (methyl, ethyl, *n*-propyl or isopropyl)-*N,N*-dialkyl (methyl, ethyl, *n*-propyl or isopropyl) phosphoramidates | kg | | | |
| | 90 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | X. ORGANO-INORGANIC COMPOUNDS, HETEROCYCLIC COMPOUNDS, NUCLEIC ACIDS AND THEIR SALTS, AND SULFONAMIDES | | | | |
| 2930 | | Organo-sulfur compounds: | | | | |
| 2930.20 | | Thiocarbamates and dithiocarbamates: | | | | |
| | | Aromatic: | | | | |
| 2930.20.10 | 00 | Pesticides | kg | 6.5%[160/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2930.20.20 | | Other | | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| | 10 | Products used principally for rubber processing | kg | | | |
| | 50 | Other | kg | | | |
| | | Other: | | | | |
| 2930.20.70 | 00 | S-(2,3,3'-trichloroallyl)diisopropylthiocarbamate | kg | Free | | 25% |
| 2930.20.90 | | Other | | 3.7%[161/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Pesticides | kg | | | |
| | 20 | Products used principally for rubber processing | kg | | | |
| | 50 | Other | kg | | | |
| 2930.30 | | Thiuram mono-, di- or tetrasulfides: | | | | |
| 2930.30.30 | 00 | Tetramethylthiuram monosulfide | kg | Free | | 25% |
| 2930.30.60 | 00 | Other | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2930.40.00 | 00 | Methionine | kg | Free[1/] | | 25% |
| 2930.60.00 | 00 | 2-(N,N-Diethylamino)ethanethiol | kg | 3.7% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2930.70.00 | 00 | Bis(2-hydroxyethyl)sulfide (thiodiglycol (INN)) | kg | 3.7% [4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2930.80.00 | 00 | Aldicarb (ISO), captafol (ISO) and methamidophos (ISO) | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2930 (con.) | | Organo-sulfur compounds: (con.) | | | | |
| 2930.90 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2930.90.10 | 00 | Pesticides | kg | 6.5%[162/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| | | Other: | | | | |
| 2930.90.24 | 00 | *N*-Cyclohexylthiophthalimide | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2930.90.26 | 00 | 3-(4'-Aminobenzamido)phenyl-*β*-hydroxy-ethylsulfone; 2-[(4-Aminophenyl)sulfonyl] ethanol, hydrogen sulfate ester; Diphenylthiourea;*N,N*'-(Dithiodi-2,1-phenylene) bisbenzamide; Pentachlorothiophenol; and 4,4'-Thiodiphenyl cyanate | kg | Free[1/] | | 15.4¢/kg + 40.5% |
| 2930.90.29 | 00 | Other | kg | 6.5% [163/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| | | Other: | | | | |
| | | Pesticides: | | | | |
| 2930.90.30 | 00 | Thiocyanates, thiurams and isothiocyanates | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| 2930.90.42 | 00 | *O,O*-Dimethyl-S-methyl carbamoyl- methyl phosphorodithioate; and Malathion | kg | Free[1/] | | 30.5% |
| 2930.90.43 | | Other | | 6.5% [164/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |
| | 10 | *O*-Ethyl-*S*-phenylethylphosphono-thiolothionate (fonofos) | kg | | | |
| | 20 | Compounds containing a phosphorus atom to which is bonded one methyl, ethyl, *n*-propyl or isopropyl group, but no other carbon atoms | kg | | | |
| | 91 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2930 (con.) | | Organo-sulfur compounds: (con.) | | | | |
| 2930.90 (con.) | | Other: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Other: | | | | |
| | | Acids: | | | | |
| 2930.90.46 | 00 | *dl*-Hydroxy analogue of *dl*-methionine | kg | Free[1/] | | 25% |
| 2930.90.49 | | Other | | 4.2%[165/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Thioglycolic acid | kg | | | |
| | 20 | Mercaptocarboxylic acids | kg | | | |
| | 50 | Other | kg | | | |
| | | Other: | | | | |
| 2930.90.71 | 00 | Dibutylthiourea | kg | Free[4/] | | 25% |
| 2930.90.91 | | Other | | 3.7% [166/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 08 | *O*,*O*-Diethyl *S*-[2-(diethylamino)- ethyl] phosphorothioate and its alkylated or protonated salts; andThiodiglycol (INN) (bis(2-hydroxy- ethyl) sulfide) | kg | | | |
| | 10 | Cysteine hydrochloride | kg | | | |
| | 12 | 2-Ethylhexyl mercaptoacetate | kg | | | |
| | 24 | *N*,*N*-Dialkyl (methyl, ethyl, *n*-propyl or isopropyl)aminoethane-2-thiols and their protonated salts | kg | | | |
| | 25 | Other compounds containing a phosphorus atom to which is bonded one methyl, ethyl, *n*-propyl or isopropyl group, but no other carbon atoms | kg | | | |
| | | Other: | | | | |
| | 30 | Products used principally for rubber processing | kg | | | |
| | 35 | Drugs | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2931 | | Other organo-inorganic compounds: | | | | |
| 2931.10.00 | 00 | Tetramethyl lead and tetraethyl lead | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.20.00 | 00 | Tributyltin compounds | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2931 (con.) | | Other organo-inorganic compounds: (con.) | | | | |
| | | Other organo-phosphorous derivatives: | | | | |
| 2931.31.00 | 00 | Dimethyl methylphosphonate | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.32.00 | 00 | Dimethyl propylphosphonate | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.33.00 | 00 | Diethyl ethylphosphonate | kg | 3.7%[4/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.34.00 | 00 | Sodium 3-(trihydroxysilyl)propyl methylphosphonate | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.35.00 | 00 | 2,4,6-Tri propyl-1,3,5,2,4,6-tri oxa tri phosphinane-2,4,6-tri oxide | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.36.00 | 00 | (5-Ethyl-2-methyl-2-oxido-1,3,2-dioxaphosphinan-5-yl) methyl methyl phosphonate | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.37.00 | 00 | Bis [(5-ethyl-2-methyl-2-oxido-1,3,2-dioxaphosphinan-5-yl) methyl] methyl phosphonate | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.38.00 | 00 | Salt of methylphosphonic acid and (aminoiminiomethyl)urea (1:1) | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2931.39.00 | | Other | | 3.7%[167/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 12 | Containing a phosphorus atom to which is bonded one methyl, ethyl, *n*-propyl or isopropyl group, but no other carbon atoms | kg | | | |
| | 15 | 2-Amino-4-[hydroxy(methyl)phosphonoyl] butanoic acid (glufosinate) and its salts and esters | kg | | | |
| | 18 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2931 (con.) | | Other organo-inorganic compounds: (con.) | | | | |
| 2931.90 | | Other: | | | | |
| | | Aromatic: | | | | |
| 2931.90.05 | 00 | Diphenyldichlorosilane; and Phenyltrichlorosilane | kg | Free | | 15.4¢/kg + 68.5% |
| 2931.90.10 | 00 | 4,4'-Diphenylbisphosphonous acid, di(2',2",4',4"-di-*tert*-butyl)phenyl ester | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2931.90.15 | 00 | Sodium tetraphenylboron | kg | 5.8% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Other: | | | | |
| 2931.90.22 | 00 | Drugs | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 67.5% |
| 2931.90.26 | 00 | Pesticides | kg | 6.5% [168/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Other: | | | | |
| 2931.90.30 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [169/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 68.5% |
| 2931.90.60 | 00 | Other | kg | 6.5%[170/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 68.5% |
| | | Other: | | | | |
| 2931.90.70 | 00 | *N,N'*-Bis(trimethylsilyl) urea; 3-(Hydroxymethylphosphinyl)-1-propanoic acid, 2-hydroxyethyl ester; and 2-Phosphonobutane-1,2,4-tricarboxylic acid and its salts | kg | Free[1/] | | 25% |
| 2931.90.90 | | Other | | 3.7% [171/172/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Organo-silicon compounds[172/] | kg | | | |
| | | Organo-tin compounds: | | | | |
| | 21 | Dibutyltin oxide[172/] | kg | | | |
| | 25 | Tetrabutyltin[172/] | kg | | | |
| | 29 | Other[172/] | kg | | | |
| | 51 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2932 | | Heterocyclic compounds with oxygen hetero-atom(s) only: Compounds containing an unfused furan ring (whether or not hydrogenated) in the structure: | | | | |
| 2932.11.00 | 00 | Tetrahydrofuran | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2932.12.00 | 00 | 2-Furaldehyde (Furfuraldehyde) | kg | Free[1/] | | Free |
| 2932.13.00 | 00 | Furfuryl alcohol and tetrahydrofurfuryl alcohol | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2932.14.00 | 00 | Sucralose | kg | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2932.19 | | Other: | | | | |
| 2932.19.10 | 00 | Aromatic | kg | 6.5% [1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2932.19.51 | 00 | Other | kg | 3.7% [173/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2932 (con.) | | Heterocyclic compounds with oxygen hetero-atom(s) only: (con.) | | | | |
| 2932.20 | | Lactones: | | | | |
| 2932.20.05 | 00 | Coumarin, methylcoumarins and ethylcoumarins | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48% |
| | | Other: | | | | |
| | | Aromatic: | | | | |
| 2932.20.10 | 00 | Pesticides | kg | 6.5% [174/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2932.20.20 | 00 | Drugs | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53% |
| | | Other: | | | | |
| 2932.20.25 | 00 | 4-Hydroxycoumarin | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2932.20.30 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 53.5% |
| 2932.20.45 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2932.20.50 | | Other | | 3.7% [175/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Butyrolactone | kg | | | |
| | 20 | Glucono-δ-lactone | kg | | | |
| | 30 | Sodium erythorbate (Sodium isoascorbate) | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2932 (con.) | | Heterocyclic compounds with oxygen hetero-atom(s) only: (con.) | | | | |
| | | Other: | | | | |
| 2932.91.00 | 00 | Isosafrole | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2932.92.00 | 00 | 1-(1,3-Benzodioxol-5-yl)propan-2-one | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2932.93.00 | 00 | Piperonal (heliotropin) | kg | 4.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2932.94.00 | 00 | Safrole | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 45% |
| 2932.95.00 | 00 | Tetrahydrocannabinols (all isomers) | kg | Free[1/] | | 15.4¢/kg + 52% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2932 (con.) | | Heterocyclic compounds with oxygen hetero-atom(s) only: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2932.99 | | Other: | | | | |
| | | Aromatic: | | | | |
| | | Pesticides: | | | | |
| 2932.99.04 | 00 | 2,2-Dimethyl-1,3-benzodioxol-4-yl methylcarbamate (Bendiocarb) | kg | Free | | 15.4¢/kg + 40.5% |
| 2932.99.08 | 00 | 2-Ethoxy-2,3-dihydro-3,3-dimethyl-5-benzofuranylmethanesulfonate | kg | 6.5% [176/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2932.99.20 | 00 | Other | kg | 6.5%[177/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2932.99.32 | 00 | Benzofuran (Coumarone); andDibenzofuran (Diphenylene oxide) | kg | Free[1/] | | Free |
| 2932.99.35 | 00 | 2-Hydroxy-3-dibenzofurancarboxylic acid | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 66.5% |
| 2932.99.39 | 00 | Benzoin tetrahydropyranyl ester; and Xanthen-9-one | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| 2932.99.55 | 00 | Bis-*O*-[(4-methylphenyl)methylene]-*D*- glucitol (Dimethyl benzylidene sorbitol); andRhodamine 2C base | kg | Free | | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2932.99.61 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2932.99.70 | 00 | Other | kg | 6.5% [178/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2932.99.90 | | Other | | 3.7% [179/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Glucosamine and its salts and esters | kg | | | |
| | 90 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 | | Heterocyclic compounds with nitrogen hetero-atom(s) only: Compounds containing an unfused pyrazole ring (whether or not hydrogenated) in the structure: | | | | |
| 2933.11.00 | 00 | Phenazone (Antipyrine) and its derivatives | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 49.5% |
| 2933.19 | | Other: Aromatic or modified aromatic: | | | | |
| 2933.19.04 | 00 | Aminomethylphenylpyrazole (Phenylmethylaminopyrazole); and3-Methyl-1-(*p*-tolyl)-2-pyrazolin-5-one (*p*-Tolyl methyl pyrazolone) | kg | Free[4/] | | 15.4¢/kg + 39.5% |
| 2933.19.08 | 00 | 3-(5-Amino-3-methyl-1*H*-pyrazol-1-yl)-benzenesulfonic acid; Amino-J-pyrazolone; 3-Amino-1-(2,4,6-trichlorophenyl)-5-pyrazolone; 3-Carboxy-1,4-sulfophenylpyrazol-5-one; 4-Chloro-3-(3-methyl-5-oxo-2-pyrazolin-1-yl)benzenesulfonic acid; 1-(*m*-Chlorophenyl)-3-methyl-2-pyrazolin-5-one;*p*-Chloropyrazolone; 1-(2',5'-Dichlorophenyl)-3-methyl-2-pyrazolin-5-one; 1-(*o*-Ethylphenyl)-3-methyl-2-pyrazolin- 5-one; 5-Imino-3-methyl-1-phenylpyrazole; 5-Imino-3-methyl-1-(*m*-sulfophenyl)- pyrazole; 2,4-Methylcarboxypyrazolic acid; Methylphenylpyrazolone; and Sulfinpyrazone | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| 2933.19.15 | 00 | 1,2-Dimethyl-3,5-diphenyl-1*H*-pyrazolium methyl sulfate (Difenzoquat methyl sulfate) | kg | Free[1/] | | 15.4¢/kg + 48.5% |
| 2933.19.18 | 00 | 2-Chloro-5-sulfophenylmethylpyrazolone; 2,5-Dichloro-4-(3-methyl-5-oxo-2-pyrazolin-1-yl) benzenesulfonic acid; Phenyl carbethoxypyrazolone;*m*-Sulfaminopyrazolone (*m*-Sulfamido- phenyl methyl pyrazolone); and 1-(*p*-Sulfophenyl)-3-methyl pyrazolone | kg | Free[1/] | | 15.4¢/kg + 52% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing an unfused pyrazole ring (whether or not hydrogenated) in the structure: (con.) | | | | |
| 2933.19 (con.) | | Other: (con.) | | | | |
| | | Aromatic or modified aromatic: (con.) | | | | |
| | | Other: | | | | |
| 2933.19.23 | 00 | Pesticides | kg | 6.5% [180/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2933.19.30 | | Photographic chemicals | | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| | 10 | Couplers, for use in color negative photographic paper | kg | | | |
| | 95 | Other | kg | | | |
| 2933.19.35 | 00 | Drugs | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 47.5% |
| | | Other: | | | | |
| 2933.19.37 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5%[181/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.19.43 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2933.19.45 | 00 | Drugs | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| 2933.19.70 | 00 | 3-Methyl-5-pyrazolone | kg | Free[1/] | | 30.5% |
| 2933.19.90 | 00 | Other | kg | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing an unfused imidazole ring (whether or not hydrogenated) in the structure: | | | | |
| 2933.21.00 | 00 | Hydantoin and its derivatives | kg | 6.5% [182/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 63% |
| 2933.29 | | Other: | | | | |
| | | Aromatic or modified aromatic: | | | | |
| 2933.29.05 | 00 | 1-[1-((4-Chloro-2-(trifluoromethyl)phenyl)-imino)-2-propoxyethyl]-1*H*-imidazole (Triflumizole); and Ethylene thiourea | kg | Free[1/] | | 15.4¢/kg + 52% |
| 2933.29.10 | 00 | 2-Phenylimidazole | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| | | Other: | | | | |
| 2933.29.20 | 00 | Drugs | kg | 6%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 51% |
| | | Other: | | | | |
| 2933.29.35 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [183/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.29.43 | 00 | Other | kg | 6.5%[184/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2933.29.45 | 00 | Drugs | kg | 3.7%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| 2933.29.60 | 00 | Imidazole | kg | Free[1/] | | 30.5% |
| 2933.29.90 | 00 | Other | kg | 6.5% [185/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing an unfused pyridine ring (whether or not hydrogenated) in the structure: | | | | |
| 2933.31.00 | 00 | Pyridine and its salts | kg | Free[1/] | | Free |
| 2933.32 | | Piperidine and its salts: | | | | |
| 2933.32.10 | 00 | Piperidine | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.32.50 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.33.00 | 00 | Alfentanil (INN), anileridine (INN), bezitramide (INN), bromazepam (INN), difenoxin (INN), diphenoxylate (INN), dipipanone (INN), fentanyl (INN), ketobemidone (INN), methylphenidate (INN), pentazocine (INN), pethidine (INN), pethidine (INN) intermediate A, phencyclidine (INN) (PCP,PE), phenoperidine (INN), pipradrol (INN), piritramide (INN), propiram (INN) and trimeperidine (INN);salts thereof | kg | Free | | 15.4¢/kg + 149.5% |
| 2933.39 | | Other: | | | | |
| 2933.39.08 | 00 | 1-(3-Sulfo propyl) pyridinium hydroxide;*N,N*-Bis (2,2,6,6-tetra methyl-4-piperidinyl)-1,6- hexane diamine;3,5-Dimethyl-2-hydroxy methyl-4-methoxy-pyridine (pyrmethyl alcohol);Dipenta methylene thiuram tetra sulfide;2*H*-Indol-2-one,1,3-dihydro-1-phenyl-3-(4-pyridinyl methylene);4-Picolyl chloride hydro chloride; andPiperidino ethyl chloride hydro chloride | kg | Free | | 15.4¢/kg + 52% |
| 2933.39.10 | 00 | Collidines, lutidines and picolines | kg | Free | | Free |
| 2933.39.15 | 00 | Quinuclidin-3-ol | kg | 5.8% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| 2933.39.20 | 00 | p-Chloro-2-benzylpyridine;4-Chloro-1-methylpiperidine hydrochloride; 1,4-Dimethyl-6-hydroxy-3-cyanopyrid-2-one; Di-(2,2,6,6-tetramethyl-4-hydroxy-piperidine)sebacate; 2-Methyl-5-ethylpyridine; 4-Phenylpropylpyridine; α-Phenylpyridylacetic acid, methyl ester; Picolinic acid; 2-Pyridinecarboxaldehyde; and 2,5-Pyridinedicarboxylic acid | kg | 5.8% [186/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing an unfused pyridine ring (whether or not hydrogenated) in the structure: (con.) | | | | |
| 2933.39 (con.) | | Other: (con.) | | | | |
| | | Other: | | | | |
| | | Pesticides | | | | |
| 2933.39.21 | 00 | Fungicides | kg | 6.5% [187/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Herbicides: | | | | |
| 2933.39.23 | 00 | *o*-Paraquat dichloride | kg | 6.5% [188/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2933.39.25 | 00 | Other | kg | 6.5% [189/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2933.39.27 | 00 | Other | kg | 6.5% [190/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| | | Drugs: | | | | |
| 2933.39.31 | 00 | Antidepressants, tranquilizers and other psychotherapeutic agents | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 149.5% |
| 2933.39.41 | 00 | Other | kg | 6.5% [191/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65% |
| | | Other: | | | | |
| 2933.39.61 | | Products described in additional U.S. note 3 to section VI | | 6.5% [192/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | 10 | 3-Quinuclidinyl benzilate | kg | | | |
| | 90 | Other | kg | | | |
| 2933.39.91 | 00 | Other | kg | 6.5% [193/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing in the structure a quinoline or isoquinoline ring-system (whether or not hydrogenated), not further fused: | | | | |
| 2933.41.00 | 00 | Levorphanol (INN) and its salts | kg | Free | | 15.4¢/kg + 67.5% |
| 2933.49 | | Other: | | | | |
| 2933.49.08 | 00 | 4,7-Dichloroquinoline | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.49.10 | 00 | Ethoxyquin (1,2-Dihydro-6-ethoxy-2,2,4-trimethylquinoline) | kg | 6.5%[194/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 55% |
| 2933.49.15 | 00 | 8-Methylquinoline and Isoquinoline | kg | 5.8% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| 2933.49.17 | 00 | Ethyl ethyl-6,7,8-trifluoro-1,4-dihydro-4-oxo-3-quinolinecarboxylate | kg | Free | | 15.4¢/kg + 52% |
| | | Other: | | | | |
| | | Drugs: | | | | |
| 2933.49.20 | 00 | 5-Chloro-7-iodo-8-quinolinol (Iodo chlo rhydroxy quin);Deco quinate;Diiodo hydroxy quin; andOxy quinoline sulfate | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 46% |
| 2933.49.26 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 67.5% |
| 2933.49.30 | 00 | Pesticides | kg | 6.5% [195/] | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Other: | | | | |
| 2933.49.60 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [196/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.49.70 | 00 | Other | kg | 6.5% [197/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing a pyrimidine ring (whether or not hydrogenated) or piperazine ring in the structure: | | | | |
| 2933.52 | | Malonylurea (Barbituric acid) and its salts: | | | | |
| 2933.52.10 | 00 | Malonylurea (barbituric acid) | kg | Free | | 25% |
| 2933.52.90 | 00 | Other | kg | Free | | 50% |
| 2933.53.00 | 00 | Allobarbital (INN), amobarbital (INN), barbital (INN), butalbital (INN), butobarbital, cyclobarbital (INN), methylphenobarbital (INN), pentobarbital (INN), phenobarbital (INN), secbutabarbital (INN), secobarbital (INN) and vinylbital (INN);salts thereof | kg | Free | | 50% |
| 2933.54.00 | 00 | Other derivatives of malonylurea (barbituric acid);salts thereof | kg | 3.7% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 50% |
| 2933.55.00 | 00 | Loprazolam (INN), mecloqualone (INN), methaqualone (INN) and zipeprol (INN); salts thereof | kg | Free | | 15.4¢/kg + 149.5% |
| 2933.59 | | Other: | | | | |
| | | Pesticides: | | | | |
| | | Aromatic or modified aromatic | | | | |
| 2933.59.10 | 00 | Herbicides | kg | 6.5% [198/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2933.59.15 | 00 | Other | kg | 6.5% [199/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2933.59.18 | 00 | Other | kg | 6.5% [200/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing a pyrimidine ring (whether or not hydrogenated) or piperazine ring in the structure: (con.) | | | | |
| 2933.59 (con.) | | Other: (con.) | | | | |
| | | Drugs: | | | | |
| | | Aromatic or modified aromatic: | | | | |
| 2933.59.21 | 00 | Antihistamines, including those principally used as anti-nauseants | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 82% |
| | | Anti-infective agents: | | | | |
| 2933.59.22 | 00 | Nicarbazin; and Trimethoprim | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 46% |
| 2933.59.36 | 00 | Other | kg | 6.5%[201/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 67.5% |
| 2933.59.46 | 00 | Antidepressants, tranquilizers and other psychotherapeutic agents | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 149.5% |
| 2933.59.53 | 00 | Other | kg | 6.5%[202/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| 2933.59.59 | 00 | Other | kg | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| | | Aromatic or modified aromatic: | | | | |
| 2933.59.70 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [203/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.59.80 | 00 | Other | kg | 6.5%[204/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2933.59.85 | 00 | 2-Amino-4-chloro-6-methoxy pyrimidine;2-Amino-4,6-di methoxy pyrimidine; and6-Methyl uracil | kg | Free | | 30.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing a pyrimidine ring (whether or not hydrogenated) or piperazine ring in the structure: (con.) | | | | |
| 2933.59 (con.) | | Other: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2933.59.95 | 00 | Other..... | kg..... | 6.5% [205/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Compounds containing an unfused triazine ring (whether or not hydrogenated) in the structure: | | | | |
| 2933.61.00 | 00 | Melamine | kg | 3.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2933.69 | | Other: | | | | |
| 2933.69.20 | 00 | 2,4-Diamino-6-phenyl-1,3,5-triazine | kg | Free[1/] | | 25% |
| 2933.69.50 | 00 | Hexamethylenetetramine | kg | 6.3%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 58% |
| 2933.69.60 | | Other | | 3.5% [206/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 25% |
| | 10 | Cyanuric chloride | kg | | | |
| | | Pesticides: | | | | |
| | 15 | Sodium dichloroisocyanurate and trichloroisocyanuric acid | kg | | | |
| | 21 | Other | kg | | | |
| | 30 | Products used principally for rubber processing | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Lactams: | | | | |
| 2933.71.00 | 00 | 6-Hexanelactam (ε-Caprolactam) | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2933.72.00 | 00 | Clobazam (INN) and methyprylon (INN) | kg | Free | | 15.4¢/kg + 52% |
| 2933.79 | | Other lactams: | | | | |
| | | Aromatic or modified aromatic: | | | | |
| 2933.79.04 | 00 | 2,5-Dihydro-3,6-diphenylpyrrolo-(3,4-*c*)-pyrrole-1,4-dione | kg | Free[1/] | | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2933.79.08 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [207/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.79.15 | 00 | Other | kg | 6.5%[208/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2933.79.20 | 00 | *N*-Methyl-2-pyrrolidone; and2-Pyrrolidone | kg | 4.2%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2933.79.30 | 00 | *N*-Vinyl-2-pyrrolidone, monomer | kg | 5.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 40% |
| 2933.79.40 | 00 | 12-Aminododecanoic acid lactam | kg | Free[1/] | | 30.5% |
| 2933.79.85 | 00 | Other | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Other: | | | | |
| 2933.91.00 | 00 | Alprazolam (INN), camazepam (INN), chlordiazepoxide (INN), clonazepam (INN), clorazepate, delorazepam (INN), diazepam (INN), estazolam (INN), ethyl loflazepate (INN), fludiazepam (INN), flunitrazepam (INN), flurazepam (INN), halazepam (INN), lorazepam (INN), lormetazepam (INN), mazindol (INN), medazepam (INN), midazolam (INN), nimetazepam (INN), nitrazepam (INN), nordazepam (INN), oxazepam (INN), pinazepam (INN), prazepam (INN), pyrovalerone (INN), temazepam (INN), tetrazepam (INN) and triazolam (INN); salts thereof | kg | Free | | 15.4¢/kg + 149.5% |
| 2933.92.00 | 00 | Azinphos-methyl | kg | Free[1/] | | 15.4¢/kg + 64.5% |
| 2933.99 | | Other: | | | | |
| | | Aromatic or modified aromatic: | | | | |
| 2933.99.01 | 00 | Butyl (*R*)-2-[4-(5-trifluoromethyl-2-pyridinyloxy)phenoxy]propanoate | kg | Free | | 15.4¢/kg + 50% |
| 2933.99.02 | 00 | 2-[4-[(6-Chloro-2-quinoxalinyl)oxy]phenoxy]-propionic acid, ethyl ester | kg | Free | | 15.4¢/kg + 64.5% |
| 2933.99.05 | 00 | Acridine and indole | kg | Free | | Free |
| 2933.99.06 | 00 | *α*-Butyl-*α*-(4-chlorophenyl)-1*H*-1,2,4-triazole-1- propanenitrile (Myclobutanil); and*α*-[2-(4-Chlorophenyl)ethyl]-*α*-phenyl-1*H*-1,2,4-triazole-1-propanenitrile (Fenbuconazole) | kg | 6.5% [209/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2933.99.08 | 00 | Aceto acetyl-5-amino benz imidazolone;3-(2*H*-Benzo triazol-2-yl)-5-(*tert*-butyl)-4- hydroxy benzene propanoic acid, C7-C9 branched or linear alkyl esters;2-(2*H*-Benzotriazol-2-yl)-6-dodecyl-4-methyl phenol, in liquid form, branched and linear; and1,3,3-Trimethyl-2-methyleneindoline | kg | Free | | 15.4¢/kg + 52% |
| 2933.99.11 | 00 | Carbazole | kg | Free | | 15.4¢/kg + 39.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2933.99 (con.) | | Other: (con.) | | | | |
| | | Aromatic or modified aromatic: (con.) | | | | |
| 2933.99.12 | 00 | 6-Bromo-5-methyl-1*H*-imidazo[4,5-*b*]- pyridine; 2-*sec*-Butyl-4-*tert*-butyl-6-(benzotriazol-2-yl)phenol; 2-*tert*-Butyl-4-methyl-6-(5-chlorobenzotri-azol-2-yl)phenol; 2,4-Di-*tert*-butyl-6-(benzotriazol-2-yl)phenol; 2,4-Di-*tert*-butyl-6-(5-chlorobenzotriazol-2-yl)phenol; 2,3-Dichloro-6-quinoxalinecarbonyl chloride;1-Hydroxy-2-carbazolecarboxylic acid; 2-Hydroxy-3-carbazolecarboxylic acid; 2-Hydroxy-3-carbazolecarboxylic acid, sodium salt;Iminodibenzyl(10,11-dihydro-5*H*-dibenz-[*b*,f]azepine);Indoline; 3-Methylbenzo[f]quinoline; 2-Methylindoline; 2-Methylmercaptobenzimidazole; 1-Methyl-2-phenylindole;1-Methylpyrazine; 2,4-Methylpyrazolic acid; 2-Phenylbenzimidazole; 2-Phenylindole; Tetramethylpyrazine; 2,3,5-Triphenyltetrazolium chloride;*dl*-Tryptophan; and Vinylcarbazole, monomer..... | kg..... | 5.8% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2933.99 (con.) | | Other: (con.) | | | | |
| | | Aromatic or modified aromatic: (con.) | | | | |
| | | Other: | | | | |
| | | Pesticides: | | | | |
| 2933.99.14 | 00 | 5-Amino-4-chloro-*α*-phenyl-3-pyridazinone | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| 2933.99.16 | 00 | *o*-Diquat dibromide (1,1'-Ethylene-2,2'-dipyridylium dibromide) | kg | Free | | 15.4¢/kg + 40.5% |
| | | Other: | | | | |
| 2933.99.17 | 01 | Insecticides | kg | 6.5% [210/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2933.99.22 | 00 | Other | kg | 6.5% [211/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2933.99.24 | 00 | Photographic chemicals | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2933.99 (con.) | | Other: (con.) | | | | |
| | | Aromatic or modified aromatic: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Drugs: | | | | |
| 2933.99.26 | 00 | Antihistamines | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| | | Anti-infective agents: | | | | |
| 2933.99.42 | 00 | Acriflavine;Acriflavine hydrochloride;Carbadox; andPyrazinamide | kg | Free | | 15.4¢/kg + 46% |
| 2933.99.46 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 67.5% |
| | | Cardiovascular drugs: | | | | |
| 2933.99.51 | 00 | Hydralazine hydrochloride | kg | Free | | 15.4¢/kg + 47.5% |
| 2933.99.53 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 65% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2933.99 (con.) | | Other: (con.) | | | | |
| | | Aromatic or modified aromatic: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Drugs: (con.) | | | | |
| | | Drugs primarily affecting the central nervous system: | | | | |
| 2933.99.55 | | Analgesics, antipyretics and nonhormonal anti-inflammatory agents | | 6.5% | Free (A*, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg +47.5% |
| | 10 | Tolmetin | kg | | | |
| | 20 | Tolmetin sodium dihydrate | kg | | | |
| | 30 | Tolmetin sodium (anhydrous) | kg | | | |
| | 90 | Other | kg | | | |
| | | Antidepressants, tranquilizers and other psychotherapeutic agents: | | | | |
| 2933.99.58 | 00 | Droperidol; and Imipramine hydrochloride | kg | Free | | 15.4¢/kg + 45.5% |
| 2933.99.61 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 149.5% |
| 2933.99.65 | 00 | Anticonvulsants, hypnotics and sedatives | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2933.99.70 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 58.5% |
| 2933.99.75 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2933 (con.) | | Heterocyclic compounds with nitrogen hetero-atom(s) only: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2933.99 (con.) | | Other: (con.) | | | | |
| | | Aromatic or modified aromatic: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Other: | | | | |
| 2933.99.79 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [212/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2933.99.82 | | Other | | 6.5% [213/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | 10 | Benzotriazole (CAS No. 95-14-7) | kg | | | |
| | 20 | Tolyltriazole (CAS No. 29385-43-1) | kg | | | |
| | 90 | Other | kg | | | |
| | | Other: | | | | |
| 2933.99.85 | 00 | 3-Amino-1,2,4-triazole | kg | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2933.99.89 | 00 | Hexamethyleneimine | kg | Free | | 30.5% |
| | | Other: | | | | |
| 2933.99.90 | 00 | Drugs | kg | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2933.99.97 | 01 | Other | kg | 6.5% [214/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2934 | | Nucleic acids and their salts, whether or not chemically defined; other heterocyclic compounds: | | | | |
| 2934.10 | | Compounds containing an unfused thiazole ring (whether or not hydrogenated) in the structure: | | | | |
| | | Aromatic or modified aromatic: | | | | |
| 2934.10.10 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [215/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2934.10.20 | 00 | Other | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2934.10.70 | 00 | 4,5-Dichloro-2-*n*-octyl-4-isothiazolin-3-one;Ethyl 2-(2-aminothiazol-4-yl)-2-hydroxyiminoacetate;Ethyl 2-(2-aminothiazol-4-yl)-2-methoxyiminoacetate;2-Methyl-4-isothiazolin-3-one;2-*n*-Octyl-4-isothiazolin-3-one; andThiothiamine hydrochloride | kg | Free | | 30.5% |
| 2934.10.90 | 00 | Other | kg | 6.5% [216/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2934 (con.) | | Nucleic acids and their salts, whether or not chemically defined; other heterocyclic compounds: (con.) | | | | |
| 2934.20 | | Compounds containing in the structure a benzothiazole ring-system (whether or not hydrogenated), not further fused: | | | | |
| 2934.20.05 | 00 | *N-tert*-Butyl-2-benzothiazolesulfenamide | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2934.20.10 | 00 | 2,2'-Dithiobisbenzothiazole | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57% |
| 2934.20.15 | 00 | 2-Mercaptobenzothiazole; and*N*-(Oxydiethylene)benzothiazole-2-sulfenamide | kg | 6.5%[217/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2934.20.20 | 00 | 2-Mercaptobenzothiazole, sodium salt (2-Benzothiazolethiol, sodium salt) | kg | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2934.20.25 | 00 | 2-Amino-5,6-dichloro benzo thiazole; 2-(4-Amino phenyl)-6-methyl benzo thiazole-7- sulfonic acid; 2-Amino-6-nitro benzo thiazole; and*N*,*N*-Di cyclo hexyl-2-benzo thiazole sulfenamide | kg | Free[1/] | | 15.4¢/kg + 52% |
| 2934.20.30 | 00 | 2-Amino-6-methoxy benzo thiazole; 2-Amino-6-methyl benzo thiazole; 6-Ethoxy-2-benzo thiazo lethiol;3-Methyl benzo thiazole-2-hydrazone; and Primuline base | kg | 5.8%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| | | Other: | | | | |
| 2934.20.35 | 00 | Pesticides | kg | 6.5%[1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| | | Other: | | | | |
| 2934.20.40 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [218/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2934.20.80 | 00 | Other | kg | 6.5%[219/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2934 (con.) | | Nucleic acids and their salts, whether or not chemically defined; other heterocyclic compounds: (con.) | | | | |
| 2934.30 | | Compounds containing in the structure a phenothiazine ring-system (whether or not hydrogenated), not further fused: | | | | |
| 2934.30.12 | 00 | 2-(Trifluoromethyl)phenothiazine | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| 2934.30.18 | 00 | Ethyl (1*H*-phenothiazin-2,4,1)carbamate | kg | Free | | 15.4¢/kg + 52% |
| | | Other: | | | | |
| | | Drugs: | | | | |
| 2934.30.23 | 00 | Antidepressants, tranquilizers and other psychotherapeutic agents | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 149.5% |
| 2934.30.27 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| | | Other: | | | | |
| 2934.30.43 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2934.30.50 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2934 (con.) | | Nucleic acids and their salts, whether or not chemically defined; other heterocyclic compounds: (con.) | | | | |
| | | Other: | | | | |
| 2934.91.00 | 00 | Aminorex (INN), brotizolam (INN), clotiazepam (INN), cloxazolam (INN), dextromoramide (INN), haloxazolam (INN), ketazolam (INN), mesocarb (INN), oxazolam (INN), pemoline (INN), phendimetrazine (INN), phenmetrazine (INN) and sufentanil (INN); salts thereof | kg | Free | | 15.4¢/kg + 52% |
| 2934.99 | | Other: | | | | |
| | | Aromatic or modified aromatic: | | | | |
| 2934.99.01 | 00 | Mycophenolate mofetil | kg | Free | | 15.4¢/kg + 45% |
| 2934.99.03 | 00 | 2-Acetylbenzo(*b*)thiophene; 3-Methylene-7-(2-phenoxyacetamido)-cephan-4-carboxylic acid, *p*-nitrobenzyl ester, 1-oxide; and Naphth[1,2-*d*]-[1,2,3]-oxadiazole-5-sulfonic acid and its sodium salt | kg | Free | | 15.4¢/kg + 52% |
| 2934.99.05 | 00 | 5-Amino-3-phenyl-1,2,4-thiadiazole (3-Phenyl-5-amino-1,2,4-thiadiazole); 2-Hydroxybenzoxazole (Benzoxazolone); 4-Phenylmorpholine; 1,9-Thianthrenedicarboxylic acid; and Thioxanthene-9-one (Thioxanthone) | kg | 5.8% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 39.5% |
| 2934.99.06 | 00 | 7-Nitronaphth[1,2]oxadiazole-5-sulfonic acid and its salts | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 66.5% |
| 2934.99.07 | 00 | Ethyl 2-[4-[(6-chloro-2-benzoxazolyl)oxy]-phenoxy]propanoate (Fenoxaprop-ethyl) | kg | Free | | 15.4¢/kg + 48.5% |
| 2934.99.08 | 00 | 2,5-Diphenyloxazole | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2934.99.09 | 00 | 1,2-Benzisothiazolin-3-one | kg | Free | | 15.4¢/kg + 40.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2934 (con.) | | Nucleic acids and their salts, whether or not chemically defined; other heterocyclic compounds: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2934.99 (con.) | | Other: (con.) | | | | |
| | | Aromatic or modified aromatic: (con.) | | | | |
| | | Other: | | | | |
| | | Pesticides: | | | | |
| 2934.99.11 | 00 | 2-*tert*-Butyl-4-(2,4-dichloro-5-isopropoxyphenyl)-$\Delta^2$-1,3,4-oxadiazolin-5-one;3-Isopropyl-1*H*-2,1,3-benzothiadiazin-4-(3*H*)-one-2,2-dioxide (Bentazon); and*O*,*O*-Diethyl-S-[(6-chloro-2-oxobenzoxazolin-3-yl)methyl]-phosphorodithioate (Phosalone) | kg | 6.5%[220/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40.5% |
| | | Other: | | | | |
| 2934.99.12 | 00 | Fungicides | kg | 6.5% [221/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2934.99.15 | 00 | Herbicides | kg | 6.5% [222/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 48.5% |
| 2934.99.16 | 00 | Insecticides | kg | 6.5% [223/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 64.5% |
| 2934.99.18 | 00 | Other | kg | 6.5% [224/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 40% |
| 2934.99.20 | 00 | Photographic chemicals | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 50% |
| 2934.99.30 | 00 | Drugs | kg | 6.5% [225/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2934 (con.) | | Nucleic acids and their salts, whether or not chemically defined; other heterocyclic compounds: (con.) | | | | |
| | | Other: (con.) | | | | |
| 2934.99 (con.) | | Other: (con.) | | | | |
| | | Aromatic or modified aromatic: (con.) | | | | |
| | | Other: (con.) | | | | |
| | | Other: | | | | |
| 2934.99.39 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [226/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| 2934.99.44 | 00 | Other | kg | 6.5% [227/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 52% |
| | | Other: | | | | |
| 2934.99.47 | 00 | Drugs | kg | 3.7% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| | | Other: | | | | |
| 2934.99.70 | 00 | Morpholinoethyl chloride hydrochloride; 2-Methyl-2,5-dioxo-1-oxa-2-phospholan; and (6*R*-trans)-7-Amino-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]-oct-2-ene-2-carboxylic acid | kg | Free | | 30.5% |
| 2934.99.90 | 01 | Other | kg | 6.5% [228/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2935 | | Sulfonamides: | | | | |
| 2935.10.00 | 00 | N-Methyl perfluorooctane sulfonamide | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57.5% |
| 2935.20.00 | 00 | N-Ethyl perfluorooctane sulfonamide | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57.5% |
| 2935.30.00 | 00 | N-Ethyl -N-(2-hydroxyethyl)perfluorooctane sulfonamide | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57.5% |
| 2935.40.00 | 00 | N-(2-hydroxyethyl)-N-methyl perfluorooctane sulfonamide | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57.5% |
| 2935.50.00 | 00 | Other perfluorooctane sulfonamides | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57.5% |
| 2935.90 | | Other: | | | | |
| 2935.90.06 | 00 | 4-Amino-6-chloro-*m*-benzenedisulfonamide and Methyl-4-aminobenzenesulfonylcarbamate (Asulam) | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41% |
| 2935.90.10 | 00 | 2-Amino-*N*-ethylbenzenesulfonanilide; 5-Amino-*α*,*α*,*α*-trifluorotoluene-2,4-disulfonamide; Benzenesulfonamide; Benzenesulfonyl hydrazide; 2-Chloro-4-amino-5-hydroxybenzenesulfonamide; 2,5-Dimethoxysulfanilanilide; and Metanilamide | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 41% |
| 2935.90.13 | 00 | (5-[2-Chloro-4- (trifluoromethyl)phenoxy]-N-(methylsulfonyl)-2-nitrobenzamide) (Fomesafen);N-(2,6-Dichloro-3- methylphenyl)-5-amino-1,3,4-triazole-2-sulfonamide; 2,4-Dichloro-5-sulfamoylbenzoic acid; N-Ethyl-o- toluenesulfonamide; N-Ethyl-p-toluenesulfonamide; 7-(Hexadecylsulfonylamino) -1H-indole; Methyl 5-{[(4,6-dimethoxy-2-pyrimidinyl)amino]-carbonylaminosulfonyl} -3-chloro-1-methyl-1H-pyrazole-4-carboxylate (Halosulfuron methyl); and Mixtures of ortho- and para-toluenesulfonamides | kg | Free | | 15.4¢/kg + 57.5% |
| 2935.90.15 | 00 | *o*-Toluenesulfonamide | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57.5% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2935 (con.) | | Sulfonamides: (con.) | | | | |
| 2935.90 (con.) | | Other: (con.) | | | | |
| | | Other: | | | | |
| 2935.90.20 | 00 | Fast color bases and fast color salts | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 54.5% |
| | | Drugs: | | | | |
| | | Anti-infective agents: | | | | |
| 2935.90.29 | 00 | Acetylsulfaguanidine | kg | Free | | 15.4¢/kg + 96% |
| 2935.90.30 | 00 | Sulfamethazine | kg | Free | | 15.4¢/kg + 80% |
| 2935.90.32 | 00 | Acetylsulfisoxazole; Sulfacetamide, sodium; and Sulfamethazine, sodium | kg | 6.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 96% |
| 2935.90.33 | 00 | Sulfathiazole and Sulfathiazole, sodium | kg | Free | | 15.4¢/kg + 133% |
| 2935.90.42 | 00 | Salicylazosulfapyridine (Sulfasalazine); Sulfadiazine; Sulfaguanidine; Sulfamerizine; and Sulfapyridine | kg | Free | | 15.4¢/kg + 128.5% |
| 2935.90.48 | 00 | Other | kg | 6.5%[229/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 96% |
| 2935.90.60 | 00 | Other | kg | 6.5% | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 45% |
| | | Other: | | | | |
| 2935.90.75 | 00 | Products described in additional U.S. note 3 to section VI | kg | 6.5% [230/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, L, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57.5% |
| 2935.90.95 | 00 | Other | kg | 6.5% [231/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 57.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | XI. PROVITAMINS, VITAMINS AND HORMONES | | | | |
| 2936 | | Provitamins and vitamins, natural or reproduced by synthesis (including natural concentrates), derivatives thereof used primarily as vitamins, and intermixtures of the foregoing, whether or not in any solvent: | | | | |
| | | Vitamins and their derivatives, unmixed: | | | | |
| 2936.21.00 | 00 | Vitamins A and their derivatives | kg | Free | | 25% |
| 2936.22.00 | 00 | Vitamin $B_1$ (Thiamine) and its derivatives | kg | Free | | 25% |
| 2936.23.00 | 00 | Vitamin $B_2$ (Riboflavin) and its derivatives | kg | Free | | 15.4¢/kg + 62% |
| 2936.24.00 | 00 | D- or DL-Pantothenic acid (Vitamin $B_3$ or Vitamin $B_5$) and its derivatives | kg | Free | | 25% |
| 2936.25.00 | 00 | Vitamin $B_6$ (Pyridoxine and related compounds with Vitamin $B_6$ activity) and its derivatives | kg | Free | | 25% |
| 2936.26.00 | 00 | Vitamin $B_{12}$ (Cyanocobalamin and related compounds with Vitamin $B_{12}$ activity) and its derivatives | kg | Free | | 15.4¢/kg + 145.5% |
| 2936.27.00 | 00 | Vitamin C (Ascorbic acid) and its derivatives | kg | Free | | 25% |
| 2936.28.00 | 00 | Vitamin E (Tocopherols and related compounds with Vitamin E activity) and its derivatives | kg | Free | | 15.4¢/kg + 63.5% |
| 2936.29 | | Other vitamins and their derivatives: | | | | |
| 2936.29.10 | 00 | Folic acid | kg | Free | | 15.4¢/kg + 49% |
| 2936.29.15 | | Niacin and niacinamide | | Free | | 25% |
| | | Niacin: | | | | |
| | 10 | Pharmaceutical grade | kg | | | |
| | 20 | Other | kg | | | |
| | 30 | Niacinamide | kg | | | |
| | | Other: | | | | |
| 2936.29.20 | 00 | Aromatic or modified aromatic | kg | Free | | 15.4¢/kg + 45% |
| 2936.29.50 | | Other | | Free | | 25% |
| | 20 | Vitamins D and their derivatives | kg | | | |
| | 30 | Biotin | kg | | | |
| | 50 | Other | kg | | | |
| 2936.90.01 | | Other, including provitamins and natural concentrates | | Free | | 25% |
| | 10 | Provitamins | kg | | | |
| | 50 | Other | kg | | | |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2937 | | Hormones, prostaglandins, thromboxanes and leukotrienes, natural or reproduced by synthesis; derivatives and structural analogues thereof, including chain modified polypeptides, used primarily as hormones: | | | | |
| | | Polypeptide hormones, protein hormones and glycoprotein hormones, their derivatives and structural analogues: | | | | |
| 2937.11.00 | 00 | Somatotropin, its derivatives and structural analogues | g | Free | | 10% |
| 2937.12.00 | 00 | Insulin and its salts | g | Free | | 10% |
| 2937.19.00 | 00 | Other | g | Free | | 25% |
| | | Steroidal hormones, their derivatives and structural analogues: | | | | |
| 2937.21.00 | | Cortisone, hydrocortisone, prednisone (dehydrocortisone), and prednisolone (dehydrohydrocortisone) | | Free | | 25% |
| | 10 | Cortisone | g | | | |
| | 20 | Hydrocortisone | g | | | |
| | 30 | Prednisone | g | | | |
| | 40 | Prednisolone | g | | | |
| 2937.22.00 | 00 | Halogenated derivatives of adrenal cortical hormones | g | Free | | 25% |
| 2937.23 | | Estrogens and progestins: | | | | |
| 2937.23.10 | | Obtained directly or indirectly from animal or vegetable materials | | Free | | 25% |
| | 10 | Estrogens | g | | | |
| | | Other: | | | | |
| | 20 | Progesterone | kg | | | |
| | 50 | Other | kg | | | |
| | | Other: | | | | |
| 2937.23.25 | 00 | Estradiol benzoate; and Estradiol cyclopentylpropionate (Estradiol cypionate) | g | Free | | 15.4¢/kg + 49% |
| 2937.23.50 | | Other | | Free | | 15.4¢/kg + 78.5% |
| | 10 | Estrogens | g | | | |
| | | Other: | | | | |
| | 20 | Progesterone | g | | | |
| | 50 | Other | g | | | |
| 2937.29 | | Other: | | | | |
| 2937.29.10 | 00 | Desonide; and Nandrolone phenproprionate | g | Free | | 15.4¢/kg + 49% |
| 2937.29.90 | | Other | | Free | | 25% |
| | 20 | Salts and esters of hydrocortisone | g | | | |
| | 30 | Salts and esters of prednisone | g | | | |
| | 40 | Salts and esters of prednisolone | g | | | |
| | 50 | Anabolic agents and androgens | g | | | |
| | 95 | Other | g | | | |
| 2937.50.00 | 00 | Prostaglandins, thromboxanes and leukotrienes, their derivatives and structural analogues | g | Free | | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2937 (con.) | | Hormones, prostaglandins, thromboxanes and leukotrienes, natural or reproduced by synthesis; derivatives and structural analogues thereof, including chain modified polypeptides, used primarily as hormones: (con.) | | | | |
| 2937.90 | | Other: | | | | |
| | | Catecholamine hormones, their derivatives and structural analogues: | | | | |
| 2937.90.05 | 00 | Epinephrine | g | Free | | 15.4¢/kg + 49% |
| | | Other: | | | | |
| 2937.90.10 | 00 | Epinephrine hydrochloride | g | Free | | 15.4¢/kg + 49% |
| 2937.90.20 | 00 | Other | g | Free | | 25% |
| | | Amino-acid derivatives: | | | | |
| 2937.90.40 | 00 | *l*-Thyroxine (Levothyroxine), sodium | kg | Free | | 15.4¢/kg + 49% |
| 2937.90.45 | 00 | Other | g | Free | | 25% |
| 2937.90.90 | 00 | Other | g | Free | | 25% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | XII. GLYCOSIDES AND ALKALOIDS, NATURAL OR REPRODUCED BY SYNTHESIS, AND THEIR SALTS, ETHERS, ESTERS AND OTHER DERIVATIVES | | | | |
| 2938 | | Glycosides, natural or reproduced by synthesis, and their salts, ethers, esters and other derivatives: | | | | |
| 2938.10.00 | 00 | Rutoside (Rutin) and its derivatives | kg | 1.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 10% |
| 2938.90.00 | 00 | Other | kg | 3.7%[232/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 50% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2939 | | Alkaloids, natural or reproduced by synthesis, and their salts, ethers, esters and other derivatives: | | | | |
| | | Alkaloids of opium and their derivatives; salts thereof: | | | | |
| 2939.11.00 | 00 | Concentrates of poppy straw; buprenorphine (INN); codeine, dihydrocodeine (INN), ethylmorphine, etorphine (INN), heroin, hydrocodone (INN), hydromorphone (INN), morphine, nicomorphine (INN), oxycodone (INN), oxymorphone (INN), pholcodine (INN), thebacon (INN) and thebaine; salts thereof | kg | Free | | 15.4¢/kg + 50% |
| 2939.19 | | Other: | | | | |
| 2939.19.10 | 00 | Papaverine and its salts | kg | Free | | 15.4¢/kg + 104% |
| | | Other: | | | | |
| 2939.19.20 | 00 | Synthetic | kg | Free | | 15.4¢/kg + 50% |
| 2939.19.50 | 00 | Other | g | Free | | 10.6¢/g |
| 2939.20.00 | | Alkaloids of cinchona and their derivatives; salts thereof | | Free | | Free |
| | 10 | Quinine and its salts | g | | | |
| | 50 | Other | g | | | |
| 2939.30.00 | 00 | Caffeine and its salts | kg | Free | | 59% |
| | | Ephedrines and their salts: | | | | |
| 2939.41.00 | 00 | Ephedrine and its salts | kg | Free | | 15.4¢/kg + 59% |
| 2939.42.00 | 00 | Pseudoephedrine and its salts | kg | Free | | 15.4¢/kg + 59% |
| 2939.43.00 | 00 | Cathine (INN) and its salts | kg | Free | | 15.4¢/kg + 59% |
| 2939.44.00 | 00 | Norephedrine and its salts | kg | Free | | 15.4¢/kg + 59% |
| 2939.49.02 | 00 | Other | kg | Free | | 15.4¢/kg + 59% |
| | | Theophylline and aminophylline (theophylline-ethylenediamine) and their derivatives; salts thereof: | | | | |
| 2939.51.00 | 00 | Fenetylline (INN) and its salts | kg | Free | | 25% |
| 2939.59.00 | 00 | Other | kg | Free | | 25% |
| | | Alkaloids of rye ergot and their derivatives; salts thereof: | | | | |
| 2939.61.00 | 00 | Ergometrine and its salts | kg | Free | | 25% |
| 2939.62.00 | 00 | Ergotamine and its salts | kg | Free | | 25% |
| 2939.63.00 | 00 | Lysergic acid and its salts | kg | Free | | 25% |
| 2939.69.00 | 00 | Other | kg | Free | | 25% |
| | | Other, of vegetal origin: | | | | |
| 2939.71.00 | 00 | Cocaine, ecgonine, levometamfetamine, metamfetamine (INN), metamfetamine racemate;salts, esters and other derivatives thereof | kg | Free | | 25% |
| 2939.79.00 | 00 | Other | kg | Free | | 25% |
| 2939.80.00 | 00 | Other | kg | 6.5% [1/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 30.5% |

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| | | XIII. OTHER ORGANIC COMPOUNDS | | | | |
| 2940.00 | | Sugars, chemically pure, other than sucrose, lactose, maltose, glucose and fructose; sugar ethers, sugar acetals and sugar esters, and their salts, other than products of heading 2937, 2938 or 2939: | | | | |
| 2940.00.20 | 00 | *D*-Arabinose | kg | Free | | 50% |
| 2940.00.60 | 00 | Other | kg | 5.8% [233/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 50% |
| 2941 | | Antibiotics: | | | | |
| 2941.10 | | Penicillins and their derivatives with a penicillanic acid structure; salts thereof: | | | | |
| 2941.10.10 | 00 | Ampicillin and its salts | kg | Free | | 15.4¢/kg + 48.5% |
| 2941.10.20 | 00 | Penicillin G salts | kg | Free | | 15.4¢/kg + 49% |
| | | Other: | | | | |
| 2941.10.30 | 00 | Carfecillin, sodium; Cloxacillin, sodium; Dicloxacillin, sodium; Flucloxacillin (Floxacillin); and Oxacillin, sodium | kg | Free | | 15.4¢/kg + 45% |
| 2941.10.50 | 00 | Other | kg | Free | | 15.4¢/kg + 56.5% |
| 2941.20 | | Streptomycins and their derivatives; salts thereof: | | | | |
| 2941.20.10 | 00 | Dihydrostreptomycin and its derivatives; salts thereof | g | 3.5% | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) | 25% |
| 2941.20.50 | 00 | Other | g | Free | | 25% |
| 2941.30.00 | 00 | Tetracyclines and their derivatives; salts thereof | g | Free | | 25% |
| 2941.40.00 | 00 | Chloramphenicol and its derivatives; salts thereof | kg | Free | | 15.4¢/kg + 45% |
| 2941.50.00 | 00 | Erythromycin and its derivatives; salts thereof | g | Free | | 25% |
| 2941.90 | | Other: | | | | |
| 2941.90.10 | | Natural | | Free | | 10% |
| | 10 | Aminoglycoside antibiotics | kg | | | |
| | 50 | Other | kg | | | |
| | | Other: | | | | |
| 2941.90.30 | 00 | Aromatic or modified aromatic | kg | Free | | 15.4¢/kg + 45% |
| 2941.90.50 | 00 | Other | kg | Free | | 25% |

| Heading/ Subheading | Stat. Suf-fix | Article Description | Unit of Quantity | Rates of Duty 1 General | Rates of Duty 1 Special | Rates of Duty 2 |
|---|---|---|---|---|---|---|
| 2942.00 | | Other organic compounds: | | | | |
| | | Aromatic or modified aromatic: | | | | |
| 2942.00.03 | 00 | [2,2'-Thiobis(4-(1,1,3,3-tetramethyl-*n*-butyl)-phenolato)(2,1)]-*O*,*O*',*S*-(1-butanamine), nickel II..... | kg..... | Free[1/] | | 15.4¢/kg + 46.5% |
| | | Other: | | | | |
| 2942.00.05 | 00 | Drugs..... | kg..... | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 46% |
| | | Other: | | | | |
| 2942.00.10 | 00 | Products described in additional U.S. note 3 to section VI..... | kg..... | 6.5% [234/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 46.5% |
| 2942.00.35 | 00 | Other..... | kg..... | 6.5%[1/] | Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 15.4¢/kg + 46.5% |
| 2942.00.50 | 00 | Other..... | kg..... | 3.7%[235/] | Free (A, AU, BH, CA, CL, CO, D, E, IL, JO, K, KR, MA, MX, OM, P, PA, PE, SG) | 25% |

1/ See 9903.88.03.
2/ See 9902.01.81, 9902.01.82 and 9903.88.03.
3/ See 9902.01.83.
4/ See 9903.88.15.
5/ See 9902.01.84.
6/ See 9902.01.85 and 9903.88.03.
7/ See 9902.01.86 and 9903.88.03.
8/ See 9902.01.87 and 9903.88.03.
9/ See 9902.01.88.
10/ See 9902.01.89 and 9903.88.03.
11/ See 9902.01.90 and 9903.88.03.
12/ See 9902.01.91, 9902.01.92, 9902.01.93, 9902.01.94, 9902.01.95 and 9902.01.96.
13/ See 9902.01.97 and 9903.88.03.
14/ See 9902.01.98 and 9903.88.03.
15/ See 9902.01.99, 9902.02.01 and 9903.88.03.
16/ See 9902.02.02, 9902.02.03 and 9903.88.03.
17/ See 9902.02.04 and 9903.88.03.
18/ See 9902.02.05 and 9903.88.03.
19/ See 9902.02.06, 9902.02.07, 9902.02.08 and 9903.88.03.
20/ See 9902.02.09 and 9903.88.03.
21/ See 9902.02.10, 9902.02.11, 9902.02.12 and 9903.88.03.
22/ See 9902.02.13, 9902.02.14 and 9903.88.03.
23/ See 9902.02.15, 9902.02.16 and 9903.88.03.
24/ See 9903.88.33.
25/ See 9902.02.17 and 9903.88.03.
26/ See 9902.02.19 and 9903.88.03.
27/ See 9902.02.20 and 9903.88.03.
28/ See 9902.02.21, 9902.02.22 and 9903.88.03.
29/ See 9902.02.23 and 9903.88.03.
30/ See 9902.02.24.
31/ See 9902.02.25, 9902.02.26, 9902.02.27, 9902.02.28, 9902.02.29, 9902.02.30, 9902.02.31 and 9903.88.03.
32/ See 9902.02.32.
33/ See 9902.02.33 and 9903.88.03.
34/ See 9902.02.34 and 9903.88.03.
35/ See 9902.02.35.
36/ See 9902.02.36 and 9903.88.03.
37/ See 9902.02.37 and 9903.88.03.
38/ See 9902.02.38 and 9903.88.03.
39/ See 9902.02.39, 9902.02.40 and 9903.88.03.
40/ See 9902.02.41 and 9903.88.03.
41/ See 9902.02.42 and 9903.88.03.
42/ See 9902.02.43 and 9903.88.03.
43/ See 9902.02.44 and 9903.88.03.
44/ See 9902.02.45 and 9903.88.03.
45/ See 9902.02.46, 9902.02.47, 9902.02.48 and 9903.88.03.
46/ See 9902.02.49 and 9903.88.03.
47/ See 9902.02.50 and 9903.88.03.
48/ See 9902.02.51 and 9903.88.03.
49/ See 9902.02.52, 9902.02.53 and 9903.88.03.
50/ See 9902.02.54 and 9903.88.03.
51/ See 9902.02.55, 9902.02.56 and 9903.88.03.
52/ See 9902.02.57, 9902.02.58, 9902.02.59 and 9903.88.03.
53/ See 9902.02.60, 9902.02.61, 9902.02.62 and 9903.88.03.
54/ See 9902.02.63 and 9903.88.03.
55/ See 9902.02.64, 9902.02.65 and 9903.88.03.
56/ See 9902.02.66 and 9903.88.03.
57/ See 9902.02.67 and 9903.88.03.
58/ See 9902.02.25.
59/ See 9902.02.68, 9902.02.69, 9902.02.70 and 9903.88.15.
60/ See 9902.02.71, 9902.02.72 and 9903.88.03.
61/ See 9902.02.73 and 9903.88.03.
62/ See 9902.02.74, 9902.02.75, 9902.02.76 and 9903.88.03.
63/ See 9902.02.78 and 9903.88.03.
64/ See 9902.02.79, 9902.02.80 and 9903.88.03.
65/ See 9902.02.81 and 9903.88.03.
66/ See 9902.02.82 and 9903.88.03.
67/ See 9902.02.83 and 9903.88.03.
68/ See 9902.02.84 and 9903.88.03.
69/ See 9902.02.85, 9902.02.86 and 9903.88.03.

70/ See 9902.02.87 and 9903.88.03.
71/ See 9902.02.88 and 9903.88.03.
72/ See 9902.02.89 and 9903.88.03.
73/ See 9902.02.90 and 9903.88.15.
74/ See 9902.02.91, 9902.02.92 and 9903.88.03.
75/ See 9902.02.93 and 9903.88.03.
76/ See 9902.02.94 and 9902.02.95.
77/ See 9902.02.96 and 9903.88.03.
78/ See 9902.02.97 and 9903.88.03.
79/ See 9902.02.99 and 9903.88.03.
80/ See 9902.03.01, 9902.03.02, 9902.03.03, 9902.03.04, 9902.03.05 and 9903.88.03.
81/ See 9902.03.06 and 9903.88.03.
82/ See 9902.03.07.
83/ See 9902.03.08 and 9903.88.03.
84/ See 9902.03.09 and 9903.88.03.
85/ See 9902.03.10 and 9903.88.03.
86/ See 9902.03.11 and 9903.88.03.
87/ See 9902.03.12, 9902.03.13, 9902.03.14, 9902.03.15, 9902.03.16, 9902.03.17 and 9903.88.03.
88/ See 9902.03.18 and 9903.88.03.
89/ See 9902.03.19, 9902.03.20 and 9903.88.03.
90/ See 9902.03.21 and 9903.88.03.
91/ See 9902.03.22, 9902.03.23, 9902.03.24 and 9903.88.15.
92/ See 9902.03.25, 9902.03.26, 9902.03.27, 9902.03.28, 9902.03.29, 9902.03.30 and 9903.88.03.
93/ See 9902.03.31, 9902.03.32, 9902.03.33 and 9902.03.34.
94/ See 9902.03.35, 9902.03.36 and 9903.88.03.
95/ See 9902.03.37 and 9903.88.03.
96/ See 9902.03.38 and 9903.88.03.
97/ See 9902.03.39 and 9903.88.03.
98/ See 9902.03.40 and 9903.88.03.
99/ See 9902.03.42 and 9903.88.03.
100/ See 9902.03.41 and 9903.88.03.
101/ See 9902.03.43, 9902.03.44, 9902.03.45, 9902.03.46, 9902.03.47 and 9903.88.15.
102/ See 9902.03.48, 9902.03.49, 9902.03.50 and 9903.88.03.
103/ See 9902.03.51, 9902.03.52, 9902.03.53 and 9903.88.03.
104/ See 9902.03.54 and 9903.88.15.
105/ See 9902.03.55 and 9902.03.56.
106/ See 9902.03.57, 9902.03.58 and 9903.88.15.
107/ See 9902.03.59, 9902.03.60, 9902.03.61, 9902.03.62, 9902.03.63, 9902.03.64 and 9903.88.03.
108/ See 9902.03.65 and 9903.88.03.
109/ See 9902.03.66 and 9903.88.03.
110/ See 9902.03.67 and 9903.88.03.
111/ See 9902.03.68, 9902.03.69, 9902.03.70, 9902.03.71, 9902.03.72, 9902.03.73 and 9903.88.03.
112/ See 9902.03.74 and 9903.88.03.
113/ See 9902.03.75, 9902.03.76, 9902.03.77 and 9903.88.03.
114/ See 9902.03.78, 9902.03.79 and 9903.88.03.
115/ See 9902.03.80, 9902.03.81 and 9903.88.03.
116/ See 9902.03.82 and 9903.88.03.
117/ See 9902.03.83 and 9903.88.03.
118/ See 9902.03.84 and 9903.88.03.
119/ See 9902.03.85, 9902.03.86 and 9903.88.03.
120/ See 9902.03.87, 9902.03.88 and 9903.88.03.
121/ See 9902.03.89.
122/ See 9902.03.90.
123/ See 9902.03.91, 9902.03.92 and 9902.03.93.
124/ See 9902.03.94 and 9903.88.03.
125/ See 9902.03.95, 9902.03.96, 9902.03.97 and 9903.88.03.
126/ See 9902.03.98, 9902.03.99, 9902.04.01, 9902.04.02 and 9903.88.03.
127/ See 9902.04.03.
128/ See 9902.04.04, 9902.04.05, 9902.04.06, 9902.04.07 and 9903.88.03.
129/ See 9902.04.08 and 9903.88.03.
130/ See 9902.04.09, 9902.04.10, 9902.04.11, 9902.04.12, 9902.04.13 and 9903.88.03.
131/ See 9902.04.14.
132/ See 9902.04.15.
133/ See 9902.04.16 and 9903.88.03.
134/ See 9902.04.17, 9902.04.18, 9902.04.19 and 9903.88.03.
135/ See 9902.04.20, 9902.04.21, 9902.04.22, 9902.04.23, 9902.04.24, 9902.04.25 and 9903.88.03.
136/ See 9902.04.26, 9902.04.27, 9902.04.28 and 9903.88.03.
137/ See 9902.04.30, 9902.04.31 and 9903.88.03.
138/ See 9902.04.32 and 9903.88.03.

139/ See 9902.04.33 and 9903.88.03.
140/ See 9902.04.34, 9902.04.35, 9902.04.36, 9902.04.37, 9902.04.38, 9902.04.39, 9902.04.40, 9902.04.41, 9902.04.42, 9902.04.43, 9902.04.44, 9902.04.45, 9902.04.46, 9902.04.47 and 9903.88.03.
141/ See 9902.04.48, 9902.04.49, 9902.04.50, 9902.04.51, 9902.04.52 and 9903.88.03.
142/ See 9902.04.53, 9902.04.54, 9902.04.55, 9902.04.56 and 9903.88.03.
143/ See 9902.04.57 and 9903.88.03.
144/ See 9902.04.58 and 9903.88.03.
145/ See 9902.04.59, 9902.04.60 and 9903.88.03.
146/ See 9902.04.61, 9902.04.62 and 9903.88.03.
147/ See 9902.04.63, 9902.04.64 and 9903.88.03.
148/ See 9902.04.65.
149/ See 9902.04.66, 9902.04.67, 9902.04.68, 9902.04.69 and 9903.88.03.
150/ See 9902.04.70, 9902.04.71, 9902.04.72, 9902.04.73, 9902.04.74, 9902.04.75, 9902.04.76, 9902.04.78 and 9903.88.03.
151/ See 9902.04.79 and 9903.88.03.
152/ See 9902.04.80, 9902.04.81, 9902.04.82 and 9903.88.03.
153/ See 9902.04.83 and 9903.88.03.
154/ See 9902.04.84, 9902.04.85, 9902.04.86, 9902.04.87, 9902.04.88 and 9903.88.03.
155/ See 9902.04.89, 9902.04.90, 9902.04.91, 9902.04.92, 9902.04.93 and 9903.88.03.
156/ See 9902.04.94 and 9903.88.03.
157/ See 9902.04.95 and 9902.04.96.
158/ See 9902.04.97 and 9903.88.03.
159/ See 9902.04.98 and 9903.88.03.
160/ See 9902.04.99 and 9903.88.03.
161/ See 9902.05.01 and 9903.88.03.
162/ See 9902.05.02, 9902.05.03, 9902.05.04, 9902.05.05, 9902.05.06 and 9903.88.03.
163/ See 9902.05.07, 9902.05.08, 9902.05.09, 9902.05.10, 9902.05.11, 9902.05.12, 9902.05.13, 9902.05.14 and 9903.88.03.
164/ See 9902.05.15, 9902.05.16, 9902.05.17, 9902.05.18, 9902.05.19 and 9903.88.03.
165/ See 9902.05.20, 9902.05.21 and 9903.88.03.
166/ See 9902.05.22, 9902.05.23, 9902.05.24, 9902.05.25 and 9902.05.26.
167/ See 9902.05.27, 9902.05.28, 9902.05.29, 9902.05.30, 9902.05.37 and 9902.05.41.
168/ See 9902.05.31 and 9902.05.32.
169/ See 9902.05.33, 9902.05.34 and 9903.88.03.
170/ See 9902.05.35, 9902.05.36 and 9903.88.03.
171/ See 9902.05.38, 9902.05.39, 9902.05.40, 9902.05.42, 9902.05.43 and 9902.05.44.
172/ Pursuant to U.S. note 20(g) to subchapter III, chapter 99, heading 9903.88.04 covers certain goods of this rate line, as indicated by the footnote; please note that statistical reporting descriptions without a footnote are not covered by that heading.
173/ See 9902.05.45, 9902.05.46 and 9903.88.03.
174/ See 9902.05.47, 9902.05.48, 9902.05.49 and 9902.05.50.
175/ See 9902.05.51, 9902.05.52, 9902.05.53 and 9902.05.54.
176/ See 9902.05.55 and 9903.88.03.
177/ See 9902.05.56 and 9903.88.03.
178/ See 9902.05.57 and 9903.88.03.
179/ See 9902.05.58, 9902.05.59 and 9902.05.60.
180/ See 9902.05.61, 9902.05.62, 9902.05.63, 9902.05.64, 9902.05.65, 9902.05.66, 9902.05.67, 9902.05.68, 9902.05.69, 9902.05.70, 9902.05.71 and 9903.88.03.
181/ See 9902.05.72 and 9903.88.03.
182/ See 9902.05.73 and 9903.88.03.
183/ See 9902.05.74, 9902.05.75 and 9903.88.03.
184/ See 9902.05.76 and 9903.88.03.
185/ See 9902.05.77 and 9903.88.03.
186/ See 9902.05.78.
187/ See 9902.05.79, 9902.05.80, 9902.05.81, 9902.05.82, 9902.05.83 and 9902.05.84.
188/ See 9902.05.85.
189/ See 9902.05.86, 9902.05.87, 9902.05.88, 9902.05.89, 9902.05.90, 9902.05.91, 9902.05.92, 9902.05.93, 9902.05.94 and 9902.05.95.
190/ See 9902.05.96, 9902.05.97, 9902.05.98, 9902.05.99, 9902.06.01, 9902.06.02, 9902.06.03 and 9902.06.04.
191/ See 9902.06.05 and 9902.05.06.
192/ See 9902.06.07, 9902.06.08, 9902.06.09, 9902.06.10, 9902.06.11, 9902.06.12, 9902.06.13, 9902.06.14, 9902.06.15, 9902.06.16, 9902.06.17, 9902.06.18 and 9902.06.19.
193/ See 9902.06.20 and 9902.06.21.
194/ See 9902.06.22.
195/ See 9902.06.23.
196/ See 9902.06.24 and 9902.06.25.
197/ See 9902.06.26.
198/ See 9902.06.27, 9902.06.28 and 9902.06.29.
199/ See 9902.06.30, 9902.06.31, 9902.06.32, 9902.06.33 and 9902.06.34.
200/ See 9902.06.35, 9902.06.36 and 9902.06.37.
201/ See 9902.06.38.
202/ See 9902.06.39.
203/ See 9902.06.40, 9902.06.41, 9902.06.42 and 9902.06.43.

204/ See 9902.06.44.
205/ 9902.06.45, 9902.06.46, 9902.06.47, 9902.06.48 and 9902.06.49.
206/ See 9902.06.50, 9902.06.51, 9902.06.52, 9902.06.53, 9902.06.54, 9902.06.55, 9902.06.56, 9902.06.57, 9902.06.58, 9902.06.59, 9902.06.60, 9902.06.61, 9902.06.62, 9902.06.63, 9902.06.64, 9902.06.65, 9902.06.66 and 9903.88.15.
207/ See 9902.06.67, 9902.06.68 and 9903.88.03.
208/ See 9902.06.69 and 9903.88.03.
209/ See 9902.06.70 and 9902.06.71.
210/ See 9902.06.72 and 9902.06.73.
211/ See 9902.06.74, 9902.06.75, 9902.06.76, 9902.06.77, 9902.06.78, 9902.06.79, 9902.06.80, 9902.06.81, 9902.06.82, 9902.06.83, 9902.06.84, 9902.06.85, 9902.06.86, 9902.06.87 and 9902.06.88.
212/ See 9902.06.89, 9902.06.90, 9902.06.91, 9902.06.92 and 9902.06.93.
213/ See 9902.06.94 and 9902.06.95.
214/ See 9902.06.96, 9902.06.97 and 9902.06.98.
215/ See 9902.06.99, 9902.07.01, 9902.07.02, 9902.07.03, 9902.07.04, 9902.07.05 and 9903.88.03.
216/ See 9902.07.06, 9902.07.07, 9902.07.08 and 9903.88.03.
217/ See 9902.07.09 and 9903.88.03.
218/ See 9902.07.10 and 9903.88.03.
219/ See 9902.07.11 and 9902.07.12.
220/ See 9902.07.13.
221/ See 9902.07.14, 9902.07.15, 9902.07.16, 9902.07.17, 9902.07.18, 9902.07.19, 9902.07.20 and 9902.07.21.
222/ See 9902.07.22, 9902.07.23, 9902.07.24, 9902.07.25, 9902.07.26, 9902.07.27, 9902.07.28, 9902.07.29 and 9902.07.30.
223/ See 9902.07.31, 9902.07.32 and 9902.07.33.
224/ See 9902.07.34, 9902.07.35 and 9902.07.36.
225/ See 9902.07.37, 9902.07.38, 9902.07.39, 9902.07.40, 9902.07.41 and 9902.07.42.
226/ See 9902.07.43, 9902.07.44 and 9902.07.45.
227/ See 9902.07.46.
228/ See 9902.07.47, 9902.07.48, 9902.07.49, 9902.07.50, 9902.07.51, 9902.07.52, 9902.07.53 and 9902.07.54.
229/ See 9902.07.55.
230/ See 9902.07.56, 9902.07.57, 9902.07.58, 9902.07.59, 9902.07.60, 902.07.61, 9902.07.62, 9902.07.63, 9902.07.64, 9902.07.65, 9902.07.66, 9902.07.67, 9902.07.68, 9902.07.69, 9902.07.70, 9902.07.71 and 9902.07.72.
231/ See 9902.07.73.
232/ See 9902.07.74, 9902.75 and 9902.07.76.
233/ See 9902.07.77, 9902.07.78 and 9903.88.03.
234/ See 9902.07.79 and 9903.88.03.
235/ See 9902.07.80 and 9903.88.03.